

**2022 (MY 2021) CHIP PA Performance Measure (PAPM) Rates**

Annual Percentage of Asthma Patients With Asthma Related ER Visit (ASM-ED)												
	ABH	CBC	GEI	HPP	Highmark HMO	Highmark PPO	IBC	NEPA	UHC	UPMC	Mean	Weighted Average
Rate %	11.44%	6.34%	6.80%	10.82%	6.81%	6.29%	11.64%	6.16%	10.24%	8.11%	8.47%	9.14%
Note: Rates with denominators less than 30 will be reported in final reporting as "NA"												
The percentage of children and adolescents, two years of age through 19 years of age, with an asthma diagnosis who have ≥ 1 emergency department (ED) visit during the measurement year.												

Developmental Screening in the First Three Years of Life (FTY)												
Rate %	ABH	CBC	GEI	HPP	Highmark HMO	Highmark PPO	IBC	NEPA	UHC	UPMC	Mean	Weighted Average
1 Year	72.73%	43.14%	43.55%	52.94%	76.00%	47.22%	65.22%	58.33%	74.56%	75.64%	60.93%	67.16%
2 Years	73.00%	52.10%	50.46%	67.19%	69.57%	72.62%	80.47%	41.38%	76.11%	78.00%	66.09%	71.52%
3 Years	64.89%	52.70%	42.40%	59.43%	71.01%	48.97%	65.67%	55.05%	67.19%	74.63%	60.19%	63.59%
Total	68.03%	51.50%	44.25%	60.94%	71.29%	54.27%	68.97%	52.67%	70.14%	75.70%	61.78%	66.02%
Note: Rates with denominators less than 30 will be reported in final reporting as "NA"												
The percentage of children screened for risk of developmental, behavioral, and social delays using a standardized screening tool in the 12 months preceding or on their first, second, or third birthday.												

Sealant Receipt on Permanent First Molars (SFM_CH)												
	ABH	CBC	GEI	HPP	Highmark HMO	Highmark PPO	IBC	NEPA	UHC	UPMC	Mean	Weighted Average
Rate % 1	32.86%	48.24%	45.87%	47.76%	37.90%	43.09%	50.56%	33.64%	34.28%	28.33%	40.25%	38.62%
Rate % 2	21.61%	35.12%	30.93%	33.45%	30.61%	31.49%	36.80%	25.45%	23.51%	17.50%	28.65%	26.77%
Note: Rates with denominators less than 30 will be reported in final reporting as "NA"												
Rate 1	The percentage of enrolled children who have ever received a sealant on at least one permanent first molar in the 48 months prior to the 10th birthday.											
Rate 2	The unduplicated number of enrolled children who have received sealants on all four permanent first molars in the 48 months prior to the 10th birthday.											

Contraceptive Care for All Women Ages 15-20 (CCW)												
	ABH	CBC	GEI	HPP	Highmark HMO	Highmark PPO	IBC	NEPA	UHC	UPMC	Mean	Weighted Average
Rate % A	17.71%	27.32%	29.66%	15.31%	33.53%	25.27%	18.38%	31.11%	21.27%	28.73%	24.83%	24.07%
Rate % B	1.66%	2.32%	1.96%	0.93%	4.18%	2.46%	1.33%	1.58%	1.43%	2.59%	2.05%	1.98%
Note: Rates with denominators less than 30 will be reported in final reporting as "NA"												
Rate A	The percentage of eligible women ages 15 through 20 at risk of unintended pregnancy that were provided a most (sterilization, IUD/IUS, contraceptive implant) or moderately (injectables, oral pills, patch, ring, or diaphragm) effective method of contraception in the measurement year.											
Rate B	The percentage of eligible women ages 15 through 20 at risk of unintended pregnancy that were provided a LARC (contraceptive implant, IUD/IUS) method of contraception in the measurement year.											
Breakdown of Ages 15 to 20 Cohort Into Individual Years- CCW												
Age 15												
	ABH	CBC	GEI	HPP	Highmark HMO	Highmark PPO	IBC	NEPA	UHC	UPMC	Mean	Weighted Average
Rate % A	8.90%	13.66%	15.34%	5.86%	15.46%	12.59%	6.68%	14.89%	9.79%	15.91%	11.91%	11.75%
Rate % B	1.24%	0.24%	0.85%	0.78%	0.97%	1.40%	0.18%	0.00%	0.99%	1.40%	0.89%	0.90%
Age 16												
	ABH	CBC	GEI	HPP	Highmark PPO	Highmark HMO	IBC	NEPA	UHC	UPMC	Mean	Weighted Average
Rate % A	12.88%	20.62%	22.52%	11.97%	21.45%	30.10%	15.64%	29.05%	15.68%	22.41%	20.23%	18.94%
Rate % B	1.64%	2.13%	1.50%	0.35%	2.31%	3.40%	1.55%	2.70%	0.64%	1.89%	1.81%	1.62%
Age 17												
	ABH	CBC	GEI	HPP	Highmark PPO	Highmark HMO	IBC	NEPA	UHC	UPMC	Mean	Weighted Average
Rate % A	23.94%	34.29%	41.14%	17.24%	30.83%	39.11%	21.22%	40.71%	27.73%	32.49%	30.87%	29.65%
Rate % B	1.48%	3.38%	2.53%	0.38%	2.37%	3.96%	1.53%	1.43%	1.47%	3.62%	2.22%	2.30%
Age 18												
	ABH	CBC	GEI	HPP	Highmark PPO	Highmark HMO	IBC	NEPA	UHC	UPMC	Mean	Weighted Average
Rate % A	24.20%	42.17%	40.41%	25.69%	38.72%	46.75%	29.34%	41.22%	33.48%	43.58%	36.56%	36.19%
Rate % B	2.51%	3.42%	2.40%	2.37%	3.40%	7.79%	1.85%	2.29%	2.95%	3.33%	3.23%	3.08%

Age 19												
	ABH	CBC	GEI	HPP	Highmark PPO	Highmark HMO	IBC	NEPA	UHC	UPMC	Mean	Weighted Average
Rate % A	37.21%	50.00%	50.00%	29.41%	36.84%	50.00%	40.54%	22.22%	30.36%	42.42%	38.90%	39.50%
Rate % B	0.00%	8.33%	9.38%	0.00%	10.53%	6.25%	5.41%	0.00%	0.00%	4.55%	7.41%	4.08%
Age 20												
	ABH	CBC	GEI	HPP	Highmark PPO	Highmark HMO	IBC	NEPA	UHC	UPMC	Mean	Weighted Average
Rate % A	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
Rate % B	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%

Contraceptive Care for Postpartum Women Ages 15-20 (CCP)												
	ABH	CBC	GEI	HPP	Highmark PPO	Highmark HMO	IBC	NEPA	UHC	UPMC	Mean	Weighted Average
Rate % 1	22.22%	20.00%	25.00%	20.00%	0.00%	0.00%	0.00%	0.00%	23.08%	37.50%	24.63%	19.30%
Rate % 2	33.33%	100.00%	50.00%	40.00%	0.00%	50.00%	57.14%	0.00%	53.85%	75.00%	57.42%	52.63%
Rate % 3	0.00%	20.00%	25.00%	0.00%	0.00%	0.00%	0.00%	0.00%	15.38%	25.00%	21.35%	10.53%
Rate % 4	0.00%	60.00%	50.00%	20.00%	0.00%	50.00%	14.29%	0.00%	23.08%	25.00%	34.62%	22.81%
Note: Rates with denominators less than 30 will be reported in final reporting as "NA".												
Rate 1	The percentage of women ages 15-20 who had a live birth between the dates of January 1 and October 31 of the measurement year and were provided with contraception within the immediate postpartum period of 3 days after delivery.											
Rate 2	The percentage of women ages 15-20 who had a live birth between the dates of January 1 and October 31 of the measurement year and were provided with contraception within 60 days of delivery.											
Rate 3	The percentage of women ages 15-20 who had a live birth between the dates of January 1 and October 31 of the measurement year and were provided a LARC (contraceptive implant, IUD/IUS) method of contraception within the immediate postpartum period of 3 days after delivery.											
Rate 4	The percentage of women ages 15-20 who had a live birth between the dates of January 1 and October 31 of the measurement year and were provided a LARC (contraceptive implant, IUD/IUS) method of contraception within 60 days of delivery.											