

MY 2021 (RY 2022) HEDIS® Rate Chart

Measure	Health Plan								MY 2021 HC Weighted Average	MY 2020 HC Weighted Average	MY 2019 HC Weighted Average
	Aetna Better Health	AmeriHealth Caritas Pennsylvania ¹	Geisinger Health Plan	Health Partners Plans	Highmark Wholecare ²	Keystone First	United Healthcare	UPMC for You			
Domain: <i>Effectiveness of Care</i>											
BMI Percentile Documentation, Ages 3 to 11 Years ³	83.73%	84.02%	81.62%	90.64%	86.31%	82.68%	90.51%	78.23%	83.90%	80.77%	85.02%
BMI Percentile Documentation, Ages 12 to 17 Years ³	79.25%	87.50%	74.67%	87.79%	85.14%	80.71%	86.86%	74.31%	81.55%	76.52%	84.71%
BMI Percentile Documentation, Total ³	82.00%	85.57%	78.51%	89.62%	85.89%	81.94%	89.29%	76.79%	83.02%	79.30%	84.89%
Counseling for Nutrition, Ages 3 to 11 Years ³	79.76%	79.45%	78.38%	82.55%	81.37%	76.62%	84.31%	70.97%	78.16%	74.75%	78.33%
Counseling for Nutrition, Ages 12 to 17 Years ³	69.18%	80.68%	66.67%	75.57%	76.35%	77.14%	81.02%	66.67%	74.20%	71.56%	75.51%
Counseling for Nutrition, Total ³	75.67%	80.00%	73.13%	80.05%	79.56%	76.82%	83.21%	69.39%	76.62%	73.64%	77.3%
Counseling for Physical Activity, Ages 3 to 11 Years ³	76.98%	73.06%	73.51%	63.40%	78.33%	72.73%	79.93%	69.76%	72.97%	68.07%	69.09%
Counseling for Physical Activity, Ages 12 to 17 Years ³	71.07%	81.25%	68.00%	70.23%	77.70%	77.14%	79.56%	67.36%	74.19%	69.99%	74.46%
Counseling for Physical Activity, Total ³	74.70%	76.71%	71.04%	65.85%	78.10%	74.39%	79.81%	68.88%	73.45%	68.78%	70.89%
Childhood Immunization Status, DtaP/DT	73.48%	73.72%	72.26%	72.26%	72.99%	75.43%	70.80%	79.56%	74.49%	76.80%	79.06%
Childhood Immunization Status, IPV	89.54%	89.05%	91.24%	87.83%	88.32%	89.78%	84.91%	93.19%	89.61%	91.24%	90.71%
Childhood Immunization Status, MMR	88.08%	84.91%	87.59%	85.40%	88.81%	85.89%	81.27%	90.02%	86.76%	89.07%	90.15%
Childhood Immunization Status, HiB	86.86%	84.18%	83.45%	86.86%	88.81%	88.81%	84.43%	92.46%	87.65%	89.07%	89.34%
Childhood Immunization Status, Hepatitis B	90.51%	90.75%	92.46%	90.27%	89.54%	91.73%	89.29%	93.43%	91.24%	92.21%	91.89%
Childhood Immunization Status, VZV	86.86%	85.64%	87.35%	84.67%	88.08%	85.89%	81.27%	90.02%	86.56%	88.49%	90.35%
Childhood Immunization Status, Pneumococcal Conjugate	75.43%	74.45%	76.89%	74.70%	75.67%	78.35%	72.02%	80.78%	76.64%	79.12%	80.44%
Childhood Immunization Status, Hepatitis A	85.64%	82.00%	81.27%	83.94%	83.45%	83.70%	78.83%	87.83%	83.76%	85.27%	86.52%
Childhood Immunization Status, Rotavirus	72.02%	70.07%	73.48%	64.72%	69.83%	77.13%	70.32%	74.70%	72.23%	73.65%	73.77%
Childhood Immunization Status, Influenza	52.31%	47.93%	47.45%	50.12%	48.66%	55.72%	52.07%	49.88%	50.84%	53.35%	52.25%
Childhood Immunization Status, Combo 3	67.64%	69.59%	66.67%	68.61%	66.91%	71.29%	65.45%	72.99%	69.32%	72.15%	73.62%
Childhood Immunization Status, Combo 7	59.37%	58.15%	56.93%	54.26%	56.93%	62.29%	56.20%	62.53%	59.05%	62.16%	62.28%
Childhood Immunization Status, Combo 10	41.12%	35.77%	35.52%	36.98%	36.50%	45.74%	39.66%	38.44%	39.23%	41.83%	41.23%
Immunizations for Adolescents, Combo 1	80.54%	86.86%	82.48%	84.67%	89.78%	83.69%	81.75%	85.64%	84.78%	87.62%	88.80%
Lead Screening in Children ⁴	79.08%	78.94%	84.43%	79.63%	83.45%	80.89%	77.10%	86.13%	81.60%	83.22%	83.60%
Breast Cancer Screening, Ages 52 to 74 Years ³	42.01%	55.57%	55.34%	51.67%	48.83%	49.59%	47.72%	51.94%	50.90%	53.16%	57.41%
Cervical Cancer Screening, Ages 21 to 64 Years ³	53.04%	61.73%	55.41%	57.55%	59.85%	65.69%	56.69%	64.76%	60.51%	61.11%	64.30%
Non-Recommended Cervical Cancer Screening in Adolescent Females, Ages 16 to 20 Years	0.21%	0.24%	0.90%	0.22%	0.27%	0.15%	0.21%	0.49%	0.33%	0.39%	0.61%

MY 2021 (RY 2022) HEDIS® Rate Chart

Measure	Health Plan								MY 2021 HC Weighted Average	MY 2020 HC Weighted Average	MY 2019 HC Weighted Average
	Aetna Better Health	AmeriHealth Caritas Pennsylvania ¹	Geisinger Health Plan	Health Partners Plans	Highmark Wholecare ²	Keystone First	United Healthcare	UPMC for You			
Chlamydia Screening in Women, Ages 16 to 20 Years	47.41%	47.56%	46.14%	68.64%	50.66%	62.86%	51.51%	48.26%	53.17%	53.67%	58.44%
Chlamydia Screening in Women, Ages 21 to 24 Years	57.14%	57.41%	57.14%	71.92%	59.10%	69.44%	61.33%	55.81%	61.36%	61.01%	66.24%
Appropriate Testing for Pharyngitis, Ages 3 to 17 Years ³	70.83%	67.56%	73.46%	68.28%	74.49%	72.92%	77.35%	78.58%	73.72%	82.07%	82.55%
Appropriate Testing for Pharyngitis, Ages 18 to 64 Years ³	50.29%	51.11%	56.34%	35.40%	55.68%	36.93%	57.43%	60.46%	51.89%	59.60%	60.51%
Appropriate Testing for Pharyngitis, Ages 65 Years and Older ³	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N/A
Appropriate Testing for Pharyngitis, Total ³	59.30%	59.34%	65.41%	47.00%	64.97%	51.40%	66.57%	69.31%	62.14%	74.25%	75.59%
Appropriate Treatment for Upper Respiratory Infection, Ages 3m to 17 Years	95.13%	95.02%	93.36%	97.73%	95.92%	97.60%	96.23%	95.23%	95.66%	94.21%	93.15%
Appropriate Treatment for Upper Respiratory Infection, Ages 18 to 64 Years	85.52%	86.99%	82.94%	82.10%	89.39%	79.66%	87.23%	86.03%	85.53%	81.97%	78.95%
Appropriate Treatment for Upper Respiratory Infection, Ages 65 Years and Older	NA	NA	NA	NA	NA	89.36%	NA	NA	89.36%	77.77%	75.48%
Appropriate Treatment for Upper Respiratory Infection, Total	92.12%	92.31%	89.90%	93.26%	93.77%	93.23%	93.18%	91.97%	92.38%	90.89%	89.56%
Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis, Ages 3m to 17 Years	77.23%	69.04%	66.15%	90.97%	66.77%	90.72%	84.02%	72.35%	76.09%	73.79%	68.84%
Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis, Ages 18 to 64 Years	51.22%	45.60%	49.33%	59.81%	52.19%	51.42%	46.64%	47.31%	49.49%	46.26%	44.19%
Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis, Ages 65 Years and Older	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	46.88%
Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis, Total	61.48%	55.45%	54.97%	71.03%	58.40%	73.01%	61.40%	55.67%	60.03%	60.67%	56.50%
Use of Spirometry Testing in the Assessment and Diagnosis of Chronic Obstructive Pulmonary Disease (COPD)	26.09%	26.22%	25.32%	22.17%	24.41%	20.62%	21.56%	25.87%	24.17%	26.86%	28.93%
Pharmacotherapy Management of COPD Exacerbation (Systemic Corticosteroids)	87.57%	77.59%	81.50%	75.00%	74.61%	73.01%	72.35%	81.76%	77.97%	77.23%	77.15%
Pharmacotherapy Management of COPD Exacerbation (Bronchodilators)	92.14%	85.91%	87.60%	88.40%	85.55%	88.27%	83.66%	86.78%	87.20%	87.29%	86.95%
Statin Therapy for Patients With Cardiovascular Disease Received Statin Therapy (Total) ³	83.35%	86.50%	86.19%	85.91%	84.30%	82.48%	80.73%	84.06%	84.24%	83.51%	83.42%
Statin Therapy for Patients With Cardiovascular Disease Statin Adherence 80% (Total) ³	75.03%	77.33%	76.81%	69.70%	73.70%	77.92%	75.55%	76.32%	75.57%	76.32%	72.40%
Statin Therapy for Patients With Diabetes Received Statin Therapy (Total) ³	68.26%	69.21%	68.61%	72.91%	69.80%	69.97%	68.95%	70.25%	69.98%	69.62%	69.10%
Statin Therapy for Patients With Diabetes Statin Adherence 80% (Total) ³	73.07%	74.69%	73.96%	69.23%	72.38%	73.78%	71.01%	75.63%	73.22%	73.79%	69.63%
Asthma Medication Ratio, Ages 5 to 64 Years ⁴	62.60%	66.07%	64.15%	66.53%	64.02%	66.57%	61.47%	67.07%	65.43%	64.79%	62.67%
Controlling High Blood Pressure, Ages 18 to 85 Years ^{4,6}	62.77%	68.61%	67.64%	64.96%	69.10%	55.47%	62.77%	69.83%	65.22%	63.43%	
Persistence of Beta Blocker Treatment After a Heart Attack, 18 Years and Older	80.77%	82.63%	91.41%	87.23%	87.65%	83.17%	90.24%	89.15%	86.55%	85.91%	86.64%

MY 2021 (RY 2022) HEDIS® Rate Chart

Health Plan											
Measure	Aetna Better Health	AmeriHealth Caritas Pennsylvania ¹	Geisinger Health Plan	Health Partners Plans	Highmark Wholecare ²	Keystone First	United Healthcare	UPMC for You	MY 2021 HC Weighted Average	MY 2020 HC Weighted Average	MY 2019 HC Weighted Average
Hemoglobin A1c Screening for People with Diabetes	80.29%	84.91%	87.59%	86.37%	88.56%	80.54%	86.86%	86.62%	85.23%	83.66%	87.58%
Hemoglobin A1c Poorly Controlled in People with Diabetes ^{3,4,7}	43.07%	35.77%	28.95%	34.31%	28.71%	42.09%	34.79%	37.96%	36.05%	38.40%	33.66%
Hemoglobin A1c Good Control in People with Diabetes (<8.0%) ³	46.47%	53.28%	55.72%	55.47%	59.85%	51.09%	55.23%	54.26%	54.07%	51.24%	54.45%
Eye Exams for People with Diabetes ³	47.45%	52.80%	64.72%	50.36%	54.01%	53.77%	51.34%	61.07%	55.19%	53.34%	60.04%
Blood Pressure Control (<140/90 mm Hg) ⁵	66.67%	68.37%	78.59%	62.04%	70.80%	59.85%	66.18%	67.88%	67.04%	66.04%	
Use of Imaging Studies for Low Back Pain	74.58%	73.13%	73.35%	82.07%	73.85%	80.95%	76.20%	77.50%	76.57%	77.20%	76.48%
Antidepressant Medication Management (Effective Acute Phase Treatment) ¹⁰	60.73%	64.21%	64.21%	55.33%	58.34%	60.91%	57.23%	63.32%	61.19%	56.77%	
Antidepressant Medication Management (Effective Continuation Phase Treatment) ¹⁰	42.78%	47.07%	44.85%	38.99%	41.68%	44.34%	40.51%	45.38%	43.79%	41.16%	
Follow-Up Care for Children Prescribed ADHD Medication (Initiation Phase) ³	29.03%	43.19%	42.35%	44.68%	42.31%	35.68%	34.75%	48.51%	41.23%	47.55%	43.83%
Follow-Up Care for Children Prescribed ADHD Medication (Continuation and Maintenance Phase) ³	34.98%	51.53%	44.26%	47.96%	50.22%	45.80%	42.14%	58.11%	48.93%	52.84%	51.28%
Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications, Ages 18 to 64 Years	88.99%	86.58%	88.88%	81.76%	87.54%	86.60%	86.66%	87.31%	86.93%	85.62%	88.06%
Diabetes Monitoring for People With Diabetes and Schizophrenia, Ages 18 to 64 Years	65.91%	70.20%	82.81%	75.52%	68.66%	72.75%	62.68%	76.63%	72.06%	69.74%	74.70%
Cardiovascular Monitoring for People With Cardiovascular Disease and Schizophrenia, Ages 18 to 64 Years	NA	77.42%	NA	80.65%	NA	68.57%	NA	78.72%	76.39%	72.99%	78.89%
Adherence to Antipsychotic Medications for Individuals With Schizophrenia, Ages 19 to 64 Years	50.98%	64.50%	64.21%	59.02%	64.05%	62.76%	53.71%	65.42%	61.30%	65.13%	65.66%
Metabolic Monitoring for Children and Adolescents on Antipsychotics - Blood Glucose Testing, Total	80.40%	76.14%	80.66%	54.90%	79.19%	68.64%	73.75%	77.93%	76.11%	69.80%	78.64%
Metabolic Monitoring for Children and Adolescents on Antipsychotics - Cholesterol Testing, Total	67.79%	66.31%	70.31%	60.53%	69.25%	62.44%	63.01%	66.11%	66.37%	60.72%	70.77%
Metabolic Monitoring for Children and Adolescents on Antipsychotics - Blood Glucose and Cholesterol Testing, Total	66.54%	63.90%	68.59%	48.66%	67.17%	58.26%	61.38%	65.06%	64.06%	58.23%	68.39%
HDO Use of Opioids at High Dosage ^{3,7}	7.28%	8.61%	7.85%	4.34%	6.58%	17.87%	9.11%	5.49%	7.94%	8.57%	9.37%
Use of Opioids From Multiple Providers - Multiple Pharmacies ^{3,7}	3.52%	0.76%	0.58%	1.02%	1.31%	1.43%	2.04%	0.84%	1.21%	1.42%	2.58%
Use of Opioids From Multiple Providers - Multiple Prescribers ^{3,7}	20.03%	9.57%	11.47%	12.01%	13.34%	8.97%	17.02%	16.54%	14.05%	13.64%	14.36%
Use of Opioids From Multiple Providers - Multiple Prescribers and Multiple Pharmacies ^{3,7}	2.13%	0.50%	0.23%	0.60%	0.85%	0.63%	1.51%	0.49%	0.71%	0.65%	1.22%
Risk of Continued Opioid Use Total >15 Days ^{3,7}	3.64%	1.46%	2.58%	4.65%	3.61%	2.29%	2.18%	4.89%	3.27%	5.07%	4.04%
Risk of Continued Opioid Use Total >31 Days ^{3,7}	1.45%	1.25%	1.50%	2.82%	2.16%	1.88%	1.69%	2.81%	2.04%	3.15%	2.37%
Plan All Cause Readmissions Expected Readmission Rate - Total Stays (Ages Total) ¹¹	9.94%	9.83%	9.83%	9.73%	9.21%	9.71%	9.83%	9.36%	9.68%	9.79%	8.99%
Plan All Cause Readmissions Observed Readmission - Total Stays (Ages Total) ¹¹	11.01%	9.85%	6.69%	10.57%	8.31%	11.21%	10.24%	7.07%	9.37%	10.02%	9.87%
Plan All Cause Readmission Observed to Expected Readmission Ratio - Total Stays (Ages Total) ^{4,7}	1.1073	1.0021	0.6803	1.0864	0.9021	1.1540	1.0419	0.7552	0.9662	1.0213	1.0774

MY 2021 (RY 2022) HEDIS® Rate Chart

Health Plan											
Measure	Aetna Better Health	AmeriHealth Caritas Pennsylvania ¹	Geisinger Health Plan	Health Partners Plans	Highmark Wholecare ²	Keystone First	United Healthcare	UPMC for You	MY 2021 HC Weighted Average	MY 2020 HC Weighted Average	MY 2019 HC Weighted Average
Cardiac Rehabilitation - Initiation (18-64) ⁸	3.24%	3.67%	2.54%	1.80%	1.59%	1.33%	2.17%	1.75%	2.14%	2.04%	
Cardiac Rehabilitation - Engagement1 (18-64) ⁸	3.74%	4.25%	3.46%	2.20%	0.00%	2.36%	2.56%	2.95%	2.68%	2.73%	
Cardiac Rehabilitation - Engagement2 (18-64) ⁸	3.49%	2.90%	2.54%	2.81%	0.00%	1.47%	2.56%	1.84%	2.10%	2.36%	
Cardiac Rehabilitation - Achievement (18-64) ⁸	1.25%	0.19%	0.69%	0.20%	0.00%	0.00%	0.39%	0.46%	0.37%	1.08%	
Cardiac Rehabilitation - Initiation (65+) ⁸	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Cardiac Rehabilitation - Engagement1 (65+) ⁸	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Cardiac Rehabilitation - Engagement2 (65+) ⁸	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Cardiac Rehabilitation - Achievement (65+) ⁸	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Cardiac Rehabilitation - Initiation (Total) ⁸	3.19%	3.64%	2.53%	1.78%	1.58%	1.59%	2.14%	1.74%	2.16%	2.02%	
Cardiac Rehabilitation - Engagement1 (Total) ⁸	3.69%	4.21%	3.46%	2.18%	0.00%	2.75%	2.53%	3.01%	2.74%	2.73%	
Cardiac Rehabilitation - Engagement2 (Total) ⁸	3.44%	2.87%	2.53%	2.77%	0.00%	1.88%	2.53%	1.92%	2.16%	2.33%	
Cardiac Rehabilitation - Achievement (Total) ⁸	1.23%	0.19%	0.69%	0.20%	0.00%	0.00%	0.39%	0.46%	0.36%	1.07%	
Kidney Health Evaluation for Patient's With Diabetes (18-64) ⁸	39.41%	42.36%	43.18%	37.54%	40.07%	42.73%	42.10%	41.37%	41.22%	38.55%	
Kidney Health Evaluation for Patient's With Diabetes (65-74) ⁸	53.33%	50.79%	60.75%	45.28%	53.07%	49.54%	49.77%	52.68%	50.49%	45.42%	
Kidney Health Evaluation for Patient's With Diabetes (75-84) ⁸	57.14%	54.78%	64.10%	32.97%	44.44%	50.87%	43.40%	59.02%	49.68%	40.53%	
Kidney Health Evaluation for Patient's With Diabetes (Total) ⁸	39.80%	42.63%	43.46%	37.73%	40.30%	43.03%	42.30%	41.55%	41.47%	38.70%	
Pharmacotherapy for Opioid Use Disorder (16-64) ^{3,9}	21.08%	27.33%	28.39%	18.73%	20.01%	21.60%	19.99%	21.93%	22.12%	27.19%	26.38%
Pharmacotherapy for Opioid Use Disorder (65+) ^{3,9}	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Pharmacotherapy for Opioid Use Disorder (Total) ^{3,9}	21.06%	27.31%	28.43%	18.85%	20.00%	21.58%	19.97%	21.95%	22.13%	27.18%	26.40%
Domain: Access / Availability of Care											
Adults' Access to Preventive / Ambulatory Health Services, Ages 20 to 44 Years	65.98%	81.50%	81.57%	67.31%	78.60%	72.29%	71.84%	82.38%	75.53%	75.15%	78.56%
Adults' Access to Preventive / Ambulatory Health Services, Ages 45 to 64 Years	72.92%	86.80%	86.60%	78.42%	85.20%	81.01%	78.39%	87.58%	82.81%	82.88%	85.59%
Adults' Access to Preventive / Ambulatory Health Services, Ages 65 Years and Older	62.22%	80.34%	81.94%	74.78%	79.26%	75.45%	72.63%	81.10%	75.74%	73.30%	80.95%
Adults' Access to Preventive / Ambulatory Health Services, Total	67.87%	83.15%	83.14%	70.72%	80.61%	75.01%	73.75%	84.10%	77.77%	77.61%	80.97%
Annual Dental Visit, Ages 2 to 20 Years ⁴	50.45%	63.56%	55.20%	55.21%	61.40%	68.87%	62.02%	57.94%	60.50%	54.23%	65.80%
Prenatal Care in First Trimester ^{3,4}	86.86%	89.54%	86.37%	90.75%	90.51%	87.83%	88.81%	90.02%	88.97%	88.93%	91.67%
Postpartum Care ^{3,4}	73.48%	82.73%	80.05%	82.48%	77.62%	79.81%	79.81%	79.08%	79.58%	77.80%	79.27%

MY 2021 (RY 2022) HEDIS® Rate Chart

Health Plan											
Measure	Aetna Better Health	AmeriHealth Caritas Pennsylvania ¹	Geisinger Health Plan	Health Partners Plans	Highmark Wholecare ²	Keystone First	United Healthcare	UPMC for You	MY 2021 HC Weighted Average	MY 2020 HC Weighted Average	MY 2019 HC Weighted Average
Domain: Utilization and Relative Resource Use											
Well-Child Visits in the First 30 Months of Life: Children who Turned 15 Months (6 or more visits) ^{4,6}	60.07%	67.27%	65.24%	58.43%	69.18%	57.85%	65.36%	74.69%	65.30%	65.19%	
Well-Child Visits in the First 30 Months of Life: Children who Turned 30 Months (2 or more visits) ⁸	69.36%	72.90%	73.85%	64.75%	72.55%	68.98%	69.09%	78.09%	71.63%	74.61%	
Child and Adolescent Well-Care Visits, Ages 3 to 11 Years ⁵	61.16%	65.49%	63.05%	65.79%	64.75%	67.63%	63.17%	66.96%	65.33%	60.45%	
Child and Adolescent Well-Care Visits, Ages 12 to 17 Years ⁵	54.63%	59.73%	56.68%	60.38%	58.69%	62.70%	57.40%	61.21%	59.63%	54.68%	
Child and Adolescent Well-Care Visits, Ages 18 to 21 Years ⁶	29.89%	36.00%	33.21%	34.74%	34.53%	38.15%	32.51%	39.48%	35.56%	35.04%	
Child and Adolescent Well-Care Visits, Total ^{4,5,6}	53.74%	58.88%	55.56%	58.51%	57.54%	61.08%	55.54%	60.56%	58.37%	54.60%	
Frequency of Selected Procedures											
Bariatric Weight Loss Surgery, Ages 0 to 19 Years - Male ¹¹	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Bariatric Weight Loss Surgery, Ages 0 to 19 Years - Female ¹¹	0.00	0.02	0.01	0.01	0.00	0.00	0.01	0.01	0.01	0.01	0.01
Bariatric Weight Loss Surgery, Ages 20 to 44 Years - Male ¹¹	0.02	0.12	0.03	0.05	0.05	0.03	0.07	0.05	0.05	0.03	0.08
Bariatric Weight Loss Surgery, Ages 20 to 44 Years - Female ¹¹	0.23	0.53	0.23	0.39	0.30	0.29	0.45	0.31	0.34	0.28	0.34
Bariatric Weight Loss Surgery, Ages 45 to 64 Years - Male ¹¹	0.04	0.11	0.03	0.05	0.06	0.05	0.06	0.06	0.06	0.05	0.07
Bariatric Weight Loss Surgery, Ages 45 to 64 Years - Female ¹¹	0.15	0.37	0.26	0.23	0.23	0.20	0.24	0.25	0.24	0.23	0.31
Tonsillectomy, Ages 0 to 9 Years ¹¹	0.25	0.33	0.25	0.21	0.28	0.22	0.19	0.34	0.26	0.38	0.63
Tonsillectomy, Ages 10 to 19 Years ¹¹	0.16	0.17	0.14	0.10	0.15	0.10	0.12	0.18	0.14	0.17	0.27
Hysterectomy, Abdominal, Ages 15 to 44 Years ¹¹	0.06	0.06	0.06	0.06	0.06	0.07	0.04	0.05	0.06	0.06	0.08
Hysterectomy, Abdominal, Ages 45 to 64 Years ¹¹	0.15	0.12	0.14	0.14	0.15	0.12	0.07	0.10	0.12	0.14	0.18
Hysterectomy, Vaginal, Ages 15 to 44 Years ¹¹	0.04	0.07	0.06	0.04	0.06	0.03	0.04	0.09	0.05	0.07	0.08
Hysterectomy, Vaginal, Ages 45 to 64 Years ¹¹	0.09	0.08	0.05	0.11	0.11	0.08	0.05	0.11	0.09	0.09	0.14
Cholecystectomy, Closed (Laparoscopic), Ages 30 to 64 Years - Male ¹¹	0.15	0.27	0.26	0.11	0.26	0.10	0.20	0.26	0.20	0.21	0.24
Cholecystectomy, Closed (Laparoscopic), Ages 15 to 44 Years - Female ¹¹	0.47	0.62	0.64	0.30	0.51	0.30	0.42	0.60	0.48	0.48	0.56
Cholecystectomy, Closed (Laparoscopic), Ages 45 to 64 Years - Female ¹¹	0.43	0.51	0.64	0.30	0.52	0.29	0.38	0.59	0.46	0.44	0.51
Cholecystectomy, Open, Ages 30 to 64 Years - Male ¹¹	0.02	0.02	0.01	0.03	0.02	0.03	0.02	0.02	0.02	0.02	0.02
Cholecystectomy, Open, Ages 15 to 44 Years - Female ¹¹	0.01	0.01	0.00	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Cholecystectomy, Open, Ages 45 to 64 Years - Female ¹¹	0.02	0.02	0.02	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.04

MY 2021 (RY 2022) HEDIS® Rate Chart

Health Plan											
Measure	Aetna Better Health	AmeriHealth Caritas Pennsylvania ¹	Geisinger Health Plan	Health Partners Plans	Highmark Wholecare ²	Keystone First	United Healthcare	UPMC for You	MY 2021 HC Weighted Average	MY 2020 HC Weighted Average	MY 2019 HC Weighted Average
Back Surgery, Ages 20 to 44 Years - Male ¹¹	0.18	0.20	0.20	0.10	0.15	0.10	0.14	0.20	0.16	0.15	0.17
Back Surgery, Ages 20 to 44 Years - Female ¹¹	0.12	0.15	0.16	0.08	0.13	0.08	0.10	0.20	0.13	0.13	0.15
Back Surgery, Ages 45 to 64 Years - Male ¹¹	0.40	0.49	0.59	0.29	0.43	0.40	0.46	0.61	0.46	0.48	0.58
Back Surgery, Ages 45 to 64 Years - Female ¹¹	0.35	0.52	0.57	0.28	0.58	0.24	0.47	0.67	0.46	0.43	0.50
Mastectomies, Ages 15 to 44 Years - Female ¹¹	0.05	0.09	0.07	0.07	0.07	0.10	0.07	0.06	0.07	0.06	0.05
Mastectomies, Ages 45 to 64 Years - Female ¹¹	0.13	0.17	0.19	0.14	0.18	0.20	0.15	0.15	0.16	0.15	0.16
Lumpectomies, Ages 15 to 44 Years - Female ¹¹	0.10	0.12	0.09	0.09	0.11	0.10	0.09	0.09	0.10	0.10	0.10
Lumpectomies, Ages 45 to 64 Years - Female ¹¹	0.28	0.31	0.29	0.23	0.26	0.28	0.34	0.28	0.28	0.29	0.34
Ambulatory Care, All Ages											
Outpatient Visits (Total)	259.71	382.63	363.88	259.02	337.78	267.66	296.29	407.88	325.72	307.80	351.53
Emergency Department Visits (Total) ⁷	48.78	56.52	47.26	48.32	55.65	46.95	49.04	52.32	50.69	48.76	66.06
Inpatient Utilization - General Hospital/Acute Care, All Ages											
Total Discharges (Total) ¹¹	5.11	5.64	5.62	5.82	6.18	6.94	6.08	5.99	5.92	6.05	6.60
Maternity Discharges (Total) ¹¹	2.00	2.29	2.12	2.16	2.21	2.27	1.98	2.17	2.15	2.51	2.75
Surgery Discharges (Total) ¹¹	1.21	1.35	1.16	1.41	1.54	1.45	1.51	1.77	1.43	1.40	1.59
Medicine Discharges (Total) ¹¹	2.37	2.62	2.86	2.76	3.01	3.84	3.06	2.60	2.89	2.81	3.01
Total Average Length of Stay (Total) ¹²	6.13	4.98	4.07	3.99	4.81	4.64	4.96	4.36			
Maternity Average Length of Stay (Total) ¹²	2.76	2.81	2.52	1.98	2.76	2.72	2.71	2.54			
Surgery Average Length of Stay (Total) ¹²	10.90	7.53	6.44	7.61	7.82	8.11	8.22	6.42			
Medicine Average Length of Stay (Total) ¹²	5.86	5.07	3.97	3.34	4.38	4.16	4.47	4.09			
Antibiotic Utilization											
Average Number of Antibiotic Prescriptions PMPY, All Ages	0.64	0.65	0.76	0.49	0.63	0.54	0.56	0.83	0.64	0.66	0.84
Percentage of Antibiotics of Concern of Total Antibiotic Prescriptions, All Ages	36.57%	34.25%	39.14%	28.84%	33.60%	30.34%	32.93%	37.49%	34.15%	35.56%	37.11%
Domain: Health Plan Descriptive Information											
HealthChoices Enrollment	10.03%	12.87%	8.10%	9.70%	11.53%	18.45%	10.12%	19.20%			

MY 2021 (RY 2022) HEDIS® Rate Chart

Health Plan											
Measure	Aetna Better Health	AmeriHealth Caritas Pennsylvania ¹	Geisinger Health Plan	Health Partners Plans	Highmark Wholecare ²	Keystone First	United Healthcare	UPMC for You	MY 2021 HC Weighted Average	MY 2020 HC Weighted Average	MY 2019 HC Weighted Average
Domain: Measures Reported Using Electronic Clinical Data Systems											
Prenatal Immunization Status - Influenza ⁸	28.38%	34.41%	32.09%	37.95%	30.27%	35.85%	35.36%	33.00%	33.63%	39.73%	
Prenatal Immunization Status - Tdap ⁸	66.66%	70.40%	67.91%	68.67%	66.57%	65.59%	65.16%	68.96%	67.59%	67.98%	
Prenatal Immunization Status - Combination ⁸	24.43%	29.98%	28.22%	33.23%	26.40%	30.59%	30.46%	29.22%	29.26%	34.25%	
Adult Immunization Status - Influenza ⁹	13.02%	21.23%	19.86%	13.17%	18.65%	20.96%	18.26%	19.83%	18.46%		
Adult Immunization Status - TdTdap ⁹	37.52%	48.22%	49.92%	41.20%	47.66%	37.24%	34.02%	45.78%	42.67%		
Adult Immunization Status - Zoster ⁹	5.49%	11.35%	12.17%	3.49%	8.18%	8.38%	8.09%	9.15%	8.37%		
Depression Screening, Ages 12-17 ⁹	0.00%	0.35%	10.85%	4.65%	0.00%	0.24%	0.09%	2.78%	2.11%		
Depression Screening - Follow-Up on Positive Depression Screening, Ages 12-17 ⁹	NA	100.00%	77.70%	32.22%	NA	57.14%	100.00%	87.68%	59.86%		
Postpartum Depression Screening ⁹	0.00%	23.11%	32.91%	38.77%	0.00%	20.85%	2.01%	41.13%	21.79%		
Postpartum Depression Screening - Follow-Up on Positive Postpartum Depression Screening ⁹	NA	75.68%	55.12%	39.16%	NA	46.81%	100.00%	59.22%	48.25%		
Prenatal Depression Screening ⁹	0.00%	21.28%	44.57%	36.46%	0.00%	40.02%	22.17%	33.39%	26.41%		
Prenatal Depression Screening - Follow-Up on Positive Prenatal Depression Screening ⁹	NA	52.27%	59.59%	37.95%	NA	46.86%	59.62%	57.48%	41.33%		
Follow-Up Care for Children Prescribed ADHD Medication (Initiation Phase) ⁹	28.98%	43.17%	42.34%	44.62%	42.13%	35.36%	34.92%	48.19%	41.10%		
Follow-Up Care for Children Prescribed ADHD Medication (Continuation Phase) ⁹	35.00%	51.15%	44.35%	47.96%	49.88%	44.30%	41.92%	57.54%	48.54%		
Breast Cancer Screening ⁹	41.89%	55.49%	55.24%	51.57%	48.57%	49.47%	47.58%	51.79%	50.77%		

* Rates in red font are less than the weighted average for the measure and may appear equal to weighted averages due to rounding, unless they are inverted measures.

** NA signified denominator was less than 30.

***Note: It is DHS's practice to report all first-year performance measures for informational purposes and may not align with NCQA's practice for reporting first-year performance measures.

¹Effective 01/01/2021, AmeriHealth Caritas Pennsylvania and AmeriHealth Caritas Northeast merged and now produces one rate as AmeriHealth Caritas Pennsylvania. MY 2019 HC weighted average includes AmeriHealth Caritas Pennsylvania and Amerihealth Caritas Northeast before the merged rate. Trending should be done with caution.

²Effective 01/01/2022, this information is issued on behalf of Highmark Wholecare, coverage by Gateway Health Plan, which is an independent licensee of the Blue Cross Blue Shield Association. Highmark Wholecare serves a Medicaid plan to Blue Shield members in 13 counties in central Pennsylvania, as well as, to Blue Cross Blue Shield members in 27 counties in western Pennsylvania.

³NCQA advises to trend MY 2020 weighted averages with caution. For measure specific details, please reference the memo issued by NCQA: https://www.ncqa.org/wp-content/uploads/2021/02/20210226_HEDIS_MY_2020_Measure_Review_Memo.pdf

⁴Measures highlighted in yellow are MCO Pay-for-Performance (P4P) measures.

⁵Child and Adolescent Well-Care Visits, Total is a new MCO Pay-for-Performance (P4P) measure beginning MY 2021 to replace Child and Adolescent Well-Care Visits, Ages 3-11 years and Ages 12-17 years.

⁶NCQA advised a break in trending of weighted averages for these measures due to significant changes of MY 2020 specifications. For measure specific details, please reference the memo issued by NCQA: https://www.ncqa.org/wp-content/uploads/2021/02/20210226_HEDIS_MY_2020_Measure_Review_Memo.pdf

⁷A lower rate indicates better performance for these measures.

⁸First-year measure for MY 2020.

⁹First-year measure for MY 2021.

¹⁰Prior to MY 2020, this measure did not have a HC weighted average calculated.

¹¹These measures are not assigned a HC weighted average per NCQA's HEDIS guidance that higher or lower service counts do not indicate better or worse performance impacting the ability to meaningfully interpret averages. Instead, these measures are assigned a PA DHS Mean.

¹²These measures are not based on a population of members in the denominator and NCQA does not view higher or lower service counts as an indication of better or worse performance impacting the ability to meaningfully interpret averages. These measures are also already presented for each MCO as an average.