



**Commonwealth Pennsylvania  
Department of Human Services  
Office of Medical Assistance Programs**

**2018 External Quality Review Report  
AmeriHealth Caritas Northeast**

Final Report  
April 2019



Better healthcare,  
realized.

Corporate Headquarters  
1979 Marcus Avenue  
Lake Success, NY 11042-1072  
(516) 326-7767  
ipro.org

ISO  
9001:2008  
CERTIFIED

# Table of Contents

<b>INTRODUCTION</b> .....	<b>4</b>
PURPOSE AND BACKGROUND .....	4
<b>I: STRUCTURE AND OPERATIONS STANDARDS</b> .....	<b>5</b>
METHODOLOGY AND FORMAT .....	5
DETERMINATION OF COMPLIANCE .....	6
FORMAT .....	6
FINDINGS .....	6
ACCREDITATION STATUS .....	9
<b>II: PERFORMANCE IMPROVEMENT PROJECTS</b> .....	<b>10</b>
VALIDATION METHODOLOGY .....	12
REVIEW ELEMENT DESIGNATION/WEIGHTING.....	12
OVERALL PROJECT PERFORMANCE SCORE.....	12
SCORING MATRIX .....	12
FINDINGS .....	13
<b>III: PERFORMANCE MEASURES AND CAHPS SURVEY</b> .....	<b>18</b>
METHODOLOGY .....	18
PA-SPECIFIC PERFORMANCE MEASURE SELECTION AND DESCRIPTIONS.....	23
HEDIS PERFORMANCE MEASURE SELECTION AND DESCRIPTIONS .....	27
FINDINGS .....	34
CONSUMER ASSESSMENT OF HEALTHCARE PROVIDERS AND SYSTEMS (CAHPS) SURVEY .....	47
<b>IV: 2017 OPPORTUNITIES FOR IMPROVEMENT MCO RESPONSE</b> .....	<b>48</b>
CURRENT AND PROPOSED INTERVENTIONS .....	48
ROOT CAUSE ANALYSIS AND ACTION PLAN .....	53
<b>V: 2018 STRENGTHS AND OPPORTUNITIES FOR IMPROVEMENT</b> .....	<b>54</b>
STRENGTHS .....	54
OPPORTUNITIES FOR IMPROVEMENT .....	55
P4P MEASURE MATRIX REPORT CARD 2018 .....	56
<b>VI: SUMMARY OF ACTIVITIES</b> .....	<b>60</b>
STRUCTURE AND OPERATIONS STANDARDS.....	60
PERFORMANCE IMPROVEMENT PROJECTS.....	60
PERFORMANCE MEASURES.....	60
2017 OPPORTUNITIES FOR IMPROVEMENT MCO RESPONSE .....	60
2018 STRENGTHS AND OPPORTUNITIES FOR IMPROVEMENT.....	60

## List of Tables and Figures

Table 1.1: SMART Items Count Per Regulation .....	5
Table 1.2: ACN Compliance with Enrollee Rights and Protections Regulations .....	7
Table 1.3: ACN Compliance with Quality Assessment and Performance Improvement Regulations .....	8
Table 1.4: ACN Compliance with Federal and State Grievance System Standards .....	9
Table 2.1: Element Designation .....	12
Table 2.2: Review Element Scoring Weights.....	13
Table 2.3: ACN PIP Compliance Assessments .....	16
Table 3.1: Performance Measure Groupings.....	18
Table 3.2: Access to Care .....	34
Table 3.3: Well-Care Visits and Immunizations .....	35
Table 3.4: EPSDT: Screenings and Follow-up .....	36
Table 3.5: EPSDT: Dental Care for Children and Adults .....	38
Table 3.6: Women’s Health.....	38
Table 3.7: Obstetric and Neonatal Care.....	39
Table 3.8: Respiratory Conditions.....	41
Table 3.9: Comprehensive Diabetes Care .....	42
Table 3.10: Cardiovascular Care.....	43
Table 3.11: Utilization .....	44
Table 3.12: CAHPS 2018 Adult Survey Results .....	47
Table 3.13: CAHPS 2018 Child Survey Results.....	47
Table 4.1: Current and Proposed Interventions .....	48
Figure 5.1: P4P Measure Matrix.....	58
Table 5.1: P4P Measure Rates.....	59

## Introduction

### Purpose and Background

The final rule of the Balanced Budget Act (BBA) of 1997 requires that State agencies contract with an External Quality Review Organization (EQRO) to conduct an annual external quality review (EQR) of the services provided by contracted Medicaid Managed Care Organizations (MCOs). This EQR must include an analysis and evaluation of aggregated information on quality, timeliness and access to the health care services that a MCO furnishes to Medicaid Managed Care recipients.

The EQR-related activities that must be included in detailed technical reports are as follows:

- review to determine MCO compliance with structure and operations standards established by the State (42 CFR §438.358),
- validation of performance improvement projects, and
- validation of MCO performance measures.

HealthChoices Physical Health (PH) is the mandatory managed care program that provides Medical Assistance recipients with physical health services in the Commonwealth of Pennsylvania (PA). The PA Department of Human Services (DHS) Office of Medical Assistance Programs (OMAP) contracted with IPRO as its EQRO to conduct the 2018 EQRs for the HealthChoices PH MCOs and to prepare the technical reports. This technical report includes six core sections:

- I. Structure and Operations Standards
- II. Performance Improvement Projects
- III. Performance Measures and Consumer Assessment of Healthcare Providers and Systems (CAHPS) Survey
- IV. 2017 Opportunities for Improvement – MCO Response
- V. 2018 Strengths and Opportunities for Improvement
- VI. Summary of Activities

For the PH Medicaid MCOs, the information for the compliance with Structure and Operations Standards section of the report is derived from the commonwealth's monitoring of the MCOs against the Systematic Monitoring, Access and Retrieval Technology (SMART) standards, from the HealthChoices Agreement, and from National Committee for Quality Assurance (NCQA™) accreditation results for each MCO.

Information for Section II of this report is derived from activities conducted with and on behalf of DHS to research, select, and define Performance Improvement Projects (PIPs) for a new validation cycle. Information for Section III of this report is derived from IPRO's validation of each PH MCO's performance measure submissions. Performance measure validation as conducted by IPRO includes both Pennsylvania specific performance measures as well as Healthcare Effectiveness Data and Information Set (HEDIS<sup>®1</sup>) measures for each Medicaid PH MCO. Within Section III, CAHPS Survey results follow the performance measures.

Section IV, 2017 Opportunities for Improvement – MCO Response, includes the MCO's responses to the 2017 EQR Technical Report's opportunities for improvement and presents the degree to which the MCO addressed each opportunity for improvement.

Section V has a summary of the MCO's strengths and opportunities for improvement for this review period as determined by IPRO and a "report card" of the MCO's performance as related to selected HEDIS measures. Section VI provides a summary of EQR activities for the PH MCO for this review period.

---

<sup>1</sup> HEDIS<sup>®</sup> is a registered trademark of the National Committee for Quality Assurance.

## I: Structure and Operations Standards

This section of the EQR report presents a review by IPRO of AmeriHealth Caritas Northeast's (ACN's) compliance with structure and operations standards. The review is based on information derived from reviews of the MCO that were conducted within the past three years.

### Methodology and Format

The documents used by IPRO for the current review include the HealthChoices Agreement, the SMART database completed by PA DHS staff as of December 31, 2017, and the most recent NCQA Accreditation Survey for ACN, effective December 2017.

The SMART items provided much of the information necessary for this review. The SMART items are a comprehensive set of monitoring items that PA DHS staff reviews on an ongoing basis for each Medicaid MCO. The SMART items and their associated review findings for each year are maintained in a database. The SMART database has been maintained internally at DHS since RY 2013. Upon receipt of the findings for RY 2017, IPRO and DHS discussed changes to the information included. First, the only available review conclusions were Compliant and non-Compliant. All other options previously available were re-designated in RY 2017 from review conclusion elements to review status elements and were therefore not included in the RY 2017 findings. Additionally, as of RY 2017, reviewers had the option to review zones covered by an MCO separately, and to provide multiple findings within a year (e.g., quarterly). As a result, there was an increase in the number of partially compliant items for RY 2017. Upon discussion with the DHS regarding the data elements from each version of database, IPRO merged the RY 2017, 2016, and 2015 findings for use in the current review. IPRO reviewed the elements in the SMART item list and created a crosswalk to pertinent BBA regulations. A total of 126 items were identified that were relevant to evaluation of MCO compliance with the BBA regulations. These items vary in review periodicity as determined by DHS.

The crosswalk linked SMART Items to specific provisions of the regulations, where possible. Some items were relevant to more than one provision. It should be noted that one or more provisions apply to each of the categories in **Table 1.1**. Table 1.1 provides a count of items linked to each category.

Table 1.1: SMART Items Count Per Regulation

BBA Regulation	SMART Items
<b>Subpart C: Enrollee Rights and Protections</b>	
Enrollee Rights	7
Provider-Enrollee Communication	1
Marketing Activities	2
Liability for Payment	1
Cost Sharing	0
Emergency and Post-Stabilization Services – Definition	4
Emergency Services: Coverage and Payment	1
Solvency Standards	2
<b>Subpart D: Quality Assessment and Performance Improvement</b>	
Availability of Services	14
Coordination and Continuity of Care	13
Coverage and Authorization of Services	9
Provider Selection	4
Provider Discrimination Prohibited	1
Confidentiality	1
Enrollment and Disenrollment	2
Grievance Systems	1
Subcontractual Relationships and Delegations	3
Practice Guidelines	2

BBA Regulation	SMART Items
Health Information Systems	18
<b>Subpart F: Federal and State Grievance Systems Standards</b>	
General Requirements	8
Notice of Action	3
Handling of Grievances and Appeals	9
Resolution and Notification	7
Expedited Resolution	4
Information to Providers and Subcontractors	1
Recordkeeping and Recording	6
Continuation of Benefits Pending Appeal and State Fair Hearings	2
Effectuation of Reversed Resolutions	0

Two categories, Cost Sharing and Effectuation of Reversed Resolutions, were not directly addressed by any of the SMART Items reviewed by DHS. Cost Sharing is addressed in the HealthChoices Agreements. Effectuation of Reversed Resolutions is evaluated as part of the most recent NCQA Accreditation review under Utilization Management (UM) Standard 8: Policies for Appeals and UM 9: Appropriate Handling of Appeals.

### Determination of Compliance

To evaluate MCO compliance on individual provisions, IPRO grouped the monitoring standards by provision and evaluated the MCO's compliance status with regard to the SMART Items. For example, all provisions relating to enrollee rights are summarized under Enrollee Rights 438.100. Each item was assigned a value of Compliant or non-Compliant in the Item Log submitted by DHS. If an item was not evaluated for a particular MCO, it was assigned a value of Not Determined. Compliance with the BBA requirements was then determined based on the aggregate results of the SMART Items linked to each provision within a requirement or category. If all items were Compliant, the MCO was evaluated as Compliant. If some were Compliant and some were non-Compliant, the MCO was evaluated as partially-Compliant. If all items were non-Compliant, the MCO was evaluated as non-Compliant. If no items were evaluated for a given category and no other source of information was available to determine compliance, a value of Not Determined was assigned for that category.

### Format

The format for this section of the report was developed to be consistent with the subparts prescribed by BBA regulations. This document groups the regulatory requirements under subject headings that are consistent with the three subparts set out in the BBA regulations and described in the *MCO Monitoring Protocol*. Under each subpart heading fall the individual regulatory categories appropriate to those headings. IPRO's findings are presented in a manner consistent with the three subparts in the BBA regulations explained in the Protocol, i.e., Enrollee Rights and Protections; Quality Assessment and Performance Improvement (including access, structure and operation, and measurement and improvement standards); and Federal and State Grievance System Standards.

In addition to this analysis of DHS's MCO compliance monitoring, IPRO reviewed and evaluated the most recent NCQA accreditation report for each MCO.

This format reflects the goal of the review, which is to gather sufficient foundation for IPRO's required assessment of the MCO's compliance with BBA regulations as an element of the analysis of the MCO's strengths and weaknesses.

### Findings

Of the 126 SMART Items, 80 items were evaluated and 46 were not evaluated for the MCO in Review Year (RY) 2017, RY 2016, or RY 2015. For categories where items were not evaluated for compliance for RY 2017, results from reviews conducted within the two prior years (RY 2016 and RY 2015) were evaluated to determine compliance, if available.

### Subpart C: Enrollee Rights and Protections

The general purpose of the regulations included in this category is to ensure that each MCO had written policies regarding enrollee rights and complies with applicable Federal and State laws that pertain to enrollee rights, and that the MCO ensures that its staff and affiliated providers take into account those rights when furnishing services to enrollees. [42 C.F.R. §438.100 (a), (b)]

Table 1.2: ACN Compliance with Enrollee Rights and Protections Regulations

ENROLLEE RIGHTS AND PROTECTIONS REGULATIONS		
Subpart C: Categories	Compliance	Comments
Enrollee Rights	Compliant	7 items were crosswalked to this category. The MCO was evaluated against 6 items and was compliant on 6 items based on RY 2017.
Provider-Enrollee Communication	Compliant	1 item was crosswalked to this category. The MCO was evaluated against 1 item and was compliant on this item based on RY 2017.
Marketing Activities	Compliant	2 items were crosswalked to this category. The MCO was evaluated against 2 items and was compliant on 2 items based on RY 2017.
Liability for Payment	Compliant	1 item was crosswalked to this category. The MCO was evaluated against 1 item and was compliant on this item based on RY 2017.
Cost Sharing	Compliant	Per HealthChoices Agreement
Emergency Services: Coverage and Payment	Compliant	1 item was crosswalked to this category. The MCO was evaluated against 1 item and was compliant on this item based on RY 2017.
Emergency and Post Stabilization Services	Compliant	4 items were crosswalked to this category. The MCO was evaluated against 3 items and was compliant on 3 items based on RY 2017.
Solvency Standards	Compliant	2 items were crosswalked to this category. The MCO was evaluated against 2 items and was compliant on 2 items based on RY 2017.

ACN was evaluated against 16 of the 18 SMART Items crosswalked to Enrollee Rights and Protections Regulations and was compliant on all 16 items. ACN was found to be compliant on all eight of the categories of Enrollee Rights and Protections Regulations. ACN was found to be compliant on the Cost Sharing provision, based on the HealthChoices agreement.

### Subpart D: Quality Assessment and Performance Improvement Regulations

The general purpose of the regulations included under this heading is to ensure that all services available under the Commonwealth's Medicaid managed care program are available and accessible to ACN enrollees. [42 C.F.R. §438.206 (a)]

The SMART database includes an assessment of the MCO's compliance with regulations found in Subpart D. **Table 1.3** presents the findings by categories consistent with the regulations.

Table 1.3: ACN Compliance with Quality Assessment and Performance Improvement Regulations

QUALITY ASSESSMENT AND PERFORMANCE IMPROVEMENT REGULATIONS		
Subpart D: Categories	Compliance	Comments
<b>Access Standards</b>		
Availability of Services	Partially Compliant	14 items were crosswalked to this category. The MCO was evaluated against 10 items and was compliant on 9 items and non-compliant on 1 item based on RY 2017.
Coordination and Continuity of Care	Compliant	13 items were crosswalked to this category. The MCO was evaluated against 13 items and was compliant on 13 items based on RY 2017.
Coverage and Authorization of Services	Compliant	9 items were crosswalked to this category. The MCO was evaluated against 7 items and was compliant on 7 items based on RY 2017.
<b>Structure and Operation Standards</b>		
Provider Selection	Compliant	4 items were crosswalked to this category. The MCO was evaluated against 1 item and was compliant on this item based on RY 2017.
Provider Discrimination Prohibited	Compliant	1 items crosswalked to this category. The MCO was evaluated against 1 item and was compliant on this item based on RY 2017.
Confidentiality	Compliant	1 item was crosswalked to this category. The MCO was evaluated against 1 item and was compliant on this item based on RY 2017.
Enrollment and Disenrollment	Compliant	2 items were crosswalked to this category. The MCO was evaluated against 1 item and was compliant on this item based on RY 2017.
Grievance Systems	Compliant	1 item was crosswalked to this category. The MCO was evaluated against 1 item and was compliant on this item based on RY 2017.
Subcontractual Relationships and Delegations	Compliant	3 items were crosswalked to this category. The MCO was evaluated against 3 items and was compliant on 3 items based on RY 2017.
<b>Measurement and Improvement Standards</b>		
Practice Guidelines	Compliant	2 items were crosswalked to this category. The MCO was evaluated against 1 item and was compliant on 1 item based on RY 2017.
Health Information Systems	Partially Compliant	18 items were crosswalked to this category. The MCO was evaluated against 12 items and was compliant on 11 items and non-compliant on 1 item based on RY 2017.

ACN was evaluated against 51 of 68 SMART Items that were crosswalked to Quality Assessment and Performance Improvement Regulations and was compliant on 49 items and non-compliant on 2 items. Of the 11 categories in Quality Assessment and Performance Improvement Regulations, ACN was found to be compliant on 9 categories and partially compliant on 2 categories.



## Subpart F: Federal and State Grievance System Standards

The general purpose of the regulations included under this heading is to ensure that enrollees have the ability to pursue grievances.

The Commonwealth's audit document information includes an assessment of the MCO's compliance with regulations found in Subpart F. **Table 1.4** presents the findings by categories consistent with the regulations.

Table 1.4: ACN Compliance with Federal and State Grievance System Standards

FEDERAL AND STATE GRIEVANCE SYSTEM STANDARDS		
Subpart F: Categories	Compliance	Comments
General Requirements	Compliant	8 items were crosswalked to this category. The MCO was evaluated against 1 item and was compliant on this item based on RY 2017.
Notice of Action	Compliant	3 items was crosswalked to this category. The MCO was evaluated against 2 items and was compliant on 2 items based on RY 2017.
Handling of Grievances & Appeals	Compliant	9 items were crosswalked to this category. The MCO was evaluated against 2 items and was compliant on 2 items based on RY 2017.
Resolution and Notification	Compliant	7 items were crosswalked to this category. The MCO was evaluated against 2 items and was compliant on 2 items based on RY 2017.
Expedited Resolution	Compliant	4 items were crosswalked to this category. The MCO was evaluated against 2 items and was compliant on 2 items based on RY 2017.
Information to Providers and Subcontractors	Compliant	1 item was crosswalked to this category. The MCO was evaluated against 1 item and was compliant on this item based on RY 2017.
Recordkeeping and Recording	Compliant	6 items were crosswalked to this category. The MCO was evaluated against 2 items and was compliant on 2 items based on RY 2017.
Continuation of Benefits Pending Appeal and State Fair Hearings	Compliant	2 items were crosswalked to this category. The MCO was evaluated against 1 item and was compliant on this item based on RY 2017.
Effectuation of Reversed Resolutions	Compliant	Per NCQA Accreditation, 2017

ACN was evaluated against 13 of the 40 SMART Items crosswalked to Federal and State Grievance System Standards and was compliant on 13 items. ACN was found to be compliant for all nine categories of Federal and State Grievance System Standards.

## Accreditation Status

ACN underwent an NCQA Accreditation Survey effective through August 09, 2019 and was granted an Accreditation Status of Commendable.

## II: Performance Improvement Projects

In accordance with current BBA regulations, IPRO undertook validation of Performance Improvement Projects (PIPs) for each Medicaid PH MCO. For the purposes of the EQR, PH MCOs were required to participate in studies selected by OMAP for validation by IPRO in 2018 for 2017 activities. Under the applicable HealthChoices Agreement with the DHS in effect during this review period, Medicaid PH MCOs are required to conduct focused studies each year. For all PH MCOs, two new PIPs were initiated as part of this requirement. For all PIPs, PH MCOs are required to implement improvement actions and to conduct follow-up in order to demonstrate initial and sustained improvement or the need for further action.

As part of the new EQR PIP cycle that was initiated for all PH MCOs in 2015, PH MCOs were required to implement two internal PIPs in priority topic areas chosen by DHS. For this PIP cycle, two topics were selected: “Improving Access to Pediatric Preventive Dental Care” and “Reducing Potentially Preventable Hospital Admissions and Readmissions and Emergency Department Visits”.

“Improving Access to Pediatric Preventive Dental Care” was selected because on a number of dental measures, the aggregate HealthChoices rates have consistently fallen short of established benchmarks, or have not improved across years. For one measure, the HEDIS Annual Dental Visit (ADV) measure, from HEDIS 2006 through HEDIS 2013, the Medicaid Managed Care (MMC) average was below the 50th percentile for three years. Further, CMS reporting of FFY 2011-2013 data from the CMS-416 indicates that while PA met its two-year goal for progress on preventive dental services, the percentage of PA children age 1-20 who received any preventive dental service for FFY 2013 (40.0%), was below the National rate of 46.0%. The Aim Statement for the topic is “Increase access to and utilization of routine dental care for pediatric Pennsylvania HealthChoices members.” Four common objectives for all PH MCOs were selected:

1. Increase dental evaluations for children between the ages of 6 months and 5 years.
2. Increase preventive dental visits for all pediatric HealthChoices members.
3. Increase appropriate topical application of fluoride varnish by non-oral health professionals.
4. Increase the appropriate application of dental sealants for children ages 6-9 (CMS Core Measure) and 12-14 years.

For this PIP, OMAP is requiring all PH MCOs to submit the following core measures on an annual basis:

- Adapted from CMS form 416, the percentage of children ages 0-1 who received, in the last year:
  - any dental service,
  - a preventive dental service,
  - a dental diagnostic service,
  - any oral health service,
  - any dental or oral health service
- Total Eligibles Receiving Oral Health Services provided by a Non-Dentist Provider
- Total Eligibles Receiving Preventive Dental Services
- The percentages of children, stratified by age (<1, 1-2, 3-5, 6-9, 10-14, 15-18, and 19-20 years) who received at least one topical application of fluoride.

Additionally, MCOs are encouraged to consider other performance measures such as:

- Percentage of children with ECC who are disease free at one year.
- Percentage of children with dental caries (ages 1-8 years of age).
- Percentage of oral health patients that are caries free.
- Percentage of all dental patients for whom the Phase I treatment plan is completed within a 12 month period.

“Reducing Potentially Preventable Hospital Admissions and Readmissions and Emergency Department Visits” was selected as the result of a number of observations. General findings and recommendations from the PA Rethinking Care Program (RCP) – Serious Mental Illness (SMI) Innovation Project (RCP-SMI) and Joint PH/BH Readmission projects, as well as overall Statewide readmission rates and results from several applicable Healthcare Effectiveness Data and Information Set (HEDIS) and PA Performance Measures across multiple years, have highlighted this topic as an area of concern to be addressed for improvement. The Aim Statement for the topic is “To reduce potentially avoidable ED visits

and hospitalizations, including admissions that are avoidable initial admissions and readmissions that are potentially preventable.” Five common objectives for all PH MCOs were selected:

1. Identify key drivers of avoidable hospitalizations, as specific to the MCO’s population (e.g., by specific diagnoses, procedures, comorbid conditions, and demographics that characterize high risk subpopulations for the MCO).
2. Decrease avoidable initial admissions (e.g., admissions related to chronic or worsening conditions, or identified health disparities).
3. Decrease potentially preventable readmissions (e.g., readmissions related to diagnosis, procedure, transition of care, or case management)
4. Decrease avoidable ED visits (e.g., resulting from poor ambulatory management of chronic conditions including BH/SA conditions or use of the ED for non-urgent care).
5. Demonstrate improvement for a number of indicators related to avoidable hospitalizations and preventable readmissions, specifically for Individuals with Serious Persistent Mental Illness (SPMI).

For this PIP, OMAP is requiring all PH MCOs to submit the following core measures on an annual basis:

#### **MCO-developed Performance Measures**

MCOS are required to develop their own indicators tailored to their specific PIP (i.e., customized to the key drivers of avoidable hospitalizations identified by each MCO for its specific population).

#### **DHS-defined Performance Measures**

- Ambulatory Care (AMB): ED Utilization. The target goal is 72 per 1,000 member months.
- Inpatient Utilization—General Hospital/Acute Care (IPU): Total Discharges. The target goal is 8.2 per 1,000 months.
- Reducing Potentially Preventable Readmissions (RPR). The target for the indicator is 8.5. This measure replaced the originally designated measure – Plan All-Cause Readmissions (PCR): 30-day Inpatient Readmission.
- Each of the five (5) BH-PH Integrated Care Plan (ICP) Program measures:
  - Initiation and Engagement of Alcohol and Other Drug Dependence Treatment
  - Adherence to Antipsychotic Medications for Individuals with Schizophrenia
  - Emergency Room Utilization for Individuals with Serious Persistent Mental Illness (SPMI)
  - Combined BH-PH Inpatient Admission Utilization for Individuals with Serious Persistent Mental Illness (SPMI)
  - Combined BH-PH Inpatient 30-Day Readmission Rate for Individuals with Serious Persistent Mental Illness (SPMI).

The PIPs extend from January 2015 through December 2018; with research beginning in 2015, initial PIP proposals developed and submitted in first quarter 2016, and a final report due in June 2019. The non-intervention baseline period is January 2015 to December 2015. Following the formal PIP proposal, the timeline defined for the PIPs includes required interim reports in July 2016, June 2017 and June 2018, as well as a final report in June 2019. Based on validation findings in 2016, the timeline has undergone adjustments.

The 2018 EQR is the fifteenth year to include validation of PIPs. For each PIP, all PH MCOs share the same baseline period and timeline defined for that PIP. To introduce each PIP cycle, DHS provided specific guidelines that addressed the PIP submission schedule, the measurement period, documentation requirements, topic selection, study indicators, study design, baseline measurement, interventions, re-measurement, and sustained improvement. Direction was given with regard to expectations for PIP relevance, quality, completeness, resubmissions and timeliness.

All PH MCOs are required to submit their projects using a standardized PIP template form, which is consistent with the CMS protocol for *Conducting Performance Improvement Projects*. These protocols follow a longitudinal format and capture information relating to:

- Activity Selection and Methodology
- Data/Results
- Analysis Cycle
- Interventions

## Validation Methodology

IPRO's protocol for evaluation of PIPs is consistent with the protocol issued by the Centers for Medicare & Medicaid Services (CMS) (*Validating Performance Improvement Projects, Final Protocol, Version 1.0, May 1, 2002*) and meets the requirements of the final rule on EQR of Medicaid MCOs issued on January 24, 2003. IPRO's review evaluates each project against ten review elements:

1. Project Topic And Topic Relevance
2. Study Question (Aim Statement)
3. Study Variables (Performance Indicators)
4. Identified Study Population
5. Sampling Methods
6. Data Collection Procedures
7. Improvement Strategies (Interventions)
8. Interpretation Of Study Results (Demonstrable Improvement)
9. Validity Of Reported Improvement
10. Sustainability Of Documented Improvement

The first nine elements relate to the baseline and demonstrable improvement phases of the project. The last element relates to sustaining improvement from the baseline measurement.

## Review Element Designation/Weighting

For each review element, the assessment of compliance is determined through the weighted responses to each review item. Each element carries a separate weight. Scoring for each element is based on full, partial and non-compliance. Points can be awarded for the two phases of the project noted above and combined to arrive at an overall score. The overall score is expressed in terms of levels of compliance. For the current PIPs, compliance levels were assessed, but no formal scoring was provided.

**Table 2.1** presents the terminologies used in the scoring process, their respective definitions, and their weight percentage.

Table 2.1: Element Designation

Element Designation		
Element Designation	Definition	Weight
Full	Met or exceeded the element requirements	100%
Partial	Met essential requirements but is deficient in some areas	50%
Non-compliant	Has not met the essential requirements of the element	0%

## Overall Project Performance Score

The total points earned for each review element are weighted to determine the MCO's overall performance score for a PIP. For the EQR PIPs, the review elements for demonstrable improvement have a total weight of 80%. The highest achievable score for all demonstrable improvement elements is 80 points (80% x 100 points for Full Compliance; **Table 2.2**).

PIPs also are reviewed for the achievement of sustained improvement. For the EQR PIPs, this has a weight of 20%, for a possible maximum total of 20 points (**Table 2.2**). The MCO must sustain improvement relative to baseline after achieving demonstrable improvement. The evaluation of the sustained improvement area has two review elements.

## Scoring Matrix

When the PIPs are reviewed, all projects are evaluated for the same elements. The scoring matrix is completed for those review elements where activities have occurred during the review year. At the time of the review, a project can be reviewed for only a subset of elements. It will then be evaluated for other elements at a later date, according to the PIP submission schedule. At the time each element is reviewed, a finding is given of "Met", "Partially Met", or "Not

Met”. Elements receiving a “Met” will receive 100% of the points assigned to the element, “Partially Met” elements will receive 50% of the assigned points, and “Not Met” elements will receive 0%.

Table 2.2: Review Element Scoring Weights

Review Element	Standard	Scoring Weight
1	Project Topic and Topic Relevance	5%
2	Study Question (Aim Statement)	5%
3	Study Variables (Performance Indicators)	15%
4/5	Identified Study Population and Sampling Methods	10%
6	Data Collection Procedures	10%
7	Improvement Strategies (Interventions)	15%
8/9	Interpretation of Study Results (Demonstrable Improvement) and Validity of Reported Improvement	20%
Total Demonstrable Improvement Score		80%
10	Sustainability of Documented Improvement	20%
Total Sustained Improvement Score		20%
Overall Project Performance Score		100%

## Findings

To encourage focus on improving the quality of the projects, PIPs were assessed for compliance on all applicable elements, but were not formally scored. The multiple levels of activity and collaboration between DHS, the PH MCOs, and IPRO have continued and progressed throughout the PIP cycle.

Throughout 2016, the initial year of the cycle, there were several levels of feedback provided to MCOs, including:

- An overall summary document outlining common issues that were observed across most of the PIP proposal submissions.
- MCO-specific review findings for each PIP.
- Conference calls with each MCO to discuss the PIP proposal review findings with key MCO staff assigned to each PIP topic. MCOs were asked to complete a PIP Proposal Update form following the calls.
- An Interactive Workshop held with all MCOs at the end of August. MCOs were requested to come to the workshop with PIP project summaries that they were to present, which were later submitted to IPRO and distributed to all PH MCOs.
- Information to assist MCOs in preparing their next full PIP submission for the Project Year 1 Update, such as additional instructions regarding collection of the core required measures, three years of CMS-416 Reports with PA state aggregate data and the excerpt on oral health from the 2015 CMS Secretary’s report with CMS OHI all-state data from FFY 2014 for MCOs to calculate appropriate benchmarks, and data for all five ICP measures.

In 2017, reviews of the Project Year 1 Update documents submitted in late 2016 were completed. Upon initial review of the submissions, MCOs were provided findings for each PIP with request for clarification/revision as necessary. MCOs requiring additional discussion and potential modification were contacted for individual MCO conference calls. Upon completion of applicable resubmissions, MCOs were provided with their final Project Year 1 Update review findings. Following completion of Project Year 1 Update reviews, MCOs were asked to submit a Year 2 Interim Update providing information through June 30 for: 1) interventions implemented, 2) monitoring, or process measure, results, and 3) any performance measure outcome results. Review findings were incorporated into the form, and completed reviews were posted to IPRO’s FTP.

For the current review year, 2018, MCOs were requested to submit a full Project Year 3 Update, to include all updated Year 2 information and Year 3 activities to date. MCOs were asked to update their submission with the following information: 1) Final rates for all performance measures for Measurement Year (MY) 2016 (1/1/16-12/31/16), including the rates provided to them for the ICP measures, 2) any available rates MY 2017 (1/1/17-12/31/17); 3) an updated interventions grid to show interventions completed in 2017 and interventions completed to date in 2018; 4)

rates/results as appropriate for the process measures utilized to evaluate each of the ongoing interventions; 5) any additional supporting analysis conducted for the PIP.

As noted below for both PIPs, AmeriHealth Caritas Pennsylvania and AmeriHealth Caritas Northeast submitted a combined PIP, as the processes and initiatives are the same for both plans, as well as the management, policies and procedures, and the reporting structure. The analysis and data presented within the submission for the plans are different. The findings presented below include previous findings as well any updates from the most current submission and any updated compliance designations.

### **Improving Access to Pediatric Preventive Dental Care**

For the Dental PIP, ACN received full credit for review element 1. The MCO stated that the prevalence of early childhood caries increased 15% between the 1988-1994 and 1999-2004 for children ages 2 to 5 while the incidence of untreated caries increased by 7% during the same timeframes. The MCO noted that they continually monitor their HEDIS data which shows the potential for improvement for members aged 2-3, 15-18 and 19-21 who received dental care, and provided the supporting data. ACN cited research from the Center[s] for Disease Control and Prevention (CDC), noting that dental sealants and fluoride are effective in preventing and controlling tooth decay. Furthermore, professional application of fluoride varnish prevents one third of decay in primary teeth and almost half of decay in permanent teeth. Additionally, the MCO reported that the ADA Council on Scientific Affairs also recommends for at-risk children aged <6 years the professional application of 2.26 percent fluoride varnish at least twice yearly and for at-risk children aged ≥6 years, the professional application of 2.26 percent fluoride varnish or 1.23 percent (APF\*) fluoride gel at least twice yearly. In addition, the MCO stated that the U.S. Preventive Services Task Force (USPSTF) recommends that primary care clinicians apply fluoride varnish to the primary teeth of all infants and young children beginning when their first primary tooth comes in (USPSTF Grade B recommendation, which means USPSTF recommends the service).

The MCO noted that because AmeriHealth Caritas Pennsylvania and AmeriHealth Caritas Northeast are within AmeriHealth Family of Companies and initiatives presented will include both health plans, it was determined to submit the PIP combining the plans. While data and statistics are reported separately, health plan initiatives will be implemented across both plans. The MCO outlined seven initiatives to improve access to pediatric preventive dental care, within the categories of Medical/Dental Integration, Early Intervention, and Patient Population.

ACN received partial credit for review elements 2 through 7. The two Aim Statements, to increase access to and utilization of routine dental care for pediatric AmeriHealth ages 2-3 years, 15-18, and 19-20 years and to increase utilization of topical fluoride varnish by non-oral health professionals for pediatric AmeriHealth members less than 5 years of age, identified clear and measureable goals. However, it was noted that ACN should add study questions to the Aim Statement with regard to other Core Performance Measures. Goals were included for a subset of measures, but the MCO was advised to set goals for other performance measures and explain how they were set. Additionally, the stated goal for one measure, TFV, did not match the goal that would be calculated using the stated percentage increase.

ACN is using reliable indicators from CMS and HEDIS that will measure process of care for members with strong associations of improved outcomes, and included a summary of the HEDIS measure specifications in the Aim Statement section. The MCO added general text from the CMS report to the Aim Statement section, and noted no sampling will be used. It was noted that the specifications for each of the Core Performance Measures should be more clearly defined, including the populations, denominators, and numerators. This issue remained for 2018.

ACN identified that the source of data would come from claims data in three forms: 1) HEDIS Annual Dental Visit measure, 2) Claims data codes D1206 and 99188, and 3) the CMS 416 data report. The MCO confirmed that these data sources are applicable to the Core Measures for this PIP. ACN added discussion of the processes in place to determine if the data are valid and reliable for the eligible population, including the use of a certified software vendor and use of Facets software system to collect and process administrative data. The MCO also added discussion of the processes in place for the collection and analysis of data, including the use of a certified software vendor and use of Facets software system to collect and process administrative data.

It appeared that ACN included process measures in the intervention section. However, other than the number of educational and outreach events, a number of the measures were a variation of the outcome measures. ACN was advised that the methodology should include additional process measures, as well as more detail on these process measures.

ACN was able to identify the barriers within different age groups and disparities through looking at the HEDIS data for the Annual Dental Visit measure. Part of the barrier analysis was done by literature review and research. However, this part seemed to identify national barriers, and not barriers specific to AmeriHealth plan members, providers, and for their MCO. ACN provided data from the CMS 416 report for the baseline year, but it was noted that baseline data for all measures should be included. This issue was noted again in 2018.

There were originally several interventions listed. Following review, ACN decreased the number of interventions to be able to focus on strong improvement for a few and provided more detail for some of their interventions, i.e. more explanation about the 'Keys to Your Care' program, to help explain its impact. Because the interventions had the same actual start dates and end dates, however, it was unclear when interventions actually took place. Additionally, ACN was advised that when stating the MCO will provide education, the MCO should clarify in what ways they will provide education (e.g., through a seminar, health fair, etc.). Additional process measures were included in the description of the interventions (such as number of ADV non-compliant members, medical providers utilizing TFV codes, number of non-compliant members age 5 and under, and number of education and outreach events), but the MCO was advised to include results for all in order to evaluate ongoing interventions. It was also noted that the proposed interventions for 2017 should have been included. In the 2017 Interim Update, there were several clearly identified interventions targeted to address the identified barriers and to impact a wide range of members. Monitoring (tracking) measures were described, with numerator and denominator defined for each, although it was unclear why a tracking measure was defined for varnish applied by non-dental professionals for eligible member under the age of 5, when this was part of the outcome core measures.

Review Element 8 was reviewed in 2018 and ACN received a non-compliant designation for this element. Although data were presented for all outcome measures for all applicable time periods in the 2017 Interim Update, the Project Year 3 Update did not include outcome measure/performance data for baseline, each year, and goal. Due to the lack of data across measurement periods, review element 9 could not be fully assessed and remained "NA."

### **Reducing Potentially Preventable Hospital Admissions, Readmissions and ED visits**

For the Readmission PIP, ACN received full credit for review elements 1 and 2. The MCO described its rationale for topic selection with reference to findings in the literature. The Plan utilized information from post-discharge surveys, along with data analysis to support the topic selection. Demographic and hospital-specific analyses are presented, along with a breakdown of top "potentially preventable" admission diagnoses, readmission diagnoses and ER visit diagnoses. ACN defined how "potentially preventable" admission, readmissions and ED visits were identified and demonstrated how the BH-PH Integrated Care Plan Pay for Performance (ICP) Program and the Community Based Care Management Program (CBCM) are aligned with the goals of the PIP. The MCO used data to support topic selection and focus areas were identified using the top "potentially preventable" diagnoses for admissions (PPA), readmissions (PPR) and ED visits (PPV). Clinical conditions identified were: Diabetes, Asthma, COPD and Upper Respiratory. Hospitals identified with high rates are: 1) Pocono Medical Centers (AmeriHealth Caritas Northeast – highest PPV rate and 2) Reading Hospital (AmeriHealth Caritas Pennsylvania) – PPV rate is twice as high as its other facilities.

The MCO noted that AmeriHealth Caritas Pennsylvania and AmeriHealth Caritas Northeast are submitting a combined PIP, although the analysis and baseline data is different, the processes and initiatives are the same for both Plans. The only difference is the name of the Plan. The management of the Plans is the same, as are the policies and procedures and the reporting structure.

The Aim was included: To reduce potentially avoidable ED visits and hospitalizations, including admissions that are avoidable initial admissions and readmissions that are potentially preventable in the ACP and ACN members. Upon review, the MCO added study questions, and an across the board improvement of 2% was set for the three MCO-specific measures.



ACN received partial credit for review element 3. The MCO included the 8 PA DHS-defined performance measures and created some MCO-developed performance measures utilizing the Treo/3M Potentially Preventable suite of products: Potentially Preventable Admissions (PPA), Potentially Preventable Readmissions (PPR) and Potentially Preventable Emergency Room Visits (PPV). ACN included the eligible population along with definitions of the numerators and denominators for the HEDIS, PAPM, and ICP measures, and created condition-specific performance measures based on the clinical conditions identified in the topic rationale. ACN subsequently added process measures to monitor and track effectiveness of interventions. However, numerator and denominator definitions needed to be added for the process measures and PPA, PPV and PPR (MCO-specific measures). This remained an issue for 2018.

ACN received full credit for review elements 4 and 5. The Plan defined the population for each performance measure, noting that HEDIS specifications will be used for all HEDIS measures and that the MCO is using the universe of members defined by the specifications for each performance measure.

ACN received partial credit for review element 6. The MCO made a general statement in the methodology: “Data sources for performance measures may include tracking logs, encounter/claims data and data from vendors”. ACN noted the use of the Treo/3m Potentially Preventable suite of products that uses “adjudicated paid claims” data and documented additional internal or external efforts to ensure the validity and reliability of the data. It was noted that the MCO should add information regarding sources of data for all the DHS-defined performance measures and any additional MCO-developed performance and process measures in the methodology, as well as clarify if tools are electronic or manual. This remained an issue for 2018.

ACN received full credit for review element 7. The MCO presented a well-organized chart of Interventions and Barriers addressed. ACN included at least one new or enhanced intervention associated with each PIP initiative and for the ICP/CBCM programs. ACN also clarified changes or enhancements made to interventions for the purposes of this PIP (e.g., elaborating on the “Expand BEST program”). However, the MCO was advised to add interventions specific to clinical conditions identified in proposal, as well as facilities identified with high admission, readmission or ED visit rates (e.g., for Reading Hospital and Pocono Medical Centers consider best practices meeting with high performing facilities). Additionally, implementation dates were not included for all interventions (e.g., the Asthma Navigator Intervention), and there were no process measures for the BEST Program and the Community Paramedic program. Each intervention needs at least one process measure. In the 2017 Interim Update, interventions were clearly described and targeted to address both the identified barriers and a wide range of members. Monitoring (tracking) measures were described, with numerator and denominator defined for each. However, the Paramedicine Program – Community Based Support intervention, did not include Lancaster County, and the numerator reported was inconsistent in the document.

ACN received partial credit for review elements 8 and 9. Rates were presented for some of the core PIP measures as available for the applicable measurement periods. However, they were not presented consistently as part of the results section, or with discussions of improvement or comparisons to target goals, making it difficult to clearly understand if there was improvement on the core PIP measures, and if any improvement was a result of the interventions.

ACN’s Project Year 3 compliance assessment by review element is presented in Table 2.3.

**Table 2.3: ACN PIP Compliance Assessments**

Review Element	Improving Access to Pediatric Preventive Dental Care	Reducing Potentially Preventable Hospital Admissions, Readmissions and ED visits
1. Project Topic and Topic Relevance	Full	Full
2. Study Question (Aim Statement)	Partial	Full
3. Study Variables (Performance Indicators)	Partial	Partial



4. & 5. Identified Study Population and Sampling Methods	Partial	Full
6. Data Collection Procedures	Partial	Partial
7. Improvement Strategies (Interventions)	Partial	Full
8. & 9. Interpretation of Study Results (Demonstrable Improvement) and Validity of Reported Improvement	Non-Compliant	Partial
10. Sustainability of Documented Improvement	NA	NA

The next full submission will occur in review year 2019 and will be the final submission. Collaboration between DHS and PH MCOs is expected to continue, and PH MCOs will continue to be asked to participate in multi-plan PIP update calls through the duration of the PIP as applicable to report on their progress or barriers to progress.

### III: Performance Measures and CAHPS Survey

#### Methodology

IPRO validated PA specific performance measures and HEDIS data for each of the Medicaid PH MCOs.

The MCOs were provided with final specifications for the PA Performance Measures from December 2017 to June 2018. Source code, raw data and rate sheets were submitted by the MCOs to IPRO for review in 2018. A staggered submission was implemented for the performance measures. IPRO conducted an initial validation of each measure, including source code review and provided each MCO with formal written feedback. The MCOs were then given the opportunity for resubmission, if necessary. Pseudo code was reviewed by IPRO. Raw data were also reviewed for reasonability and IPRO ran code against these data to validate that the final reported rates were accurate. Additionally MCOs were provided with comparisons to the previous year’s rates and were requested to provide explanations for highlighted differences. For measures reported as percentages, differences were highlighted for rates that were statistically significant and displayed at least a 3-percentage point difference in observed rates. For measures not reported as percentages (e.g. adult admission measures) differences were highlighted based only on statistical significance, with no minimum threshold.

For three PA performance Birth-related measures: Cesarean Rate for Nulliparous Singleton Vertex (CRS), Live Births Weighing Less Than 2,500 Grams (PLB), and Elective Delivery, rates for each of the measures were produced utilizing MCO Birth files in addition to the 2018 (MY 2017) Department of Health Birth File. IPRO requested, from each MCO, information on members with a live birth within the measurement year. IPRO then utilized the MCO file in addition to the most recent applicable PA Department of Health Birth File to identify the denominator, numerator and rate for the three measures.

HEDIS 2018 measures were validated through a standard HEDIS compliance audit of each PH MCO. This audit includes pre-onsite review of the HEDIS Roadmap, onsite interviews with staff and a review of systems, and post-onsite validation of the Interactive Data Submission System (IDSS). A Final Audit Report was submitted to NCQA for each MCO. Because the PA-specific performance measures rely on the same systems and staff, no separate onsite review was necessary for validation of the PA-specific measures. IPRO conducts a thorough review and validation of source code, data and submitted rates for the PA-specific measures.

Evaluation of MCO performance is based on both PA-specific performance measures and selected HEDIS measures for the EQR. The following is a list of the performance measures included in this year’s EQR report.

Table 3.1: Performance Measure Groupings

Source	Measures
<b>Access/Availability to Care</b>	
HEDIS	Children and Adolescents’ Access to PCPs (Age 12 - 24 months)
HEDIS	Children and Adolescents’ Access to PCPs (Age 25 months - 6 years)
HEDIS	Children and Adolescents’ Access to PCPs (Age 7-11 years)
HEDIS	Children and Adolescents’ Access to PCPs (Age 12-19 years)
HEDIS	Adults’ Access to Preventive/Ambulatory Health Services (Age 20-44 years)
HEDIS	Adults’ Access to Preventive/Ambulatory Health Services (Age 45-64 years)
HEDIS	Adults’ Access to Preventive/Ambulatory Health Services (Age 65+)
HEDIS	Adult Body Mass Index Assessment
PA EQR	Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (Ages 1 to 5)
PA EQR	Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (Ages 6 to 11)
PA EQR	Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (Ages 12 to 17)
PA EQR	Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (Total ages 1 to 17)
<b>Well Care Visits and Immunizations</b>	
HEDIS	Well-Child Visits in the First 15 Months of Life (6+ Visits)
HEDIS	Well-Child Visits in the Third, Fourth, Fifth, and Sixth Years of Life (Age 3 to 6 Years)

Source	Measures
HEDIS	Childhood Immunizations Status by Age 2 (Combination 2)
HEDIS	Childhood Immunizations Status by Age 2 (Combination 3)
HEDIS	Adolescent Well-Care Visits (Age 12 to 21 years)
HEDIS	Weight assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents - Body Mass Index percentile: (Age 3-11 years)
HEDIS	Weight assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents - Body Mass Index percentile: (Age 12-17 years)
HEDIS	Weight assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents - Body Mass Index percentile: (Total)
HEDIS	Weight assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents - Counseling for Nutrition: (Age 3-11 years)
HEDIS	Weight assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents - Counseling for Nutrition: (Age 12-17 years)
HEDIS	Weight assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents - Counseling for Nutrition: (Total)
HEDIS	Weight assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents - Physical activity: (Age 3-11 years)
HEDIS	Weight assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents - Physical activity: (Age 12-17 years)
HEDIS	Weight assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents - Physical Activity: (Total)
HEDIS	Immunizations for Adolescents (Combination 1)
<b>EPSDT: Screenings and Follow up</b>	
HEDIS	Lead Screening in Children (Age 2 years)
HEDIS	Follow-up Care for Children Prescribed Attention Deficit Hyperactivity Disorder (ADHD) – Initiation Phase
HEDIS	Follow-up Care for Children Prescribed Attention Deficit Hyperactivity Disorder (ADHD) Medication – Continuation and Maintenance Phase
PA EQR	Follow-up Care for Children Prescribed Attention Deficit Hyperactivity Disorder (ADHD) Medication (BH Enhanced) – Initiation Phase
PA EQR	Follow-up Care for Children Prescribed Attention Deficit Hyperactivity Disorder (ADHD) Medication (BH Enhanced) – Continuation and Maintenance Phase
PA EQR	Developmental Screening in the First Three Years of Life – 1 year
PA EQR	Developmental Screening in the First Three Years of Life – 2 years
PA EQR	Developmental Screening in the First Three Years of Life – 3 years
PA EQR	Developmental Screening in the First Three Years of Life – Total
PA EQR	Follow-Up After Emergency Department Visit for Mental Illness or Alcohol and Other Drug Abuse or Dependence (Ages: 18 to 64 - ED visits for mental illness, follow-up within 7 days)
PA EQR	Follow-Up After Emergency Department Visit for Mental Illness or Alcohol and Other Drug Abuse or Dependence (Ages: 18 to 64 - ED visits for mental illness, follow-up within 30 days)
PA EQR	Follow-Up After Emergency Department Visit for Mental Illness or Alcohol and Other Drug Abuse or Dependence (Ages: 18 to 64 - ED visits for AOD abuse or dependence, follow-up within 7 days)
PA EQR	Follow-Up After Emergency Department Visit for Mental Illness or Alcohol and Other Drug Abuse or Dependence (Ages: 18 to 64 - ED visits for AOD abuse or dependence, follow-up within 30 days)
PA EQR	Follow-Up After Emergency Department Visit for Mental Illness or Alcohol and Other Drug Abuse or Dependence (Ages: Ages: 65 and older - ED visits for AOD abuse or dependence, follow-up within 30 days)
PA EQR	Follow-Up After Emergency Department Visit for Mental Illness or Alcohol and Other Drug Abuse or Dependence (Ages: Ages: 65 and older - ED visits for mental illness, follow-up within 30 days)
PA EQR	Follow-Up After Emergency Department Visit for Mental Illness or Alcohol and Other Drug Abuse or Dependence (Ages: Ages: 65 and older - ED visits for AOD abuse or dependence, follow-up within 7 days)
PA EQR	Follow-Up After Emergency Department Visit for Mental Illness or Alcohol and Other Drug Abuse or Dependence (Ages: Ages: 65 and older - ED visits for mental illness, follow-up within 7 days)
<b>Dental Care for Children and Adults</b>	
HEDIS	Annual Dental Visit (Age 2-20 years)
PA EQR	Annual Dental Visits for Members with Developmental Disabilities (Ages 2-20 years)
PA EQR	Dental Sealants for 6-9 Year Old Children at Elevated Caries Risk (CHIPRA)

Source	Measures
PA EQR	Dental Sealants for 6-9 Year Old Children at Elevated Caries Risk (CHIPRA: Dental-Enhanced)
<b>Women's Health</b>	
HEDIS	Breast Cancer Screening (Age 50–74 years)
HEDIS	Cervical Cancer Screening (Age 21-64 years)
HEDIS	Chlamydia Screening in Women (Total Rate)
HEDIS	Chlamydia Screening in Women (Age 16-20 years)
HEDIS	Chlamydia Screening in Women (Age 21-24 years)
HEDIS	Non-Recommended Cervical Cancer Screening in Adolescent Females
PA EQR	Contraceptive Care for All Women: Provision of most or moderately effective contraception (Ages 15 to 20)
PA EQR	Contraceptive Care for All Women: Provision of LARC (Ages 15 to 20)
PA EQR	Contraceptive Care for All Women: Provision of most or moderately effective contraception (Ages 21 to 44)
PA EQR	Contraceptive Care for All Women: Provision of LARC (Ages 21 to 44)
PA EQR	Contraceptive Care for Postpartum Women: Most or moderately effective contraception - 3 days (Ages 15 to 20)
PA EQR	Contraceptive Care for Postpartum Women: Most or moderately effective contraception - 60 days (Ages 15 to 20)
PA EQR	Contraceptive Care for Postpartum Women: LARC - 3 days (Ages 15 to 20)
PA EQR	Contraceptive Care for Postpartum Women: LARC - 60 days (Ages 15 to 20)
PA EQR	Contraceptive Care for Postpartum Women: Most or moderately effective contraception - 3 days (Ages 21 to 44)
PA EQR	Contraceptive Care for Postpartum Women: Most or moderately effective contraception - 60 days (Ages 21 to 44)
PA EQR	Contraceptive Care for Postpartum Women: LARC - 3 days (Ages 21 to 44)
PA EQR	Contraceptive Care for Postpartum Women: LARC - 60 days (Ages 21 to 44)
<b>Obstetric and Neonatal Care</b>	
PA EQR	Frequency of Ongoing Prenatal Care – Greater than or Equal to 61% of Expected Prenatal Care Visits Received
PA EQR	Frequency of Ongoing Prenatal Care – Greater than or Equal to 81% of Expected Prenatal Care Visits Received
HEDIS	Prenatal and Postpartum Care - Timeliness of Prenatal Care
HEDIS	Prenatal and Postpartum Care - Postpartum Care
PA EQR	Prenatal Screening for Smoking
PA EQR	Prenatal Screening for Smoking during one of the first two visits (CHIPRA indicator)
PA EQR	Prenatal Screening for Environmental Tobacco Smoke Exposure (ETS)
PA EQR	Prenatal Counseling for Smoking
PA EQR	Prenatal Counseling for Environmental Tobacco Smoke Exposure (ETS)
PA EQR	Prenatal Smoking Cessation
PA EQR	Perinatal Depression Screening: Prenatal Screening for Depression
PA EQR	Perinatal Depression Screening: Prenatal Screening for Depression during one of the first two visits (CHIPRA indicator)
PA EQR	Perinatal Depression Screening: Prenatal Screening Positive for Depression
PA EQR	Perinatal Depression Screening: Prenatal Counseling for Depression
PA EQR	Perinatal Depression Screening: Postpartum Screening for Depression
PA EQR	Perinatal Depression Screening: Postpartum Screening Positive for Depression
PA EQR	Perinatal Depression Screening: Postpartum Counseling for Depression
PA EQR	Cesarean Rate for Nulliparous Singleton Vertex
PA EQR	Percent of Live Births Weighing Less than 2,500 Grams
PA EQR	Maternity Risk Factor Assessment: Prenatal Screening for Alcohol use
PA EQR	Maternity Risk Factor Assessment: Prenatal Screening for Illicit drug use
PA EQR	Maternity Risk Factor Assessment: Prenatal Screening for Prescribed or over-the-counter drug use
PA EQR	Maternity Risk Factor Assessment: Prenatal Screening for Intimate partner violence
PA EQR	Behavioral Health Risk Assessment
PA EQR	Elective Delivery
<b>Respiratory Conditions</b>	
HEDIS	Appropriate Testing for Children with Pharyngitis
HEDIS	Appropriate Treatment for Children with Upper Respiratory Infection
HEDIS	Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis
HEDIS	Use of Spirometry Testing in the Assessment and Diagnosis of COPD
HEDIS	Pharmacotherapy Management of COPD Exacerbation - Systemic Corticosteroid
HEDIS	Pharmacotherapy Management of COPD Exacerbation - Bronchodilator

Source	Measures
HEDIS	Medication Management for People with Asthma - 75% Compliance (Age 5-11 years)
HEDIS	Medication Management for People with Asthma - 75% Compliance (Age 12-18 years)
HEDIS	Medication Management for People with Asthma - 75% Compliance (Age 19-50 years)
HEDIS	Medication Management for People with Asthma - 75% Compliance (Age 51-64 years)
HEDIS	Medication Management for People with Asthma - 75% Compliance (Total)
HEDIS	Asthma Medication Ratio (5-11 years)
HEDIS	Asthma Medication Ratio (12-18 years)
HEDIS	Asthma Medication Ratio (19-50 years)
HEDIS	Asthma Medication Ratio (51-64 years)
HEDIS	Asthma Medication Ratio (Total)
PA EQR	Asthma in Younger Adults Admission Rate (Age 18-39 years) – Admission per 100,000 member months
PA EQR	Chronic Obstructive Pulmonary Disease or Asthma in Older Adults Admission Rate (Age 40 to 64 years) per 100,000 member months
PA EQR	Chronic Obstructive Pulmonary Disease or Asthma in Older Adults Admission Rate (Age 65 years and older) per 100,000 member months
PA EQR	Chronic Obstructive Pulmonary Disease (COPD) or Asthma in Older Adults Admission Rate (40+ years) - Admission per 100,000 Member Months
<b>Comprehensive Diabetes Care</b>	
HEDIS	Hemoglobin A1c (HbA1c) Testing
HEDIS	HbA1c Poor Control (>9.0%)
HEDIS	HbA1c Control (<8.0%)
HEDIS	HbA1c Good Control (<7.0%)
HEDIS	Retinal Eye Exam
HEDIS	Medical Attention for Nephropathy
HEDIS	Blood Pressure Controlled <140/90 mm Hg
PA EQR	Diabetes Short-Term Complications Admission Rate (Age 18-64 years)
PA EQR	Diabetes Short-Term Complications Admission Rate (Age 65+ years)
PA EQR	Diabetes Short-Term Complications Admission Rate (Total Rate)
HEDIS	Statin Therapy for Patients With Diabetes: Received Statin Therapy
HEDIS	Statin Therapy for Patients With Diabetes: Statin Adherence 80%
PA EQR	Diabetes Care for People with Serious Mental Illness: Hemoglobin A1c (HbA1c) Poor Control (>9.0%) (Age Cohort: 18 - 64 Years of Age)
PA EQR	Diabetes Care for People with Serious Mental Illness: Hemoglobin A1c (HbA1c) Poor Control (>9.0%) (Age Cohort: 65 - 75 Years of Age)
<b>Cardiovascular Care</b>	
HEDIS	Persistence of Beta Blocker Treatment After Heart Attack
HEDIS	Controlling High Blood Pressure
PA EQR	Heart Failure Admission Rate1 (Age 18-64 Years) per 100,000 member months
PA EQR	Heart Failure Admission Rate1 (Age 65+ Years) per 100,000 member months
PA EQR	Heart Failure Admission Rate1 (Total Age 18+ Years) per 100,000 member months
HEDIS	Statin Therapy for Patients With Cardiovascular Disease: Received Statin Therapy 21-75 years (Male)
HEDIS	Statin Therapy for Patients With Cardiovascular Disease: Received Statin Therapy 40-75 years (Female)
HEDIS	Statin Therapy for Patients With Cardiovascular Disease: Received Statin Therapy Total Rate
HEDIS	Statin Therapy for Patients With Cardiovascular Disease: Statin Adherence 80% - 21-75 years (Male)
HEDIS	Statin Therapy for Patients With Cardiovascular Disease: Statin Adherence 80% - 40-75 years (Female)
HEDIS	Statin Therapy for Patients With Cardiovascular Disease: Statin Adherence 80% - Total Rate
HEDIS	Cardiovascular Monitoring For People With Cardiovascular Disease and Schizophrenia
<b>Utilization</b>	
PA EQR	Reducing Potentially Preventable Readmissions
HEDIS	Adherence to Antipsychotic Medications for Individuals with Schizophrenia
PA EQR	Adherence to Antipsychotic Medications for Individuals with Schizophrenia (BH Enhanced)
HEDIS	Use of Multiple Concurrent Antipsychotics in Children and Adolescents (Age 1 - 5 years)
HEDIS	Use of Multiple Concurrent Antipsychotics in Children and Adolescents (Age 6 - 11 years)
HEDIS	Use of Multiple Concurrent Antipsychotics in Children and Adolescents (Age 12 - 17 years)
HEDIS	Use of Multiple Concurrent Antipsychotics in Children and Adolescents (Total)

Source	Measures
HEDIS	Metabolic Monitoring for Children and Adolescents on Antipsychotics (Age 1 - 5 years)
HEDIS	Metabolic Monitoring for Children and Adolescents on Antipsychotics (Age 6 - 11 years)
HEDIS	Metabolic Monitoring for Children and Adolescents on Antipsychotics (Age 12 - 17 years)
HEDIS	Metabolic Monitoring for Children and Adolescents on Antipsychotics (Total)
HEDIS	Use of Opioids at High Dosage <sup>2</sup>
HEDIS	Use of Opioids from Multiple Provider (4 or more prescribers)
HEDIS	Use of Opioids From Multiple Providers- (4 or more pharmacies)
HEDIS	Use of Opioids From Multiple Providers - (4 or more prescribers & pharmacies)
HEDIS	Standardized Healthcare-Associated Infection Ratio: Plan-weighted SIR (CLABSI)
HEDIS	Standardized Healthcare-Associated Infection Ratio: Central line-associated blood stream infections (CLABSI) - high SIR
HEDIS	Standardized Healthcare-Associated Infection Ratio: Central line-associated blood stream infections (CLABSI) - moderate SIR
HEDIS	Standardized Healthcare-Associated Infection Ratio: Central line-associated blood stream infections (CLABSI) - low SIR
HEDIS	Standardized Healthcare-Associated Infection Ratio: Central line-associated blood stream infections (CLABSI) - unavailable SIR
HEDIS	Standardized Healthcare-Associated Infection Ratio: Plan-weighted SIR (CAUTI)
HEDIS	Standardized Healthcare-Associated Infection Ratio: Catheter-associated urinary tract infections (CAUTI) - high SIR
HEDIS	Standardized Healthcare-Associated Infection Ratio: Catheter-associated urinary tract infections (CAUTI) - moderate SIR
HEDIS	Standardized Healthcare-Associated Infection Ratio: Catheter-associated urinary tract infections (CAUTI) - low SIR
HEDIS	Standardized Healthcare-Associated Infection Ratio: Catheter-associated urinary tract infections (CAUTI) - unavailable SIR
HEDIS	Standardized Healthcare-Associated Infection Ratio: Plan-weighted SIR (MRSA)
HEDIS	Standardized Healthcare-Associated Infection Ratio: Methicillin-resistant Staphylococcus aureus (MRSA) blood lab-identified events - high SIR
HEDIS	Standardized Healthcare-Associated Infection Ratio: Methicillin-resistant Staphylococcus aureus (MRSA) blood lab-identified events - moderate SIR
HEDIS	Standardized Healthcare-Associated Infection Ratio: Methicillin-resistant Staphylococcus aureus (MRSA) blood lab-identified events - low SIR
HEDIS	Standardized Healthcare-Associated Infection Ratio: Methicillin-resistant Staphylococcus aureus (MRSA) blood lab-identified events - unavailable SIR
HEDIS	Standardized Healthcare-Associated Infection Ratio: Plan-weighted SIR (CDIFF)
HEDIS	Standardized Healthcare-Associated Infection Ratio: Clostridium difficile laboratory-identified events (CDIFF) - high SIR
HEDIS	Standardized Healthcare-Associated Infection Ratio: Clostridium difficile laboratory-identified events (CDIFF) - moderate SIR
HEDIS	Standardized Healthcare-Associated Infection Ratio: Clostridium difficile laboratory-identified events (CDIFF) - low SIR
HEDIS	Standardized Healthcare-Associated Infection Ratio: Clostridium difficile laboratory-identified events (CDIFF) - unavailable SIR
HEDIS	Plan All-Cause Readmissions (PCR): Count of Index Hospital Stays (IHS) - 1-3 Stays (Ages Total)
HEDIS	Plan All-Cause Readmissions (PCR): Count of Index Hospital Stays (IHS) - 4+ Stays (Ages Total)
HEDIS	Plan All-Cause Readmissions (PCR): Count of Index Hospital Stays (IHS) - Total Stays (Ages Total)
HEDIS	Plan All-Cause Readmissions (PCR): Count of 30-Day Readmissions - 1-3 Stays (Ages Total)
HEDIS	Plan All-Cause Readmissions (PCR): Count of 30-Day Readmissions - 4+ Stays (Ages Total)
HEDIS	Plan All-Cause Readmissions (PCR): Count of 30-Day Readmissions - Total Stays (Ages Total)
HEDIS	Plan All-Cause Readmissions (PCR): Observed Readmission Rate - 1-3 Stays (Ages Total)
HEDIS	Plan All-Cause Readmissions (PCR): Observed Readmission Rate - 4+ Stays (Ages Total)

<sup>2</sup> A similar measure called Use of Opioids at High Doses was a PA Specific Administrative measure in 2017. This measure was retired in 2018 and replaced by the new HEDIS measure, Use of Opioids at High Dosage. No comparison is made between the new 2018 HEDIS Opioid measure and the retired 2017 PA Specific Administrative measure in this report.



Source	Measures
HEDIS	Plan All-Cause Readmissions (PCR): Observed Readmission Rate - Total Stays (Ages Total)
HEDIS	Plan All-Cause Readmissions (PCR): Expected Readmission Rate - 1-3 Stays (Ages Total)
HEDIS	Plan All-Cause Readmissions (PCR): Expected Readmission Rate - 4+ Stays (Ages Total)
HEDIS	Plan All-Cause Readmissions (PCR): Expected Readmission Rate - Total Stays (Ages Total)
HEDIS	Plan All-Cause Readmissions (PCR): Observed to Expected Readmission Ratio - 1-3 Stays (Ages Total)
HEDIS	Plan All-Cause Readmissions (PCR): Observed to Expected Readmission Ratio - 4+ Stays (Ages Total)
HEDIS	Plan All-Cause Readmissions (PCR): Observed to Expected Readmission Ratio - Total Stays (Ages Total)

## PA-Specific Performance Measure Selection and Descriptions

Several PA-specific performance measures were calculated by each MCO and validated by IPRO. In accordance with DHS direction, IPRO created the indicator specifications to resemble HEDIS® specifications. Measures previously developed and added as mandated by CMS for children in accordance with the Children’s Health Insurance Program Reauthorization Act (CHIPRA) and for adults in accordance with the Affordable Care Act (ACA) were continued as applicable to revised CMS specifications. Additionally, new measures were developed and added in 2018 as mandated in accordance with the ACA. For each indicator, the eligible population is identified by product line, age, enrollment, anchor date, and event/diagnosis. Administrative numerator positives are identified by date of service, diagnosis/procedure code criteria, as well as other specifications, as needed. Indicator rates are calculated through one of two methods: (1) administrative, which uses only the MCO’s data systems to identify numerator positives and (2) hybrid, which uses a combination of administrative data and medical record review (MRR) to identify numerator “hits” for rate calculation.

### PA Specific Administrative Measures

#### Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (New - 2018)

This performance measure assesses the percentage of children and adolescents 1–17 years of age who had a new prescription for an antipsychotic medication and had documentation of psychosocial care as first-line treatment.

#### Follow-up Care for Children Prescribed Attention Deficit Hyperactivity Disorder (ADHD) Medication – CHIPRA Core Set

DHS enhanced this measure using Behavioral Health (BH) encounter data contained in IPRO’s encounter data warehouse. IPRO evaluated this measure using HEDIS 2018 Medicaid member level data submitted by the PH MCO.

This performance measure assesses the percentage of children newly prescribed attention-deficit/hyperactivity disorder (ADHD) medication that had at least three follow-up care visits within a 10-month period, one of which was within 30 days from the time the first ADHD medication was dispensed. Two rates are reported:

Initiation Phase: The percentage of children ages 6 to 12 as of the Index Prescription Start Date (IPSD) with an ambulatory prescription dispensed for ADHD medication that had one follow-up visit with a practitioner with prescribing authority during the 30-day Initiation Phase.

Continuation and Maintenance (C&M) Phase: The percentage of children 6 to 12 years old as of the IPSD with an ambulatory prescription dispensed for ADHD medication, who remained on the medication for at least 210 days and, in addition to the visit in the Initiation Phase, had at least two follow-up visits with a practitioner within 270 days (9 months) after the Initiation Phase ended.

#### Developmental Screening in the First Three Years of Life– CHIPRA Core Set

This performance measure assesses the percentage of children screened for risk of developmental, behavioral, and social delays using a standardized screening tool in the 12 months preceding their first, second, or third birthday. Four rates, one for each group and a combined rate are to be calculated and reported for each numerator.

## **Follow-Up After Emergency Department Visit for Mental Illness or Alcohol and Other Drug Abuse or Dependence (New - 2018)**

This performance measure assesses the percentage of emergency department (ED) visits for members 18 years of age and older with a principal diagnosis of mental illness or alcohol or other drug (AOD) abuse or dependence, and who had a follow-up visit with a corresponding principal diagnosis for mental illness or AOD. Four rates are reported:

### **Mental Illness**

- The percentage of ED visits for mental illness for which the member received follow-up within 7 days of the ED visit (8 total days)
- The percentage of ED visits for mental illness for which the member received follow-up within 30 days of the ED visit (31 total days).

### **Alcohol and Other Drug Abuse or Dependence**

- The percentage of ED visits for AOD abuse or dependence for which the member received follow-up within 7 days of the ED visit (8 total days)
- The percentage of ED visits for AOD abuse or dependence for which the member received follow-up within 30 days of the ED visit (31 total days).

Per the CMS specifications, rates are reported for age cohorts 18 to 64 and 65 and older.

## **Annual Dental Visits For Enrollees with Developmental Disabilities**

This performance measure assesses the percentage of enrollees with a developmental disability age two through 20 years of age, who were continuously enrolled and had at least one dental visit during the measurement year. This indicator utilizes the HEDIS 2018 measure Annual Dental Visit (ADV).

## **Dental Sealants for 6-9 Year Old Children at Elevated Caries Risk – CHIPRA Core Set**

This performance measure assesses the percentage of enrolled children ages 6-9 years at elevated risk of dental caries who received a sealant on a permanent first molar tooth within the measurement year.

Additionally, to be more closely aligned to the CHIPRA Core Set Measure specifications, a second enhanced measure is reported which includes additional available dental data (Dental-enhanced).

## **Contraceptive Care for All Women Ages 15-44 - CMS Core measure – New 2018**

This performance measure assesses the percentage of women ages 15 through 44 at risk of unintended pregnancy who were provided a most effective/moderately effective contraception method or a long-acting reversible method of contraception (LARC). Four rates are reported – two rates are reported for each of the age groups (15-20 and 21-44): (1) provision of most or moderately effective contraception, and (2) provision of LARC.

## **Contraceptive Care for Postpartum Women Ages 15-44 - CMS Core measure– New 2018**

This performance measure assesses the percentage of women ages 15 through 44 who had a live birth and were provided a most effective/moderately effective contraception method or a long-acting reversible method of contraception (LARC), within 3 days and within 60 days of delivery. Eight rates are reported – four rates for each of the age groups (15-20 and 21-44): (1) Most or moderately effective contraception – 3 days, (2) Most or moderately effective contraception – 60 days, (3) LARC – 3 days, and (4) LARC – 60 days.



### **Frequency of Ongoing Prenatal Care**

This performance measure assesses the percentage of pregnant enrollees who delivered on or between November 6 of the year prior to the measurement year and November 5 of the measurement year that had the following number of expected prenatal care visits:

- ≥ than 61 percent of expected visits
- ≥ than 81 percent of expected visits

### **Cesarean Rate for Nulliparous Singleton Vertex – CHIPRA Core Set**

This performance measure assesses Cesarean Rate for low-risk first birth women [aka NSV CS rate: nulliparous, term, singleton, vertex].

### **Percent of Live Births Weighing Less than 2,500 Grams – CHIPRA Core Set**

This performance measure is event-driven and identifies all live births during the measurement year in order to assess the number of live births that weighed less than 2,500 grams as a percent of the number of live births.

### **Elective Delivery – Adult Core Set**

This performance measure assesses the percentage of enrolled women with elective vaginal deliveries or elective cesarean sections at ≥ 37 and < 39 weeks of gestation completed.

### **Asthma in Younger Adults Admission Rate – Adult Core Set**

This performance measure assesses the number of discharges for asthma in adults ages 18 to 39 years per 100,000 Medicaid member months.

### **Chronic Obstructive Pulmonary Disease (COPD) or Asthma in Older Adults Admission Rate – Adult Core Set**

This performance measure assesses the number of discharges for chronic obstructive pulmonary disease (COPD) or asthma per 100,000 member months for Medicaid members 40 years and older. Three age groups will be reported: ages 40-64 years and age 65 years and older, and 40+ years.

### **Diabetes Short-Term Complications Admission Rate – Adult Core Set**

This performance measure assesses the number of discharges for diabetes short-term complications (ketoacidosis, hyperosmolarity or coma) in adults 18 years and older per 100,000 Medicaid member months. Two age groups will be reported: ages 18-64 years and age 65 years and older.

### **Diabetes Care for People with Serious Mental Illness: Hemoglobin A1c (HbA1c) Poor Control (>9.0%) (New - 2018)**

This performance measure assesses the percentage of beneficiaries ages 18 to 75 with a serious mental illness and diabetes (type 1 and type 2) who had Hemoglobin A1c (HbA1c) in poor control (>9.0%)

### **Heart Failure Admission Rate – Adult Core Set**

This performance measure assesses the number of discharges for heart failure in adults 18 years and older per 100,000 Medicaid member months. Three age groups are reported: ages 18-64 years, ages 65 years and older and total age.

## **Reducing Potentially Preventable Readmissions**

This performance measure assesses the percentage of inpatient acute care discharges with subsequent readmission to inpatient acute care within 30 days of the initial inpatient acute discharge. This measure utilized the 2018 HEDIS Inpatient Utilization – General Hospital/Acute Care measure methodology to identify inpatient acute care discharges. For this measure, a lower rate indicates better performance.

## **Adherence to Antipsychotic Medications for Individuals with Schizophrenia – Adult Core Set**

The percentage of members 19-64 years of age during the measurement year with schizophrenia who were dispensed and remained on an antipsychotic medication for at least 80% of their treatment period. Members in hospice are excluded from eligible population.

DHS enhanced this measure using Behavioral Health (BH) encounter data contained in IPRO's encounter data warehouse.

## **PA Specific Hybrid Measures**

### **Prenatal Screening for Smoking and Treatment Discussion During a Prenatal Visit**

This performance measure assesses the percentage of pregnant enrollees who were:

1. Screened for smoking during the time frame of one of their first two prenatal visits or during the time frame of their first two visits following initiation of eligibility with the MCO.
2. Screened for smoking during the time frame of one of their first two prenatal visits (CHIPRA indicator).
3. Screened for environmental tobacco smoke exposure during the time frame of one of their first two prenatal visits or during the time frame of their first two visits following initiation of eligibility with the MCO.
4. Screened for smoking in one of their first two prenatal visits, who smoke (i.e., a smoker during the pregnancy), and were given counseling/advice or a referral during the time frame of any prenatal visit during pregnancy.
5. Screened for environmental tobacco smoke exposure in one of their first two prenatal visits and found to be exposed, that were given counseling/advice or a referral during the time frame of any prenatal visit during pregnancy.
6. Screened for smoking in one of their first two prenatal visits and found to be current smokers (i.e., smoked at the time of one of their first two prenatal visits) that stopped smoking during their pregnancy.

This performance measure uses components of the HEDIS 2018 Prenatal and Postpartum Care Measure.

### **Perinatal Depression Screening**

This performance measure assesses the percentage of enrollees who were:

1. Screened for depression during a prenatal care visit.
2. Screened for depression during a prenatal care visits using a validated depression screening tool.
3. Screened for depression during the time frame of the first two prenatal care visits (CHIPRA indicator).
4. Screened positive for depression during a prenatal care visit.
5. Screened positive for depression during a prenatal care visits and had evidence of further evaluation or treatment or referral for further treatment.
6. Screened for depression during a postpartum care visit.
7. Screened for depression during a postpartum care visit using a validated depression screening tool.
8. Screened positive for depression during a postpartum care visit.
9. Screened positive for depression during a postpartum care visit and had evidence of further evaluation or treatment or referral for further treatment.

This performance measure uses components of the HEDIS 2018 Prenatal and Postpartum Care Measure.

## Maternity Risk Factor Assessment

This performance measure assesses, for each of the following risk categories, the percentage of pregnant enrollees who were:

1. Screened for alcohol use during the time frame of one of their first two prenatal visits (CHIPRA indicator).
2. Screened for illicit drug use during the time frame of one of their first two prenatal visits (CHIPRA indicator).
3. Screened for prescribed or over-the-counter drug use during the time frame of one of their first two prenatal visits (CHIPRA indicator).
4. Screened for intimate partner violence during the time frame of one of their first two prenatal visits (CHIPRA indicator).

This performance measure uses components of the HEDIS 2018 Prenatal and Postpartum Care Measure.

## Behavioral Health Risk Assessment– CHIPRA Core Set

This performance measure is a combination of the screening assessments for all risk factors identified by each of the CHIPRA indicators in the Perinatal Depression Screening (PDS), Prenatal Screening for Smoking and Treatment Discussion During a Prenatal Visit (PSS), and Maternity Risk Factor Assessment (MRFA) measures.

This performance measure assesses the percentage of enrollees who were screened during the time frame of one of their first two prenatal visits for all of the following risk factors:

1. depression screening,
2. tobacco use screening,
3. alcohol use screening,
4. drug use screening (illicit and prescription, over the counter), and
5. intimate partner violence screening.

## HEDIS Performance Measure Selection and Descriptions

Each MCO underwent a full HEDIS compliance audit in 2018. As indicated previously, performance on selected HEDIS measures is included in this year's EQR report. Development of HEDIS measures and the clinical rationale for their inclusion in the HEDIS measurement set can be found in HEDIS 2018, Volume 2 Narrative. The measurement year for HEDIS 2018 measures is 2017, as well as prior years for selected measures. Each year, DHS updates its requirements for the MCOs to be consistent with NCQA's requirement for the reporting year. MCOs are required to report the complete set of Medicaid measures, excluding behavioral health and chemical dependency measures, as specified in the HEDIS Technical Specifications, Volume 2. In addition, DHS does not require the MCOs to produce the Chronic Conditions component of the CAHPS 5.0 – Child Survey.

## Children and Adolescents' Access to Primary Care Practitioners

This measure assesses the percentage of members 12 months–19 years of age who had a visit with a PCP. The organization reports four separate percentages for each product line.

- Children 12–24 months and 25 months–6 years who had a visit with a PCP during the measurement year.
- Children 7–11 years and adolescents 12–19 years who had a visit with a PCP during the measurement year or the year prior to the measurement year.

## Adults' Access to Preventive/Ambulatory Health Services

This measure assesses the percentage of members 20 years and older who had an ambulatory or preventive care visit. The organization reports three separate percentages for each product line. The following age groups are reported: 20-44, 45-64, and 65+

### **Adult Body Mass Index (BMI) Assessment**

This measure assessed the percentage of members 18–74 years of age who had an outpatient visit and whose body mass index (BMI) was documented during the measurement year or the year prior to the measurement year.

### **Well-Child Visits in the First 15 Months of Life**

This measure assessed the percentage of enrollees who turned 15 months old during the measurement year, who were continuously enrolled from 31 days of age through 15 months of age who received six or more well-child visits with a PCP during their first 15 months of life.

### **Well-Child Visits in the Third, Fourth, Fifth, and Sixth Years of Life**

This measure assessed the percentage of enrollees who were 3, 4, 5, or 6 years of age during the measurement year, who were continuously enrolled during the measurement year and received one or more well-child visits with a PCP during the measurement year.

### **Childhood Immunization Status**

This measure assessed the percentage of children who turned two years of age in the measurement year who were continuously enrolled for the 12 months preceding their second birthday and who received one or both of two immunization combinations on or before their second birthday. Separate rates were calculated for each combination. Combination 2 and 3 consists of the following immunizations:

- (4) Diphtheria and Tetanus, and Pertussis Vaccine/Diphtheria and Tetanus (DTaP/DT)
- (3) Injectable Polio Vaccine (IPV)
- (1) Measles, Mumps, and Rubella (MMR)
- (3) Haemophilus Influenza Type B (HiB)
- (3) Hepatitis B (HepB)
- (1) Chicken Pox (VZV)
- (4) Pneumococcal Conjugate Vaccine – Combination 3 only

### **Adolescent Well-Care Visits**

This measure assessed the percentage of enrolled members 12–21 years of age who had at least one comprehensive well-care visit with a PCP or an OB/GYN practitioner during the measurement year.

### **Weight assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents**

The percentage of members 3–17 years of age who had an outpatient visit with a PCP or OB/GYN and who had evidence of the following during the measurement year.

- BMI percentile documentation.
- Counseling for nutrition.
- Counseling for physical activity

*\*Because BMI norms for youth vary with age and gender, this measure evaluates whether BMI percentile is assessed rather than an absolute BMI value.*

### **Immunization for Adolescents (Combo 1)**

This measure assessed the percentage of adolescents 13 years of age who had one dose of meningococcal conjugate vaccine and one tetanus, diphtheria toxoids and acellular pertussis (Tdap) vaccine by their 13th birthday.

## **Lead Screening in Children**

This measure assessed the percentage of children 2 years of age who had one or more capillary or venous lead blood tests for lead poisoning by their second birthday.

## **Follow-up Care for Children Prescribed ADHD Medication**

This measure assessed the percentage of children newly prescribed attention-deficit/hyperactivity disorder (ADHD) medication who had at least three follow-up care visits within a 10-month period, one of which was within 30 days of when the first ADHD medication was dispensed. Two rates are reported.

- *Initiation Phase.* The percentage of members 6–12 years of age as of the IPSP with an ambulatory prescription dispensed for ADHD medication, who had one follow-up visit with practitioner with prescribing authority during the 30-day Initiation Phase.
- *Continuation and Maintenance (C&M) Phase.* The percentage of members 6–12 years of age as of the IPSP with an ambulatory prescription dispensed for ADHD medication, who remained on the medication for at least 210 days and who, in addition to the visit in the Initiation Phase, had at least two follow-up visits with a practitioner within 270 days (9 months) after the Initiation Phase ended.

## **Annual Dental Visit**

This measure assessed the percentage of children and adolescents between the ages of 2 and 20 years of age who were continuously enrolled in the MCO for the measurement year who had a dental visit during the measurement year.

## **Breast Cancer Screening**

This measure assessed the percentage of women 50–74 years of age who had a mammogram to screen for breast cancer.

The eligible population for this measure is women 52–74 years of age as of December 31 of the measurement year. Members are included in the numerator if they had one or more mammograms any time on or between October 1 two years prior to the measurement year and December 31 of the measurement year. Eligible members who received mammograms beginning at age 50 are included in the numerator.

## **Cervical Cancer Screening**

This measure assessed the percentage of women 21–64 years of age who were screened for cervical cancer using either of the following criteria:

- Women age 21–64 who had cervical cytology performed every 3 years.
- Women age 30–64 who had cervical cytology/human papillomavirus (HPV) co-testing performed every 5 years.

## **Chlamydia Screening in Women**

This measure assessed the percentage of women 16–24 years of age who were identified as sexually active and who had at least one test for chlamydia during the measurement year. Three age cohorts are reported: 16 – 20 years, 21 – 24 years, and total.

## **Non-Recommended Cervical Cancer Screening in Adolescent Females**

This measure assessed the percentage of adolescent females 16–20 years of age who were screened unnecessarily for cervical cancer. For this measure, a lower rate indicates better performance.

## **Prenatal and Postpartum Care**

This measure assessed the percentage of deliveries of live births on or between November 6 of the year prior to the measurement year and November 5 of the measurement year. For these women, the measure assesses the following facets of prenatal and postpartum care.

- *Timeliness of Prenatal Care.* The percentage of deliveries that received a prenatal care visit as a member of the organization in the first trimester, on the enrollment start date or within 42 days of enrollment in the organization.
- *Postpartum Care.* The percentage of deliveries that had a postpartum visit on or between 21 and 56 days after delivery.

## **Appropriate Testing for Children with Pharyngitis**

This measure assessed the percentage of children 3–18 years of age who were diagnosed with pharyngitis, dispensed an antibiotic and received a group A streptococcus (strep) test for the episode. A higher rate represents better performance (i.e., appropriate testing).

## **Appropriate Treatment for Children with Upper Respiratory Infection**

This measure assessed the percentage of children 3 months–18 years of age who were given a diagnosis of upper respiratory infection (URI) and were not dispensed an antibiotic prescription.

## **Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis**

This measure assessed the percentage of adults 18–64 years of age with a diagnosis of acute bronchitis who were not dispensed an antibiotic prescription.

## **Use of Spirometry Testing in the Assessment and Diagnosis of COPD**

This measure assessed the percentage of members 40 years of age and older with a new diagnosis of COPD or newly active COPD, who received appropriate spirometry testing to confirm the diagnosis.

## **Pharmacotherapy Management of COPD Exacerbation**

This measure assessed the percentage of COPD exacerbations for members 40 years of age and older who had an acute inpatient discharge or ED visit on or between January 1–November 30 of the measurement year and who were dispensed appropriate medications. Two rates are reported:

1. Dispensed a systemic corticosteroid (or there was evidence of an active prescription) within 14 days of the event.
2. Dispensed a bronchodilator (or there was evidence of an active prescription) within 30 days of the event.

## **Medication Management for People with Asthma - 75% Compliance**

This measure assessed the percentage of members 5–64 years of age during the measurement year who were identified as having persistent asthma and were dispensed appropriate medications that they remained on during the treatment period and remained on an asthma controller medication for at least 75% of their treatment period. The following age groups are reported: 5-11 years, 12-18 years, 19-50 years, 51-64 years, and total years.

## **Asthma Medication Ratio – New 2018**

The percentage of members 5–64 years of age who were identified as having persistent asthma and had a ratio of controller medications to total asthma medications of 0.50 or greater during the measurement year. The following age groups are reported: 5-11 years, 12-18 years, 19-50 years, 51-64 years, and total years.

## Comprehensive Diabetes Care

This measure assessed the percentage of members 18–75 years of age with diabetes (type 1 and type 2) who had each of the following:

- Hemoglobin A1c (HbA1c) testing.
- HbA1c poor control (>9.0%).
- HbA1c control (<8.0%).
- HbA1c control (<7.0%) for a selected population.
- Eye exam (retinal) performed.
- Medical attention for nephropathy.
- BP control (<140/90 mm Hg).

## Statin Therapy for Patients With Diabetes

This measure assessed the percentage of members 40–75 years of age during the measurement year with diabetes who do not have clinical atherosclerotic cardiovascular disease (ASCVD) who met the following criteria. Two rates are reported:

1. *Received Statin Therapy.* Members who were dispensed at least one statin medication of any intensity during the measurement year.
2. *Statin Adherence 80%.* Members who remained on a statin medication of any intensity for at least 80% of the treatment period.

## Persistence of Beta-Blocker Treatment After a Heart Attack

This measure assessed the percentage of members 18 years of age and older during the measurement year who were hospitalized and discharged from July 1 of the year prior to the measurement year to June 30 of the measurement year with a diagnosis of AMI and who received persistent beta-blocker treatment for six months after discharge.

## Controlling High Blood Pressure

This measure assessed the percentage of members 18–85 years of age who had a diagnosis of hypertension (HTN) and whose BP was adequately controlled during the measurement year based on the following criteria:

- Members 18–59 years of age whose BP was <140/90 mm Hg.
- Members 60–85 years of age with a diagnosis of diabetes whose BP was <140/90 mm Hg.
- Members 60–85 years of age without a diagnosis of diabetes whose BP was <150/90 mm Hg.

For this measure, a single rate, the sum of all three groups, is reported.

## Statin Therapy for Patients With Cardiovascular Disease

This measure assessed the percentage of males 21–75 years of age and females 40–75 years of age during the measurement year, who were identified as having clinical atherosclerotic cardiovascular disease (ASCVD) and met the following criteria. The following rates are reported:

1. *Received Statin Therapy.* Members who were dispensed at least one high or moderate-intensity statin medication during the measurement year.
2. *Statin Adherence 80%.* Members who remained on a high or moderate-intensity statin medication for at least 80% of the treatment period.

Total rates for 1 and 2 are also reported.

### **Cardiovascular Monitoring For People With Cardiovascular Disease and Schizophrenia**

This measure assessed the percentage of members 18–64 years of age with schizophrenia and cardiovascular disease, who had an LDL-C test during the measurement year.

### **Adherence to Antipsychotic Medications for Individuals with Schizophrenia**

This measure assessed the percentage of members 19–64 years of age during the measurement year with schizophrenia who were dispensed and remained on an antipsychotic medication for at least 80% of their treatment period.

### **Use of Multiple Concurrent Antipsychotics in Children and Adolescents**

This measure assessed the percentage of children and adolescents 1–17 years of age who were on two or more concurrent antipsychotic medications. Age groups 1 -5, 6-11, 12-17 and total are reported.

For this measure a lower rate indicates better performance.

### **Metabolic Monitoring for Children and Adolescents on Antipsychotics**

This measure assessed the percentage of children and adolescents 1–17 years of age who had two or more antipsychotic prescriptions and had metabolic testing. Age groups 1-5, 6-11, 12-17, and total years are reported.

### **Use of Opioids at High Dosage – New 2018**

This measure assessed for members 18 years and older, the rate per 1,000 receiving prescription opioids for ≥15 days at a high dosage (average morphine equivalent dose [MED] >120 mg).

**Note:** A similar measure called Use of Opioids at High Doses was a PA Specific Administrative measure in 2017. This measure was retired in 2018 and replaced by the new HEDIS measure, Use of Opioids at High Dosage. No comparison is made between the new 2018 HEDIS Opioid measure and the retired 2017 PA Specific Administrative measure in this report.

### **Use of Opioids from Multiple Providers – NEW 2018**

This measure assessed for members 18 years and older, the rate per 1,000 receiving prescription opioids for ≥15 days who received opioids from multiple providers. Three rates are reported:

1. **Multiple Prescribers:** The rate per 1,000 of members receiving prescriptions for opioids from four or more different prescribers during the measurement year
2. **Multiple Pharmacies:** The rate per 1,000 of members receiving prescriptions for opioids from four or more different pharmacies during the measurement year
3. **Multiple Prescribers and Multiple Pharmacies:** The rate per 1,000 of members receiving prescriptions for opioids from four or more different prescribers *and* four or more different pharmacies during the measurement year

### **Standardized Healthcare-Associated Infection Ratio – NEW 2018**

This measure assessed hospital-reported standard infection ratios (SIR) for four different healthcare-associated infections (HAI), adjusted for the proportion of members discharged from each acute care hospital. The measure reports the percentage of total discharges from hospitals with a high, moderate, low or unavailable SIR, next to a total plan-weighted SIR for each of the following infections:

- *HAI-1:* Central line-associated blood stream infections (CLABSI)
- *HAI-2:* Catheter-associated urinary tract infections (CAUTI)



- *HAI-5*: Methicillin-resistant *Staphylococcus aureus* (MRSA) blood laboratory-identified events (bloodstream infections)
- *HAI-6*: *Clostridium difficile* laboratory-identified events (intestinal infections) (CDIFF)

**Note:** A lower SIR indicates better performance. SIRs >1.0 indicate that more infections occurred than expected; SIRs <1.0 indicate fewer infections occurred than expected.

### **Plan All-Cause Readmissions (PCR) – NEW 2018**

The measure assessed for members 18 years of age and older, the number of acute inpatient stays during the measurement year that were followed by an unplanned acute readmission for any diagnosis within 30 days and the predicted probability of an acute readmission. Data are reported for members with 1-3, 4+, and total index hospital stays in the following categories:

1. Count of Index Hospital Stays (IHS) (denominator)
2. Count of 30-Day Readmissions (numerator)
3. Observed Readmission Rate
4. Expected Readmissions Rate
5. Observed to Expected Readmission Ratio

### **CAHPS® Survey**

The Consumer Assessment of Healthcare Providers and Systems (CAHPS) program is overseen by the Agency of Healthcare Research and Quality (AHRQ) and includes many survey products designed to capture consumer and patient perspectives on health care quality. NCQA uses the adult and child versions of the CAHPS Health Plan Surveys for HEDIS.

### **Implementation of PA-Specific Performance Measures and HEDIS Audit**

The MCO successfully implemented all of the PA-specific measures for 2018 that were reported with MCO-submitted data. The MCO submitted all required source code and data for review. IPRO reviewed the source code and validated raw data submitted by the MCO. All rates submitted by the MCO were reportable. Rate calculations were collected via rate sheets and reviewed for all of the PA-specific measures. As previously indicated, for three PA Birth-related performance measures IPRO utilized the MCO Birth files in addition to the 2018 Department of Health Birth File to identify the denominator, numerator and rate for the Birth-related measures.

IPRO validated the medical record abstraction of the three PA-specific hybrid measures consistent with the protocol used for a HEDIS audit. The validation process includes a MRR process evaluation and review of the MCO's MRR tools and instruction materials. This review ensures that the MCO's MRR process was executed as planned and the abstraction results are accurate. A random sample of 16 records from each selected indicator across the three measures was evaluated. The indicators were selected for validation based on preliminary rates observed upon the MCO's completion of abstraction. The MCO passed MRR Validation for the Prenatal Screening for Smoking and Treatment Discussion during a Prenatal Visit, the Perinatal Depression Screening, and the Maternity Risk Factor Assessment measures.

In 2018 it was identified that 6 of 9 PH MCOs incorrectly excluded denied claims from the 2017 (MY 2016) Reducing Potentially Preventable Readmissions (RPR) rate. This affected the RPR rate reported in the 2017 EQR reports. Corrected 2017 (MY 2016) data files were resubmitted by affected MCOs. Revised RPR 2017 (MY 2016) rates are included in this report.

The MCO successfully completed the HEDIS audit. The MCO received an Audit Designation of Report for all applicable measures.

## Findings

MCO results are presented in Tables 3.2 through 3.11. For each measure, the denominator, numerator, and measurement year rates with 95% upper and lower confidence intervals (95% CI) are presented. Confidence intervals are ranges of values that can be used to illustrate the variability associated with a given calculation. For any rate, a 95% confidence interval indicates that there is a 95% probability that the calculated rate, if it were measured repeatedly, would fall within the range of values presented for that rate. All other things being equal, if any given rate were calculated 100 times, the calculated rate would fall within the confidence interval 95 times, or 95% of the time.

Rates for both the measurement year and the previous year are presented, as available [i.e., 2018 (MY 2017) and 2017 (MY 2016)]. In addition, statistical comparisons are made between the 2018 and 2017 rates. For these year-to-year comparisons, the significance of the difference between two independent proportions was determined by calculating the z-ratio. A z-ratio is a statistical measure that quantifies the difference between two percentages when they come from two separate populations. For comparison of 2018 rates to 2017 rates, statistically significant increases are indicated by “+”, statistically significant decreases by “-” and no statistically significant change by “n.s.”.

In addition to each individual MCO’s rate, the MMC average for 2018 (MY 2017) is presented. The MMC average is a weighted average, which is an average that takes into account the proportional relevance of each MCO. Each table also presents the significance of difference between the plan’s measurement year rate and the MMC average for the same year. For comparison of 2018 rates to MMC rates, the “+” symbol denotes that the plan rate exceeds the MMC rate; the “-” symbol denotes that the MMC rate exceeds the plan rate and “n.s.” denotes no statistically significant difference between the two rates. Rates for the HEDIS measures were compared to corresponding Medicaid percentiles; comparison results are provided in the tables. The 90<sup>th</sup> percentile is the benchmark for the HEDIS measures.

Note that the large denominator sizes for many of the analyses led to increased statistical power, and thus contributed to detecting statistical differences that are not clinically meaningful. For example, even a 1-percentage point difference between two rates was statistically significant in many cases, although not meaningful. Hence, results corresponding to each table highlight only differences that are both statistically significant, and display at least a 3-percentage point difference in observed rates. It should also be mentioned that when the denominator sizes are small, even relatively large differences in rates may not yield statistical significance due to reduced power; if statistical significance is not achieved, results will not be highlighted in the report. Differences are also not discussed if the denominator was less than 30 for a particular rate, in which case, “NA” (Not Applicable) appears in the corresponding cells. However, “NA” (Not Available) also appears in the cells under the HEDIS 2018 percentile column for PA-specific measures that do not have HEDIS percentiles to compare.

The tables below show rates up to one decimal place. Calculations to determine differences between rates are based upon unrounded rates. Due to rounding, differences in rates that are reported in the narrative may differ slightly from the difference between the rates as presented in the table.

### Access to/Availability of Care

Strengths are identified for the following Access/Availability of Care performance measures.

- The following rates are statistically significantly above/better than the 2018 MMC weighted average:
  - Adults’ Access to Preventive/Ambulatory Health Services (Age 20-44 years) – 4.5 percentage points

No opportunities for improvement are identified for Access/Availability of Care performance measures.

Table 3.2: Access to Care

Indicator Source	Indicator	2018 (MY 2017)					2018 (MY 2017) Rate Comparison				
		Denom	Num	Rate	Lower 95% Confidence Interval	Upper 95% Confidence Interval	2017 (MY2016) Rate	2018 Rate Compared to 2017	MMC	2018 Rate Compared to MMC	HEDIS 2018 Percentile
HEDIS	Children and Adolescents’ Access to PCPs (Age 12-24 months)	2,072	1,982	95.7%	94.8%	96.6%	96.3%	n.s.	96.0%	n.s.	>= 25th and < 50th percentile

HEDIS	Children and Adolescents' Access to PCPs (Age 25 months 6 years)	8,188	7,146	<b>87.3%</b>	86.5%	88.0%	89.6%	-	88.4%	-	>= 25th and < 50th percentile
HEDIS	Children and Adolescents' Access to PCPs (Age 7 11 years)	6,202	5,605	<b>90.4%</b>	89.6%	91.1%	92.3%	-	92.6%	-	>= 25th and < 50th percentile
HEDIS	Children and Adolescents' Access to PCPs (Age 12 19 years)	8,032	7,229	<b>90.0%</b>	89.3%	90.7%	91.9%	-	91.5%	-	>= 50th and < 75th percentile
HEDIS	Adults' Access to Preventive/ Ambulatory Health Services (Age 20 44 years)	19,775	16,275	<b>82.3%</b>	81.8%	82.8%	82.3%	n.s.	77.8%	+	>= 50th and < 75th percentile
HEDIS	Adults' Access to Preventive/ Ambulatory Health Services (Age 45 64 years)	10,347	9,008	<b>87.1%</b>	86.4%	87.7%	88.1%	-	86.1%	+	>= 50th and < 75th percentile
HEDIS	Adults' Access to Preventive/ Ambulatory Health Services (Age 65+ years)	169	149	<b>88.2%</b>	83.0%	93.3%	93.0%	n.s.	83.0%	n.s.	>= 50th and < 75th percentile
HEDIS	Adult BMI Assessment (Age 18 74 years)	411	372	<b>90.5%</b>	87.6%	93.5%	88.4%	n.s.	91.9%	n.s.	>= 50th and < 75th percentile
PA EQR	Use of First Line Psychosocial Care for Children and Adolescents on Antipsychotics (Ages 1 to 5)	1	0	<b>NA</b>	NA	NA	NA	NA	60.7%	NA	NA
PA EQR	Use of First Line Psychosocial Care for Children and Adolescents on Antipsychotics (Ages 6 to 11)	60	45	<b>75.0%</b>	63.2%	86.8%	NA	NA	72.7%	n.s.	NA
PA EQR	Use of First Line Psychosocial Care for Children and Adolescents on Antipsychotics (Ages 12 to 17)	87	54	<b>62.1%</b>	51.3%	72.8%	NA	NA	69.6%	n.s.	NA
PA EQR	Use of First Line Psychosocial Care for Children and Adolescents on Antipsychotics (Total ages 1 to 17)	148	99	<b>66.9%</b>	59.0%	74.8%	NA	NA	70.6%	n.s.	NA

## Well-Care Visits and Immunizations

Strengths are identified for the following Well-Care Visits and Immunizations performance measures.

- The following rates are statistically significantly above/better than the 2018 MMC weighted average:
  - Well-Child Visits in the First 15 Months of Life (≥ 6 Visits) – 5.5 percentage points
  - Counseling for Nutrition (Age 12-17 years) – 12.5 percentage points
  - Counseling for Nutrition (Total) – 4.7 percentage points

Opportunities for improvement are identified for the following measures:

- The following rates are statistically significantly below/worse than the 2018 MMC weighted average:
  - Childhood Immunizations Status (Combination 2) – 9.2 percentage points
  - Childhood Immunizations Status (Combination 3) – 8.7 percentage points
  - Body Mass Index: Percentile (Age 3 - 11 years) – 5.9 percentage points
  - Body Mass Index: Percentile (Total) – 4.1 percentage points

Table 3.3: Well-Care Visits and Immunizations

Indicator Source	Indicator	2018 (MY 2017)					2018 (MY 2017) Rate Comparison				
		Denom	Num	Rate	Lower 95% Confidence Interval	Upper 95% Confidence Interval	2017 (MY2016) Rate	2018 Rate Compared to 2017	MMC	2018 Rate Compared to MMC	HEDIS 2018 Percentile
HEDIS	Well Child Visits in the First 15 Months of Life (≥ 6 Visits)	411	310	<b>75.4%</b>	71.1%	79.7%	70.8%	n.s.	69.9%	+	>= 75th and < 90th percentile
HEDIS	Well Child Visits in the Third, Fourth, Fifth and Sixth Years of Life (Age 3 to 6 years)	411	307	<b>74.7%</b>	70.4%	79.0%	76.2%	n.s.	77.6%	n.s.	>= 50th and < 75th percentile
HEDIS	Childhood Immunizations Status (Combination 2)	411	275	<b>66.9%</b>	62.2%	71.6%	70.6%	n.s.	76.1%	-	>= 10th and < 25th percentile
HEDIS	Childhood Immunizations Status (Combination 3)	411	267	<b>65.0%</b>	60.2%	69.7%	66.9%	n.s.	73.6%	-	>= 10th and < 25th percentile
HEDIS	Adolescent Well Care Visits (Age 12 to 21 Years)	411	268	<b>65.2%</b>	60.5%	69.9%	61.8%	n.s.	62.0%	n.s.	>= 75th and < 90th percentile
HEDIS	Body Mass Index: Percentile (Age 3 11 years)	272	198	<b>72.8%</b>	67.3%	78.3%	69.7%	n.s.	78.6%	-	>= 25th and < 50th percentile

HEDIS	Body Mass Index: Percentile (Age 12 17 years)	139	105	<b>75.5%</b>	68.0%	83.0%	71.8%	n.s.	76.3%	n.s.	>= 50th and < 75th percentile
HEDIS	Body Mass Index: Percentile (Total)	411	303	<b>73.7%</b>	69.3%	78.1%	70.4%	n.s.	77.8%	-	>= 25th and < 50th percentile
HEDIS	Counseling for Nutrition (Age 3 11 years)	272	204	<b>75.0%</b>	69.7%	80.3%	71.4%	n.s.	74.4%	n.s.	>= 50th and < 75th percentile
HEDIS	Counseling for Nutrition (Age 12 17 years)	139	117	<b>84.2%</b>	77.7%	90.6%	69.0%	+	71.7%	+	>= 90th percentile
HEDIS	Counseling for Nutrition (Total)	411	321	<b>78.1%</b>	74.0%	82.2%	70.6%	+	73.4%	+	>= 75th and < 90th percentile
HEDIS	Counseling for Physical Activity (Age 3 11 years)	272	175	<b>64.3%</b>	58.5%	70.2%	58.6%	n.s.	65.4%	n.s.	>= 50th and < 75th percentile
HEDIS	Counseling for Physical Activity (Age 12 17 years)	139	105	<b>75.5%</b>	68.0%	83.0%	66.2%	n.s.	68.6%	n.s.	>= 75th and < 90th percentile
HEDIS	Counseling for Physical Activity (Total)	411	280	<b>68.1%</b>	63.5%	72.8%	61.1%	+	66.5%	n.s.	>= 50th and < 75th percentile
HEDIS	Immunization for Adolescents (Combo 1)	411	348	<b>84.7%</b>	81.1%	88.3%	81.5%	n.s.	85.9%	n.s.	>= 50th and < 75th percentile

## EPSDT: Screenings and Follow-up

Strengths are identified for the following EPSDT: Screenings and Follow-up performance measures.

- The following rates are statistically significantly above/better than the 2018 MMC weighted average:

Opportunities for improvement are identified for the following measures:

- The following rates are statistically significantly below/worse than the 2018 MMC weighted average:
  - Follow-up Care for Children Prescribed ADHD Medication - Initiation Phase – 11.3 percentage points
  - Follow-up Care for Children Prescribed ADHD Medication - Continuation Phase – 9.9 percentage points
  - Follow-up Care for Children Prescribed ADHD Medication (BH Enhanced) - Initiation Phase – 8.4 percentage points
  - Follow-Up After Emergency Department Visit for Mental Illness or Alcohol and Other Drug Abuse or Dependence (Ages: 18 to 64 - ED visits for AOD abuse or dependence, follow-up within 7 days) – 4.0 percentage points
  - Follow-Up After Emergency Department Visit for Mental Illness or Alcohol and Other Drug Abuse or Dependence (Ages: 18 to 64 - ED visits for AOD abuse or dependence, follow-up within 30 days) – 3.5 percentage points

Table 3.4: EPSDT: Screenings and Follow-up

Indicator Source	Indicator	2018 (MY 2017)					2018 (MY 2017) Rate Comparison				
		Denom	Num	Rate	Lower 95% Confidence Interval	Upper 95% Confidence Interval	2017 (MY2016) Rate	2018 Rate Compared to 2017	MMC	2018 Rate Compared to MMC	HEDIS 2018 Percentile
HEDIS	Lead Screening in Children (Age 2 years)	411	336	<b>81.8%</b>	77.9%	85.6%	82.4%	n.s.	80.3%	n.s.	>= 75th and < 90th percentile
HEDIS	Follow up Care for Children Prescribed ADHD Medication Initiation Phase	418	122	<b>29.2%</b>	24.7%	33.7%	29.1%	n.s.	40.5%	-	< 10th percentile
HEDIS	Follow up Care for Children Prescribed ADHD Medication Continuation Phase	136	48	<b>35.3%</b>	26.9%	43.7%	31.3%	n.s.	45.2%	-	< 10th percentile
PA EQR	Follow up Care for Children Prescribed ADHD Medication (BH Enhanced) Initiation Phase	418	137	<b>32.8%</b>	28.2%	37.4%	31.8%	n.s.	41.2%	-	NA
PA EQR	Follow up Care for Children Prescribed ADHD Medication (BH Enhanced) Continuation Phase	121	49	<b>40.5%</b>	31.3%	49.7%	35.4%	n.s.	48.5%	n.s.	NA
PA EQR	Developmental Screening in the First Three Years of Life Total	5,355	3,058	<b>57.1%</b>	55.8%	58.4%	58.8%	n.s.	55.7%	+	NA
PA EQR	Developmental Screening in the First Three Years of Life 1 year	2,009	1,067	<b>53.1%</b>	50.9%	55.3%	53.2%	n.s.	50.3%	+	NA
PA EQR	Developmental Screening in the First Three Years of Life 2 years	1,742	1,067	<b>61.3%</b>	58.9%	63.6%	65.5%	-	59.1%	n.s.	NA

PA EQR	Developmental Screening in the First Three Years of Life 3 years	1,604	924	<b>57.6%</b>	55.2%	60.1%	59.0%	n.s.	57.9%	n.s.	NA
PA EQR	Follow Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence, or Mental Illness (Ages: 18 to 64 ED visits for mental illness, follow up within 7 days)	33	15	<b>45.5%</b>	27.0%	64.0%	NA	NA	35.3%	n.s.	NA
PA EQR	Follow Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence, or Mental Illness (Ages: 18 to 64 ED visits for mental illness, follow up within 30 days)	33	20	<b>60.6%</b>	42.4%	78.8%	NA	NA	49.7%	n.s.	NA
PA EQR	Follow Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence, or Mental Illness (Ages: 18 to 64 ED visits for AOD abuse or dependence, follow up within 7 days)	583	66	<b>11.3%</b>	8.7%	14.0%	NA	NA	15.3%	-	NA
PA EQR	Follow Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence, or Mental Illness (Ages: 18 to 64 ED visits for AOD abuse or dependence, follow up within 30 days)	583	115	<b>19.7%</b>	16.4%	23.0%	NA	NA	23.2%	-	NA
PA EQR	Follow Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence, or Mental Illness (Ages: 65 and older ED visits for AOD abuse or dependence, follow up within 30 days)	0	0	<b>NA</b>	NA	NA	NA	NA	31.8%	NA	NA
PA EQR	Follow Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence, or Mental Illness (Ages: 65 and older ED visits for mental illness, follow up within 30 days)	0	0	<b>NA</b>	NA	NA	NA	NA	NA	NA	NA
PA EQR	Follow Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence, or Mental Illness (Ages: 65 and older ED visits for AOD abuse or dependence, follow up within 7 days)	0	0	<b>NA</b>	NA	NA	NA	NA	13.6%	NA	NA
PA EQR	Follow Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence, or Mental Illness (Ages: 65 and older ED visits for mental illness, follow up within 7 days)	0	0	<b>NA</b>	NA	NA	NA	NA	NA	NA	NA

## Dental Care for Children and Adults

Strengths are identified for the following Dental Care for Children and Adults performance measures.

- The following rates are statistically significantly above/better than the 2018 MMC weighted average:
  - Annual Dental Visits for Members with Developmental Disabilities (Age 2-20years) – 4.0 percentage points

No Opportunities for improvement are identified.

Table 3.5: EPSDT: Dental Care for Children and Adults

Indicator Source	Indicator	2018 (MY 2017)					2018 (MY 2017) Rate Comparison				
		Denom	Num	Rate	Lower 95% Confidence Interval	Upper 95% Confidence Interval	2017 (MY2016) Rate	2018 Rate Compared to 2017	MMC	2018 Rate Compared to MMC	HEDIS 2018 Percentile
HEDIS	Annual Dental Visit (Age 2-20 years)	27,174	17,474	<b>64.3%</b>	63.7%	64.9%	62.5%	+	63.0%	+	>= 75th and < 90th percentile
PA EQR	Annual Dental Visits for Members with Developmental Disabilities (Age 2-20 years)	1,993	1,326	<b>66.5%</b>	64.4%	68.6%	64.8%	n.s.	62.5%	+	NA
PA EQR	Dental Sealants for 6-9 Year Old Children At Elevated Caries Risk	4,392	1,097	<b>25.0%</b>	23.7%	26.3%	24.4%	n.s.	24.4%	n.s.	NA
PA EQR	Dental Sealants for 6-9 Year Old Children At Elevated Caries Risk (Dental Enhanced)	4,480	1,118	<b>25.0%</b>	23.7%	26.2%	24.0%	n.s.	25.3%	n.s.	NA

Women’s Health

Strengths are identified for the following Women’s Health performance measures.

- The following rates are statistically significantly above/better than the 2018 MMC weighted average:
  - Contraceptive Care for All Women: Provision of most or moderately effective contraception (Ages 15 to 20) – 9.6 percentage points
  - Contraceptive Care for All Women: Provision of most or moderately effective contraception (Ages 21 to 44) – 5.4 percentage points
  - Contraceptive Care for Postpartum Women: Most or moderately effective contraception - 60 days (Ages 15 to 20) – 14.0 percentage points
  - Contraceptive Care for Postpartum Women: Most or moderately effective contraception - 60 days (Ages 21 to 44) – 5.8 percentage points

Opportunities for improvement are identified for the following measures:

- The following rates are statistically significantly below/worse than the 2018 MMC weighted average:
  - Chlamydia Screening in Women (Total) – 10.2 percentage points
  - Chlamydia Screening in Women (Age 16-20 years) – 10.8 percentage points
  - Chlamydia Screening in Women (Age 21-24 years) – 9.9 percentage points
  - Contraceptive Care for Postpartum Women: LARC - 60 days (Ages 15 to 20) – 7.2 percentage points
  - Contraceptive Care for Postpartum Women: LARC - 60 days (Ages 21 to 44) – 3.5 percentage points

Table 3.6: Women’s Health

Indicator Source	Indicator	2018 (MY 2017)					2018 (MY 2017) Rate Comparison				
		Denom	Num	Rate	Lower 95% Confidence Interval	Upper 95% Confidence Interval	2017 (MY2016) Rate	2018 Rate Compared to 2017	MMC	2018 Rate Compared to MMC	HEDIS 2018 Percentile
HEDIS	Breast Cancer Screening (Age 50-74 years)	2,383	1,383	<b>58.0%</b>	56.0%	60.0%	58.4%	n.s.	58.4%	n.s.	>= 25th and < 50th percentile
HEDIS	Cervical Cancer Screening (Age 21-64 years)	411	243	<b>59.1%</b>	54.2%	64.0%	58.4%	n.s.	60.8%	n.s.	>= 25th and < 50th percentile
HEDIS	Chlamydia Screening in Women (Total)	3,109	1,567	<b>50.4%</b>	48.6%	52.2%	47.3%	+	60.6%	-	>= 10th and < 25th percentile
HEDIS	Chlamydia Screening in Women (Age 16-20 years)	1,587	732	<b>46.1%</b>	43.6%	48.6%	43.2%	n.s.	56.9%	-	>= 10th and < 25th percentile
HEDIS	Chlamydia Screening in Women (Age 21-24 years)	1,522	835	<b>54.9%</b>	52.3%	57.4%	51.3%	n.s.	64.8%	-	>= 10th and < 25th percentile
HEDIS	Non Recommended Cervical Cancer Screening in Adolescent Females	2,708	69	<b>2.5%</b>	1.9%	3.2%	2.0%	n.s.	0.9%	+	>= 10th and < 25th percentile
PA EQR	Contraceptive Care for All Women: Provision of most or moderately effective contraception (Ages 15 to 20)	3,231	1,231	<b>38.1%</b>	36.4%	39.8%	NA	NA	28.5%	+	NA
PA EQR	Contraceptive Care for All Women: Provision of LARC (Ages 15 to 20)	3,231	147	<b>4.5%</b>	3.8%	5.3%	NA	NA	5.0%	n.s.	NA
PA EQR	Contraceptive Care for All Women: Provision of most or moderately effective contraception (Ages 21 to 44)	11,421	3,469	<b>30.4%</b>	29.5%	31.2%	NA	NA	25.0%	+	NA



PA EQR	Contraceptive Care for All Women: Provision of LARC (Ages 21 to 44)	11,421	676	5.9%	5.5%	6.4%	NA	NA	6.4%	-	NA
PA EQR	Contraceptive Care for Postpartum Women: Most or moderately effective contraception 3 days (Ages 15 to 20)	170	7	4.1%	0.8%	7.4%	NA	NA	7.6%	n.s.	NA
PA EQR	Contraceptive Care for Postpartum Women: Most or moderately effective contraception 60 days (Ages 15 to 20)	170	88	51.8%	44.0%	59.6%	NA	NA	37.7%	+	NA
PA EQR	Contraceptive Care for Postpartum Women: LARC 3 days (Ages 15 to 20)	170	1	0.6%	0.0%	2.0%	NA	NA	3.3%	-	NA
PA EQR	Contraceptive Care for Postpartum Women: LARC 60 days (Ages 15 to 20)	170	11	6.5%	2.5%	10.5%	NA	NA	13.7%	-	NA
PA EQR	Contraceptive Care for Postpartum Women: Most or moderately effective contraception 3 days (Ages 21 to 44)	1,418	198	14.0%	12.1%	15.8%	NA	NA	13.8%	n.s.	NA
PA EQR	Contraceptive Care for Postpartum Women: Most or moderately effective contraception 60 days (Ages 21 to 44)	1,418	640	45.1%	42.5%	47.8%	NA	NA	39.3%	+	NA
PA EQR	Contraceptive Care for Postpartum Women: LARC 3 days (Ages 21 to 44)	1,418	2	0.1%	0.0%	0.4%	NA	NA	2.1%	-	NA
PA EQR	Contraceptive Care for Postpartum Women: LARC 60 days (Ages 21 to 44)	1,418	101	7.1%	5.7%	8.5%	NA	NA	10.6%	-	NA

<sup>1</sup> For the Non-Recommended Cervical Cancer Screening in Adolescent Females measure, lower rate indicates better performance

## Obstetric and Neonatal Care

No strengths are identified for Obstetric and Neonatal Care performance measures.

Opportunities for improvement are identified for the following measures:

- The following rates are statistically significantly below/worse than the 2018 MMC weighted average:
  - Prenatal Screening for Smoking – 12.9 percentage points
  - Prenatal Screening for Smoking during one of the first two visits (CHIPRA indicator) – 12.3 percentage points
  - Prenatal Screening for Environmental Tobacco Smoke Exposure – 10.3 percentage points
  - Postpartum Screening for Depression – 13.5 percentage points
  - Prenatal Screening for Alcohol use – 9.4 percentage points
  - Prenatal Screening for Illicit drug use – 9.8 percentage points
  - Prenatal Screening for Prescribed or over-the-counter drug use – 13.1 percentage points
  - Prenatal Screening for Intimate partner violence – 8.1 percentage points
  - Elective Delivery – 10.8 percentage points

Table 3.7: Obstetric and Neonatal Care

Indicator Source	Indicator	2018 (MY 2017)					2018 (MY 2017) Rate Comparison				
		Denom	Num	Rate	Lower 95% Confidence Interval	Upper 95% Confidence Interval	2017 (MY2016) Rate	2018 Rate Compared to 2017	MMC	2018 Rate Compared to MMC	HEDIS 2018 Percentile
PA EQR	Frequency of Ongoing Prenatal Care Greater than or Equal to 61% of Expected Prenatal Care Visits Received	411	336	81.8%	77.9%	85.6%	91.3%	-	84.6%	n.s.	NA
PA EQR	Frequency of Ongoing Prenatal Care Greater than or Equal to 81% of Expected Prenatal Care Visits Received	411	294	71.5%	67.0%	76.0%	78.8%	-	70.6%	n.s.	NA
HEDIS	Prenatal and Postpartum Care Timeliness of Prenatal Care	411	351	85.4%	81.9%	88.9%	89.3%	n.s.	86.6%	n.s.	>= 50th and < 75th percentile
HEDIS	Prenatal and Postpartum Care Postpartum Care	411	271	65.9%	61.2%	70.6%	67.3%	n.s.	67.7%	n.s.	>= 50th and < 75th percentile
PA EQR	Prenatal Screening for Smoking	406	284	70.0%	65.4%	74.5%	90.0%	-	82.8%	-	NA
PA EQR	Prenatal Screening for Smoking during one of the first two visits (CHIPRA indicator)	406	284	70.0%	65.4%	74.5%	89.8%	-	82.2%	-	NA
PA EQR	Prenatal Screening for Environmental Tobacco Smoke Exposure	406	147	36.2%	31.4%	41.0%	55.0%	-	46.5%	-	NA
PA EQR	Prenatal Counseling for Smoking	103	93	90.3%	84.1%	96.5%	89.4%	n.s.	86.1%	n.s.	NA

PA EQR	Prenatal Counseling for Environmental Tobacco Smoke Exposure	61	45	<b>73.8%</b>	61.9%	85.6%	74.7%	n.s.	78.5%	n.s.	NA
PA EQR	Prenatal Smoking Cessation	103	9	<b>8.7%</b>	2.8%	14.7%	9.1%	n.s.	10.0%	n.s.	NA
PA EQR	Prenatal Screening for Depression	406	277	<b>68.2%</b>	63.6%	72.9%	84.8%	-	72.5%	n.s.	NA
PA EQR	Prenatal Screening for Depression during one of the first two visits (CHIPRA indicator)	406	246	<b>60.6%</b>	55.7%	65.5%	81.3%	-	65.2%	n.s.	NA
PA EQR	Prenatal Screening Positive for Depression	277	58	<b>20.9%</b>	16.0%	25.9%	16.2%	n.s.	20.2%	n.s.	NA
PA EQR	Prenatal Counseling for Depression	58	43	<b>74.1%</b>	62.0%	86.3%	80.0%	n.s.	73.7%	n.s.	NA
PA EQR	Postpartum Screening for Depression	289	173	<b>59.9%</b>	54.0%	65.7%	78.2%	-	73.4%	-	NA
PA EQR	Postpartum Screening Positive for Depression	173	18	<b>10.4%</b>	5.6%	15.2%	12.2%	n.s.	15.2%	n.s.	NA
PA EQR	Postpartum Counseling for Depression	18	18	<b>NA</b>	NA	NA	NA	NA	87.3%	NA	NA
PA EQR	Cesarean Rate for Nulliparous Singleton Vertex	364	88	<b>24.2%</b>	19.6%	28.7%	24.4%	n.s.	23.6%	n.s.	NA
PA EQR	Percent of Live Births Weighing Less than 2,500 Grams (Positive)	1,918	180	<b>9.4%</b>	8.1%	10.7%	7.7%	n.s.	9.9%	n.s.	NA
PA EQR	Prenatal Screening for Alcohol use	406	283	<b>69.7%</b>	65.1%	74.3%	87.0%	-	79.1%	-	NA
PA EQR	Prenatal Screening for Illicit drug use	406	281	<b>69.2%</b>	64.6%	73.8%	87.5%	-	79.0%	-	NA
PA EQR	Prenatal Screening for Prescribed or over the counter drug use	406	286	<b>70.4%</b>	65.9%	75.0%	89.8%	-	83.6%	-	NA
PA EQR	Prenatal Screening for Intimate partner violence	406	194	<b>47.8%</b>	42.8%	52.8%	63.5%	-	55.9%	-	NA
PA EQR	Prenatal Screening for Behavioral Health Risk Assessment	406	165	<b>40.6%</b>	35.7%	45.5%	58.3%	-	44.3%	n.s.	NA
PA EQR	Elective Delivery	458	71	<b>15.5%</b>	12.1%	18.9%	22.2%	-	4.7%	+	NA

<sup>1</sup> Lower rate indicates better performance for three measures that are related to live births: Cesarean Rate for Nulliparous Singleton Vertex, Percent of Live Births Weighing Less than 2,500 Grams (Positive), and Elective Delivery.

## Respiratory Conditions

Strengths are identified for the following Respiratory Conditions performance measures.

- The following rates are statistically significantly above/better than the 2018 MMC weighted average:
  - Pharmacotherapy Management of COPD Exacerbation: Systemic Corticosteroid – 6.0 percentage points
  - Medication Management for People with Asthma - 75% Compliance (Age 5-11 years) – 12.9 percentage points
  - Medication Management for People with Asthma - 75% Compliance (Age 12-18 years) – 9.6 percentage points
  - Medication Management for People with Asthma - 75% Compliance (Age 19-50 years) – 10.9 percentage points
  - Medication Management for People with Asthma - 75% Compliance (Age 51-64 years) – 11.4 percentage points
  - Medication Management for People with Asthma - 75% Compliance (Total - Age 5-64 years) – 11.8 percentage points
  - Chronic Obstructive Pulmonary Disease or Asthma in Older Adults Admission Rate (Age 40 to 64 years) per 100,000 member months – 39.10 admissions per 100,000 member months
  - Chronic Obstructive Pulmonary Disease or Asthma in Older Adults Admission Rate (Total Age 40+) per 100,000 member months – 37.58 admissions per 100,000 member months

Opportunities for improvement are identified for the following measures:

- The following rates are statistically significantly below/worse than the 2018 MMC weighted average:
  - Appropriate Testing for Children with Pharyngitis – 5.6 percentage points
  - Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis – 8.2 percentage points



Table 3.8: Respiratory Conditions

Indicator Source	Indicator	2018 (MY 2017)					2018 (MY 2017) Rate Comparison				
		Denom	Num	Rate	Lower 95% Confidence Interval	Upper 95% Confidence Interval	2017 (MY2016) Rate	2018 Rate Compared to 2017	MMC	2018 Rate Compared to MMC	HEDIS 2018 Percentile
HEDIS	Appropriate Testing for Children with Pharyngitis	1,886	1,459	77.4%	75.4%	79.3%	66.8%	+	82.9%	-	>= 25th and < 50th percentile
HEDIS	Appropriate Treatment for Children with Upper Respiratory Infection	2,109	240	88.6%	87.2%	90.0%	87.7%	n.s.	91.1%	-	>= 25th and < 50th percentile
HEDIS	Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis	850	610	28.2%	25.2%	31.3%	22.8%	+	36.4%	-	>= 25th and < 50th percentile
HEDIS	Use of Spirometry Testing in the Assessment and Diagnosis of COPD	262	70	26.7%	21.2%	32.3%	31.7%	n.s.	29.6%	n.s.	>= 25th and < 50th percentile
HEDIS	Pharmacotherapy Management of COPD Exacerbation: Systemic Corticosteroid	403	326	80.9%	76.9%	84.9%	76.1%	n.s.	74.9%	+	>= 90th percentile
HEDIS	Pharmacotherapy Management of COPD Exacerbation: Bronchodilator	403	354	87.8%	84.5%	91.2%	84.6%	n.s.	85.2%	n.s.	>= 75th and < 90th percentile
HEDIS	Medication Management for People with Asthma 75% Compliance (Age 5 11 years)	273	139	50.9%	44.8%	57.0%	52.3%	n.s.	38.1%	+	>= 90th percentile
HEDIS	Medication Management for People with Asthma 75% Compliance (Age 12 18 years)	254	126	49.6%	43.3%	56.0%	49.4%	n.s.	40.0%	+	>= 90th percentile
HEDIS	Medication Management for People with Asthma 75% Compliance (Age 19 50 years)	473	274	57.9%	53.4%	62.5%	56.1%	n.s.	47.0%	+	>= 90th percentile
HEDIS	Medication Management for People with Asthma 75% Compliance (Age 51 64 years)	142	104	73.2%	65.6%	80.9%	62.3%	n.s.	61.8%	+	>= 90th percentile
HEDIS	Medication Management for People with Asthma 75% Compliance (Total Age 5 64 years)	1,142	643	56.3%	53.4%	59.2%	53.9%	n.s.	44.5%	+	>= 90th percentile
HEDIS	Asthma Medication Ratio (5 11 years)	300	225	75.0%	69.9%	80.1%	73.2%	n.s.	72.1%	n.s.	>= 50th and < 75th percentile
HEDIS	Asthma Medication Ratio (12 18 years)	285	184	64.6%	58.8%	70.3%	67.0%	n.s.	67.9%	n.s.	>= 50th and < 75th percentile
HEDIS	Asthma Medication Ratio (19 50 years)	634	348	54.9%	50.9%	58.8%	53.7%	n.s.	57.8%	n.s.	>= 50th and < 75th percentile
HEDIS	Asthma Medication Ratio (51 64 years)	180	112	62.2%	54.9%	69.6%	60.6%	n.s.	61.2%	n.s.	>= 75th and < 90th percentile
HEDIS	Asthma Medication Ratio (Total)	1,399	869	62.1%	59.5%	64.7%	62.4%	n.s.	64.5%	n.s.	>= 25th and < 50th percentile
PA EQR	Asthma in Younger Adults Admission Rate (Age 18 39 years) per 100,000 member months	322,843	15	4.6	2.3	7.0	7.2	n.s.	7.3	n.s.	NA
PA EQR	Chronic Obstructive Pulmonary Disease or Asthma in Older Adults Admission Rate (Age 40 to 64 years) per 100,000 member months	204,010	113	55.4	45.2	65.6	NA	NA	94.5	-	NA
PA EQR	Chronic Obstructive Pulmonary Disease or Asthma in Older Adults Admission Rate (Age 65 years and older) per 100,000 member months	2,538	3	118.2	0.0	252.0	NA	NA	55.5	n.s.	NA
PA EQR	Chronic Obstructive Pulmonary Disease or Asthma in Older Adults Admission Rate (Total Age 40+) per 100,000 member months	206,548	116	56.2	45.9	66.4	50.8	n.s.	93.7	-	NA

<sup>1</sup> Per NCQA, a higher rate indicates appropriate treatment of children with URI (i.e., the proportion for whom antibiotics were not prescribed).

<sup>2</sup> Per NCQA, a higher rate indicates appropriate treatment of adults with acute bronchitis (i.e., the proportion for whom antibiotics were not prescribed).

<sup>3</sup> For the Adult Admission Rate measures, lower rates indicate better performance.

## Comprehensive Diabetes Care

Strengths are identified for the following Comprehensive Diabetes Care performance measures.

- The following rates are statistically significantly above/better than the 2018 MMC weighted average:
  - Blood Pressure Controlled <140/90 mm Hg – 6.2 percentage points
  - Statin Therapy for Patients With Diabetes: Statin Adherence 80% – 8.6 percentage points
  - Diabetes Care for People with Serious Mental Illness: Hemoglobin A1c (HbA1c) Poor Control (>9.0%) (Age Cohort: 18 - 64 Years of Age) – 9.6 percentage points

Opportunities for improvement are identified for the following measures:

- The following rates are statistically significantly below/worse than the 2018 MMC weighted average:
  - Statin Therapy for Patients With Diabetes: Received Statin Therapy – 7.9 percentage points

Table 3.9: Comprehensive Diabetes Care

Indicator Source	Indicator	2018 (MY 2017)					2018 (MY 2017) Rate Comparison				
		Denom	Num	Rate	Lower 95% Confidence Interval	Upper 95% Confidence Interval	2017 (MY2016) Rate	2018 Rate Compared to 2017	MMC	2018 Rate Compared to MMC	HEDIS 2018 Percentile
HEDIS	Hemoglobin A1c (HbA1c) Testing	566	493	87.1%	84.3%	90.0%	86.6%	n.s.	87.2%	n.s.	>= 25th and < 50th percentile
HEDIS	HbA1c Poor Control (>9.0%)	566	204	36.0%	32.0%	40.1%	37.0%	n.s.	34.7%	n.s.	>= 50th and < 75th percentile
HEDIS	HbA1c Control (<8.0%)	566	295	52.1%	47.9%	56.3%	52.4%	n.s.	52.9%	n.s.	>= 50th and < 75th percentile
HEDIS	HbA1c Good Control (<7.0%)	411	157	38.2%	33.4%	43.0%	38.5%	n.s.	37.8%	n.s.	>= 50th and < 75th percentile
HEDIS	Retinal Eye Exam	566	333	58.8%	54.7%	63.0%	55.9%	n.s.	59.0%	n.s.	>= 50th and < 75th percentile
HEDIS	Medical Attention for Nephropathy	566	509	89.9%	87.4%	92.5%	88.6%	n.s.	89.6%	n.s.	>= 25th and < 50th percentile
HEDIS	Blood Pressure Controlled <140/90 mm Hg	566	427	75.4%	71.8%	79.1%	72.3%	n.s.	69.2%	+	>= 75th and < 90th percentile
PA EQR	Diabetes Short Term Complications Admission Rate (Age 18-64 years) per 100,000 member months	526,853	71	13.5	10.3	16.6	16.1	n.s.	14.7	n.s.	NA
PA EQR	Diabetes Short Term Complications Admission Rate (Age 65+ years) per 100,000 member months	2,538	0	0.0	0.0	0.0	0.0	NA	1.8	n.s.	NA
PA EQR	Diabetes Short Term Complications Admission Rate (Total Age 18+ years) per 100,000 member months	529,391	71	13.4	10.3	16.5	16.1	n.s.	14.6	n.s.	NA
HEDIS	Statin Therapy for Patients With Diabetes: Received Statin Therapy	1,397	732	52.4%	49.7%	55.1%	64.9%	-	60.3%	-	< 10th percentile
HEDIS	Statin Therapy for Patients With Diabetes: Statin Adherence 80%	732	549	75.0%	71.8%	78.2%	72.8%	n.s.	66.4%	+	>= 90th percentile
PA EQR	Diabetes Care for People with Serious Mental Illness: Hemoglobin A1c (HbA1c) Poor Control (>9.0%) (Age Cohort: 18-64 Years of Age)	312	302	96.8%	94.7%	98.9%	NA	NA	87.2%	+	NA
PA EQR	Diabetes Care for People with Serious Mental Illness: Hemoglobin A1c (HbA1c) Poor Control (>9.0%) (Age Cohort: 65-75 Years of Age)	2	2	NA	NA	NA	NA	NA	86.4%	NA	NA

<sup>1</sup> For HbA1c Poor Control, lower rates indicate better performance.

<sup>2</sup> For the Adult Admission Rate measures, lower rates indicate better performance

## Cardiovascular Care

Strengths are identified for the following Cardiovascular Care performance measures.

- The following rates are statistically significantly above/better than the 2018 MMC weighted average:

- Heart Failure Admission Rate (Age 18-64 years) per 100,000 member months – 9.10 admissions per 100,000 member months
- Heart Failure Admission Rate (Total Age 18+ years) per 100,000 member months – 9.16 admissions per 100,000 member months

Opportunities for improvement are identified for the following measures:

- The following rates are statistically significantly below/worse than the 2018 MMC weighted average:
  - Statin Therapy for Patients With Cardiovascular Disease: Received Statin Therapy 21-75 years (Male) – 7.0 percentage points
  - Statin Therapy for Patients With Cardiovascular Disease: Received Statin Therapy 40-75 years (Female) – 7.4 percentage points
  - Statin Therapy for Patients With Cardiovascular Disease: Received Statin Therapy Total Rate – 7.1 percentage points

Table 3.10: Cardiovascular Care

Indicator Source	Indicator	2018 (MY 2017)					2018 (MY 2017) Rate Comparison				
		Denom	Num	Rate	Lower 95% Confidence Interval	Upper 95% Confidence Interval	2017 (MY2016) Rate	2018 Rate Compared to 2017	MMC	2018 Rate Compared to MMC	HEDIS 2018 Percentile
HEDIS	Persistence of Beta Blocker Treatment After Heart Attack	81	70	<b>86.4%</b>	78.3%	94.5%	94.5%	n.s.	85.0%	n.s.	>= 75th and < 90th percentile
HEDIS	Controlling High Blood Pressure (Total Rate)	411	280	<b>68.1%</b>	63.5%	72.8%	64.8%	n.s.	64.3%	n.s.	>= 75th and < 90th percentile
PA EQR	Heart Failure Admission Rate (Age 18-64 years) per 100,000 member months	526,853	54	<b>10.2</b>	7.5	13.0	11.9	n.s.	19.4	-	NA
PA EQR	Heart Failure Admission Rate (Age 65+ years) per 100,000 member months	2,538	2	<b>78.8</b>	0.0	188.0	48.4	n.s.	70.2	n.s.	NA
PA EQR	Heart Failure Admission Rate (Total Age 18+ years) per 100,000 member months	529,391	56	<b>10.6</b>	7.8	13.3	12.0	n.s.	19.7	-	NA
HEDIS	Statin Therapy for Patients With Cardiovascular Disease: Received Statin Therapy 21-75 years (Male)	255	184	<b>72.2%</b>	66.5%	77.9%	83.7%	-	79.2%	-	>= 10th and < 25th percentile
HEDIS	Statin Therapy for Patients With Cardiovascular Disease: Received Statin Therapy 40-75 years (Female)	180	123	<b>68.3%</b>	61.3%	75.4%	75.8%	n.s.	75.8%	-	>= 10th and < 25th percentile
HEDIS	Statin Therapy for Patients With Cardiovascular Disease: Received Statin Therapy Total Rate	435	307	<b>70.6%</b>	66.2%	75.0%	80.3%	-	77.7%	-	>= 10th and < 25th percentile
HEDIS	Statin Therapy for Patients With Cardiovascular Disease: Statin Adherence 80% 21-75 years (Male)	184	137	<b>74.5%</b>	67.9%	81.0%	76.5%	n.s.	69.9%	n.s.	>= 75th and < 90th percentile
HEDIS	Statin Therapy for Patients With Cardiovascular Disease: Statin Adherence 80% 40-75 years (Female)	123	93	<b>75.6%</b>	67.6%	83.6%	80.0%	n.s.	70.2%	n.s.	>= 90th percentile
HEDIS	Statin Therapy for Patients With Cardiovascular Disease: Statin Adherence 80% Total Rate	307	230	<b>74.9%</b>	69.9%	79.9%	77.9%	n.s.	70.0%	n.s.	>= 90th percentile
HEDIS	Cardiovascular Monitoring For People With Cardiovascular Disease and Schizophrenia	5	3	<b>NA</b>	NA	NA	NA	NA	78.1%	NA	NA

<sup>1</sup> For the Adult Admission Rate measures, lower rates indicate better performance

## Utilization

Strengths are identified for the following Utilization performance measures.

- The following rates are statistically significantly above/better than the 2018 MMC weighted average:
  - Adherence to Antipsychotic Medications for Individuals with Schizophrenia – 11.7 percentage points
  - Adherence to Antipsychotic Medications for Individuals with Schizophrenia (BH Enhanced) – 7.8 percentage points
  - Metabolic Monitoring for Children and Adolescents on Antipsychotics: Ages 6 - 11 years – 8.3 percentage points

- Metabolic Monitoring for Children and Adolescents on Antipsychotics: Total Rate – 6.1 percentage points
- Reducing Potentially Preventable Readmissions – 3.8 percentage points
- Use of Opioids at High Dosage – 24.1 per 1000

Opportunities for improvement are identified for the following measures:

- The following rates are statistically significantly below/worse than the 2018 MMC weighted average:
  - Use of Opioids from Multiple Providers (4 or more prescribers) – 20.8 per 1000
  - Use of Opioids From Multiple Providers (4 or more pharmacies) – 21.3 per 1000
  - Use of Opioids From Multiple Providers (4 or more prescribers & pharmacies) – 15.2 per 1000

Table 3.11: Utilization

Indicator Source	Indicator	2018 (MY 2017)					2018 (MY 2017) Rate Comparison				
		Denom	Num	Rate	Lower 95% Confidence Interval	Upper 95% Confidence Interval	2017 (MY2016) Rate	2018 Rate Compared to 2017	MMC	2018 Rate Compared to MMC	HEDIS 2018 Percentile
PA EQR	Reducing Potentially Preventable Readmissions	5,681	372	6.5%	5.9%	7.2%	10.71%	-	10.3%	-	NA
HEDIS	Adherence to Antipsychotic Medications for Individuals with Schizophrenia	184	144	78.3%	72.0%	84.5%	77.22%	n.s.	66.6%	+	>= 90th percentile
PA EQR	Adherence to Antipsychotic Medications for Individuals with Schizophrenia (BH Enhanced)	469	360	76.8%	72.8%	80.7%	74.41%	n.s.	69.0%	+	NA
HEDIS	Use of Multiple Concurrent Antipsychotics in Children and Adolescents: Ages 1 – 5 years	3	0	NA	NA	NA	NA	NA	NA	NA	NA
HEDIS	Use of Multiple Concurrent Antipsychotics in Children and Adolescents: Ages 6 – 11 years	167	1	0.6%	0.0%	2.1%	2.06%	n.s.	0.8%	n.s.	>= 50th and < 75th percentile
HEDIS	Use of Multiple Concurrent Antipsychotics in Children and Adolescents: Ages 12 – 17 years	268	5	1.9%	0.1%	3.7%	1.94%	NA	1.9%	n.s.	>= 50th and < 75th percentile
HEDIS	Use of Multiple Concurrent Antipsychotics in Children and Adolescents: Total Rate	438	6	1.4%	0.2%	2.6%	1.98%	n.s.	1.5%	n.s.	>= 50th and < 75th percentile
HEDIS	Metabolic Monitoring for Children and Adolescents on Antipsychotics: Ages 1 – 5 years	8	4	NA	NA	NA	NA	NA	NA	NA	NA
HEDIS	Metabolic Monitoring for Children and Adolescents on Antipsychotics: Ages 6 – 11 years	230	167	72.6%	66.6%	78.6%	72.31%	n.s.	64.4%	+	>= 90th percentile
HEDIS	Metabolic Monitoring for Children and Adolescents on Antipsychotics: Ages 12 – 17 years	362	244	67.4%	62.4%	72.4%	68.93%	n.s.	62.4%	n.s.	>= 90th percentile
HEDIS	Metabolic Monitoring for Children and Adolescents on Antipsychotics: Total Rate	600	415	69.2%	65.4%	72.9%	70.27%	n.s.	63.1%	+	>= 90th percentile
HEDIS	Use of Opioids at High Dosage <sup>3</sup>	3,730	224	60.1	NA	NA	NA	NA	84.2	-	NA
HEDIS	Use of Opioids from Multiple Providers (4 or more prescribers)	4,368	805	184.3	NA	NA	NA	NA	163.5	-	NA
HEDIS	Use of Opioids From Multiple Providers (4 or more pharmacies)	4,368	513	117.4	NA	NA	NA	NA	96.1	-	NA
HEDIS	Use of Opioids From Multiple Providers (4 or more prescribers & pharmacies)	4,368	199	45.6	NA	NA	NA	NA	30.4	-	NA
HEDIS	Plan weighted SIR (CLABSI)			0.53			NA	NA			NA

<sup>3</sup> A similar measure called Use of Opioids at High Doses was a PA Specific Administrative measure in 2017. This measure was retired in 2018 and replaced by the new HEDIS measure, Use of Opioids at High Dosage. No comparison is made between the new 2018 HEDIS Opioid measure and the retired 2017 PA Specific Administrative measure in this report.

HEDIS	Central line associated blood stream infections (CLABSI) high SIR			0.14			NA	NA			NA
HEDIS	Central line associated blood stream infections (CLABSI) moderate SIR			0.02			NA	NA			NA
HEDIS	Central line associated blood stream infections (CLABSI) low SIR			0.60			NA	NA			NA
HEDIS	Central line associated blood stream infections (CLABSI) unavailable SIR			0.24			NA	NA			NA
HEDIS	Plan weighted SIR (CAUTI)			0.64			NA	NA			NA
HEDIS	Catheter associated urinary tract infections (CAUTI) high SIR			0.22			NA	NA			NA
HEDIS	Catheter associated urinary tract infections (CAUTI) moderate SIR			0.18			NA	NA			NA
HEDIS	Catheter associated urinary tract infections (CAUTI) low SIR			0.41			NA	NA			NA
HEDIS	Catheter associated urinary tract infections (CAUTI) unavailable SIR			0.19			NA	NA			NA
HEDIS	Plan weighted SIR (MRSA)			0.57			NA	NA			NA
HEDIS	Methicillin resistant Staphylococcus aureus (MRSA) blood lab identified events high SIR			0.21			NA	NA			NA
HEDIS	Methicillin resistant Staphylococcus aureus (MRSA) blood lab identified events moderate SIR			0.09			NA	NA			NA
HEDIS	Methicillin resistant Staphylococcus aureus (MRSA) blood lab identified events low SIR			0.46			NA	NA			NA
HEDIS	Methicillin resistant Staphylococcus aureus (MRSA) blood lab identified events unavailable SIR			0.24			NA	NA			NA
HEDIS	Plan weighted SIR (CDIFF)			0.76			NA	NA			NA
HEDIS	Clostridium difficile laboratory identified events (CDIFF) high SIR			0.36			NA	NA			NA
HEDIS	Clostridium difficile laboratory identified events (CDIFF) moderate SIR			0.05			NA	NA			NA
HEDIS	Clostridium difficile laboratory identified events (CDIFF) low SIR			0.47			NA	NA			NA
HEDIS	Clostridium difficile laboratory identified events (CDIFF) unavailable SIR			0.11			NA	NA			NA
		<b>2018 (MY 2017)</b>					<b>2018 (MY 2017) Rate Comparison</b>				
<b>Indicator Source</b>	<b>Indicator</b>	<b>Count</b>	<b>Rate</b>				<b>2017 (MY2016) Rate</b>	<b>2018 Rate Compared to 2017</b>			<b>HEDIS 2018 Percentile</b>
HEDIS	PCR: Count of Index Hospital Stays (IHS) 1-3 Stays (Ages Total)	2,016									NA
HEDIS	PCR: Count of Index Hospital Stays (IHS) 4+ Stays (Ages Total)	204									NA
HEDIS	PCR: Count of Index Hospital Stays (IHS) Total Stays (Ages Total)	2,220									NA
HEDIS	PCR: Count of 30 Day Readmissions 1-3 Stays (Ages Total)	133									NA
HEDIS	PCR: Count of 30 Day Readmissions 4+ Stays (Ages Total)	75									NA
HEDIS	PCR: Count of 30 Day Readmissions Total Stays (Ages Total)	208									NA
HEDIS	PCR: Observed Readmission Rate 1-3 Stays (Ages Total)		6.6%				NA	NA			NA
HEDIS	PCR: Observed Readmission Rate 4+ Stays (Ages Total)		36.8%				NA	NA			NA
HEDIS	PCR: Observed Readmission Rate Total Stays (Ages Total)		9.4%				NA	NA			NA
HEDIS	PCR: Expected Readmission Rate 1-3 Stays (Ages Total)		15.5%				NA	NA			NA
HEDIS	PCR: Expected Readmission Rate 4+ Stays (Ages Total)		32.1%				NA	NA			NA
HEDIS	PCR: Expected Readmission Rate Total Stays (Ages Total)		17.0%				NA	NA			NA

HEDIS	PCR: Observed to Expected Readmission Ratio 1-3 Stays (Ages Total)			0.43			NA	NA			NA
HEDIS	PCR: Observed to Expected Readmission Ratio 4+ Stays (Ages Total)			1.14			NA	NA			NA
HEDIS	PCR: Observed to Expected Readmission Ratio Total Stays (Ages Total)			0.55			NA	NA			NA

<sup>1</sup> For the Reducing Potentially Preventable Readmissions measure, lower rates indicate better performance.

<sup>2</sup> For the Use of Multiple Concurrent Antipsychotics in Children and Adolescents measure, lower rates indicate better performance.

## Consumer Assessment of Healthcare Providers and Systems (CAHPS) Survey

### Satisfaction with the Experience of Care

The following tables provide the survey results of four composite questions by two specific categories for ACN across the last three measurement years, as available. The composite questions will target the MCOs performance strengths as well as opportunities for improvement.

Due to differences in the CAHPS submissions from year to year, direct comparisons of results are not always available. Questions that are not included in the most recent survey version are not presented in the tables.

### 2018 Adult CAHPS 5.0H Survey Results

Table 3.12: CAHPS 2018 Adult Survey Results

Survey Section/Measure	2018 (MY 2017)	2018 Rate Compared to 2017	2017 (MY 2016)	2017 Rate Compared to 2016	2016 (MY 2015)	2018 MMC Weighted Average
<b>Your Health Plan</b>						
Satisfaction with Adult's Health Plan (Rating of 8 to 10)	81.11%	▲	77.06%	▼	81.25%	79.32%
Getting Needed Information (Usually or Always)	89.82%	▲	84.50%	▲	80.26%	84.96%
<b>Your Healthcare in the Last Six Months</b>						
Satisfaction with Health Care (Rating of 8-10)	77.31%	▲	77.26%	▲	76.37%	74.94%
Appointment for Routine Care When Needed (Usually or Always)	84.59%	▲	84.08%	▲	79.94%	83.30%

▲ ▼ = Performance compared to prior years' rate

Shaded boxes reflect rates above the 2018 MMC Weighted Average.

### 2018 Child CAHPS 5.0H Survey Results

Table 3.13: CAHPS 2018 Child Survey Results

CAHPS Items	2018 (MY 2017)	2018 Rate Compared to 2017	2017 (MY 2016)	2017 Rate Compared to 2016	2016 (MY 2015)	2018 MMC Weighted Average
<b>Your Child's Health Plan</b>						
Satisfaction with Child's Health Plan (Rating of 8 to 10)	88.19%	▲	86.03%	▼	88.24%	86.50%
Getting Needed Information (Usually or Always)	86.40%	▲	81.90%	▼	87.23%	84.26%
<b>Your Healthcare in the Last Six Months</b>						
Satisfaction with Health Care (Rating of 8-10)	86.21%	▲	84.12%	▼	85.67%	84.69%
Appointment for Routine Care When Needed (Usually or Always)	90.16%	▲	87.76%	▼	92.81%	88.89%

▲ ▼ = Performance compared to prior years' rate

Shaded boxes reflect rates above the 2018 MMC Weighted Average.



## IV: 2017 Opportunities for Improvement MCO Response

### Current and Proposed Interventions

The general purpose of this section is to assess the degree to which each PH MCO has addressed the opportunities for improvement made by IPRO in the 2017 EQR Technical Reports, which were distributed June 2018. The 2018 EQR is the 10<sup>th</sup> to include descriptions of current and proposed interventions from each PH MCO that address the 2017 recommendations.

DHS requested that MCOs submit descriptions of current and proposed interventions using the Opportunities for Improvement form developed by IPRO to ensure that responses are reported consistently across the MCOs. These activities follow a longitudinal format, and are designed to capture information relating to:

- Follow-up actions that the MCO has taken through June 30, 2018 to address each recommendation;
- Future actions that are planned to address each recommendation;
- When and how future actions will be accomplished;
- The expected outcome or goals of the actions that were taken or will be taken; and
- The MCO's process(es) for monitoring the action to determine the effectiveness of the actions taken.

The documents informing the current report include the response submitted to IPRO as of August 2018, as well as any additional relevant documentation provided by ACN.

Table 4.1 presents ACN's responses to opportunities for improvement cited by IPRO in the 2017 EQR Technical Report, detailing current and proposed interventions.

**Table 4.1: Current and Proposed Interventions**

<p><b>Reference Number: ACN 2017.01: The MCO's rate was statistically significantly below the 2017 (MY 2016) MMC weighted average for Childhood Immunizations Status (Combination 2)</b></p>
<p>Follow Up Actions Taken Through 06/30/18:</p> <ul style="list-style-type: none"> <li>• Block scheduling events close care gaps at provider offices</li> <li>• Rapid Response calls parents/guardians to remind them to schedule EPSDT visits</li> <li>• Members are reminded via annual birthday reminders and educated via articles in the Member Newsletters</li> <li>• Providers are educated via articles in Provider Newsletters</li> <li>• Expanded ages called from 0 to 21 years of age who have not had a PCP within the past 12 months to remind them to see their PCP annually and receive their immunizations</li> <li>• Outreach to members with newly prescribed ADD medications. The program makes provisions for screenings, immunizations, etc.</li> <li>• Medical Economics conducting drill down and analysis to identify members who receive immunizations following outreach calls.</li> <li>• Pilot identifies low performing providers for contact regarding well child visits</li> </ul>
<p>Future Actions Planned:</p> <ul style="list-style-type: none"> <li>• Members who do not keep appointments receive "No Show" letters reminding parent/guardian of missed appointment and asked to call for assistance in scheduling a visit</li> <li>• Immunization record document mailed to members with "No Show" letters</li> </ul>
<p><b>Reference Number: ACN 2017.02: The MCO's rate was statistically significantly below the 2017 (MY 2016) MMC weighted average for Childhood Immunizations Status (Combination 3)</b></p>
<p>Follow Up Actions Taken Through 06/30/18:</p> <ul style="list-style-type: none"> <li>• Block scheduling events close care gaps at provider offices</li> <li>• Rapid Response calls parents/guardians to remind them to schedule EPSDT visits</li> <li>• Members are reminded via annual birthday reminders and educated via articles in the Member Newsletters</li> <li>• Providers are educated via articles in Provider Newsletters</li> <li>• Expanded ages called from 0 to 21 years of age who have not had a PCP within the past 12 months to remind them to see their PCP annually and receive their immunizations</li> <li>• Outreach to members with newly prescribed ADD medications. The program makes provisions for screenings, immunizations, etc.</li> <li>• Medical Economics conducting drill down and analysis to identify members who receive immunizations following outreach</li> </ul>



<p>calls.</p> <ul style="list-style-type: none"> <li>• Pilot identifies low performing providers for contact regarding well child visits</li> </ul>
<p>Future Actions Planned:</p> <ul style="list-style-type: none"> <li>• Members who do not keep appointments receive “No Show” letters reminding parent/guardian of missed appointment and asked to call for assistance in scheduling a visit</li> <li>• Immunization record document mailed to members with “No Show” letters</li> </ul>
<p><b>Reference Number: ACN 2017.03: The MCO’s rate was statistically significantly below the 2017 (MY 2016) MMC weighted average for Body Mass Index: Percentile (Age 3 - 11 years, &amp; Total)</b></p>
<p>Follow Up Actions Taken Through 06/30/18:</p> <ul style="list-style-type: none"> <li>• Block scheduling events close care gaps at provider offices</li> <li>• Rapid Response calls parents/guardians to remind them to schedule EPSDT visits</li> <li>• Members are reminded via annual birthday reminders and educated via articles in the Member Newsletters</li> <li>• Providers are educated via articles in Provider Newsletters</li> <li>• Expanded ages called from 0 to 21 years of age who have not had a PCP within the past 12 months to remind them to see their PCP annually</li> <li>• Pilot identifies low performing providers for contact regarding well child visits</li> </ul>
<p>Future Actions Planned:</p> <ul style="list-style-type: none"> <li>• Members who do not keep appointments receive “No Show” letters reminding parent/guardian of missed appointment and asked to call for assistance in scheduling a visit</li> </ul>
<p><b>Reference Number: ACN 2017.04: The MCO’s rate was statistically significantly below the 2017 (MY 2016) MMC weighted average for Counseling for Nutrition (Total)</b></p>
<p>Follow Up Actions Taken Through 06/30/18:</p> <ul style="list-style-type: none"> <li>• Block scheduling events close care gaps at provider offices</li> <li>• Rapid Response calls parents/guardians to remind them to schedule EPSDT visits</li> <li>• Members are reminded via annual birthday reminders and educated via articles in the Member Newsletters</li> <li>• Providers are educated via articles in Provider Newsletters</li> <li>• Expanded ages called from 0 to 21 years of age who have not had a PCP within the past 12 months to remind them to see their PCP annually</li> <li>• Pilot identifies low performing providers for contact regarding well child visits</li> </ul>
<p>Future Actions Planned:</p> <ul style="list-style-type: none"> <li>• Members who do not keep appointments receive “No Show” letters reminding parent/guardian of missed appointment and asked to call for assistance in scheduling a visit</li> </ul>
<p><b>Reference Number: ACN 2017.05: The MCO’s rate was statistically significantly below the 2017 (MY 2016) MMC weighted average for Counseling for Physical Activity (Age 3-11 years, &amp; Total)</b></p>
<p>Follow Up Actions Taken Through 06/30/18:</p> <ul style="list-style-type: none"> <li>• Block scheduling events close care gaps at provider offices</li> <li>• Healthy You, Healthy Me program</li> <li>• Conduct BMI assessment at Healthy Hoops events</li> <li>• Drill down on low performing, high volume providers; Account Executive visits</li> </ul>
<p>Future Actions Planned:</p> <ul style="list-style-type: none"> <li>• Continue current programs</li> </ul>
<p><b>Reference Number: ACN 2017.06: The MCO’s rate was statistically significantly below the 2017 (MY 2016) MMC weighted average for Follow-up Care for Children Prescribed ADHD Medication – (Initiation Phase &amp; Continuation Phase)</b></p>
<p>Follow Up Actions Taken Through 06/30/18:</p> <ul style="list-style-type: none"> <li>• An ADD report based upon pharmacy claims is produced daily. The Integrated Health Care Management team outreaches to member to ensure they schedule a follow-up visit within 30 days of a newly prescribed ADD medication</li> <li>• Continue outreach to members with newly prescribed ADD medications</li> <li>• Partnering with CCBH education program – co-branded letter/ADHD education to providers</li> </ul>
<p>Future Actions Planned:</p> <ul style="list-style-type: none"> <li>• Drill down to identify practices with low compliance rates of timely medication filling</li> <li>• Provider Network Management staff educates providers about the TiPS line</li> <li>• Members receive Doctor Visit Tracker to record follow-up visits and medications</li> </ul>
<p><b>Reference Number: ACN 2017.07: The MCO’s rate was statistically significantly below the 2017 (MY 2016) MMC weighted average</b></p>

<b>for Follow-up Care for Children Prescribed ADHD Medication (BH Enhanced) – (Initiation Phase &amp; Continuation Phase)</b>
<p>Follow Up Actions Taken Through 06/30/18:</p> <ul style="list-style-type: none"> <li>• An ADD report based upon pharmacy claims is produced daily. The Integrated Health Care Management team outreaches to member to ensure they schedule a follow-up visit within 30 days of a newly prescribed ADD medication</li> <li>• Continue outreach to members with newly prescribed ADD medications</li> <li>• Partnering with CCBH education program – co-branded letter/ADHD education to providers</li> </ul>
<p>Future Actions Planned:</p> <ul style="list-style-type: none"> <li>• Drill down to identify practices with low compliance rates of timely medication filling</li> <li>• Provider Network Management staff educates providers about the TiPS line</li> <li>• Members receive Doctor Visit Tracker to record follow-up visits and medications</li> </ul>
<b>Reference Number: ACN 2017.08: The MCO's rate was statistically significantly below the 2017 (MY 2016) MMC weighted average for Chlamydia Screening in Women (Age 1-20 years, 21-24, &amp;Total)</b>
<p>Follow Up Actions Taken Through 06/30/18:</p> <p>Efforts continue to educate both the member and the provider on the importance of the screening</p> <ul style="list-style-type: none"> <li>• Clinical Practice Guidelines and clinical resources always available on website for provider assistance/guidance.</li> <li>• Reminder of availability of clinical resources and CPG in Provider Newsletter</li> <li>• Links to Health Education ,CDC web and WebMD on member website</li> <li>• Women's Health educational material and PowerPoint presentation for use at community outreach education sessions</li> <li>• Important tests for women education one sheets available for distribution at community events.</li> <li>• HEDIS coding guidelines distributed to providers and available on website</li> <li>• Pap screening events will include chlamydia screening as indicated for members</li> <li>• Promoting health equity in provider newsletter</li> <li>• Plan reviews and updates existing member educational materials annually</li> </ul>
<p>Future Actions Planned:</p> <ul style="list-style-type: none"> <li>• In discussions with legal developing Women's health texting app that will include chlamydia screening</li> </ul>
<b>Reference Number: ACN 2017.09: The MCO's rate was statistically significantly below the 2017 (MY 2016) MMC weighted average for Elective Delivery</b>
<p>Follow Up Actions Taken Through 06/30/18:</p> <ul style="list-style-type: none"> <li>• Care Managers and Bright Start associates educate pregnant members to develop a birth plan with their OB-GYN</li> <li>• The member's OB-GYN knows the member's history to ensure the safety of the mother and baby</li> </ul>
<p>Future Actions Planned:</p> <ul style="list-style-type: none"> <li>• Provider Network Management staff to educate providers with high C-section rates</li> </ul>
<b>Reference Number: ACN 2017.10: The MCO's rate was statistically significantly below the 2017 (MY 2016) MMC weighted average for Appropriate Testing for Children with Pharyngitis</b>
<p>Follow Up Actions Taken Through 06/30/18:</p> <ul style="list-style-type: none"> <li>• Educational page on provider website</li> <li>• Clinical Practice Guidelines on Provider website</li> <li>• Educational program to encourage the appropriate testing of children for providers</li> <li>• Provider newsletter article</li> </ul>
<p>Future Actions Planned:</p> <ul style="list-style-type: none"> <li>• Continue current activities</li> </ul>
<b>Reference Number: ACN 2017.11: The MCO's rate was statistically significantly below the 2017 (MY 2016) MMC weighted average for Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis</b>

Follow Up Actions Taken Through 06/30/18:

- Educational page to provider website
- Clinical Practice Guidelines on Provider website
- Educational program to encourage the appropriate use of antibiotics among providers
- Provider newsletter article
- Antibiotic education page on the provider website
- Antibiotic Utilization Review Reports
- Prescriber letter for antibiotic HEDIS measures to target under-performing providers in measures that involve inappropriate antibiotic use

Future Actions Planned:

- Continue current activities

**Reference Number: ACN 2017.12: Of the four Adult CAHPS composite survey items reviewed, one decreased between 2017 (MY 2016) and 2016 (MY 2015). This item fell below the 2017 MMC weighted average.**

Follow Up Actions Taken Through 06/30/18:

AmeriHealth Caritas Pennsylvania systematically monitors its member satisfaction on an annual basis to acquire a complete understanding of the drivers behind member dissatisfaction thereby enabling the Plan to identify opportunities for improvement as well as barriers. Furthermore, this analysis enables the Plan to develop and implement interventions to increase member's satisfaction and evaluate the effectiveness of those interventions.

A CAHPS Committee meets regularly to determine key drivers behind poor performance, based on vendor survey findings and suggestions. To address access issues, several letters of agreements are in place with providers to allow for better access for our members. In addition, if members have difficulty finding a participating provider, referrals are made to the Special Needs Unit for assistance. This committee is digging into disparities analysis, trending of outcomes and developing recommendations for future actions. The Committee looks at all aspect such as Access to Care, Provider Communication, and Rating of the Health Plan to determine action plans. The Customer Service Area continually monitors and updates the "on-line" help center for the customer service reps to better handle member issues. Also, monthly audits of dissatisfactions are reviewed to determine if there is a common issue.

Member Communication and Outreach

- Multiple Member newsletter articles
- Soundbite Campaign to Members – reminder to fill out survey
- Reviewed complaints and dissatisfaction results and reports – no trends were identified.
- Spanish CAHPS survey sent
- Call Center Script to respond to members' CAHPS questions
- CAHPS presentation given at "all Associate Staff meetings"
- Member educational material for mailing and distribution at community events
- Member newsletter article: "What to do When You are Sick."
- Distribution of Ask Me 3 brochure to members – "Prepare for Your Doctor Visit."
- Review disparity analysis, plan interventions based on findings

Provider Communication and Outreach

- Culturally Linguistic Appropriate Services (CLAS) presentation at Provider Symposiums
- Multiple provider newsletter articles
- On-line Provider Directory Initiatives
- - improved explanations on terms
- - looking to combine specialties for ease in searching
- - adding transportation
- - adding urgent care centers
- On line Health literacy CMEs
- Provider newsletter articles: "Speaking Their Language" and "Get Interpreter Services for Your Practices at Discounted Prices."

- Distribution of Ask Me 3 poster to providers

Analysis has allowed for the identification of specific areas of opportunities, such as Rating of Health Care, where member satisfaction was not as strong as the other measures. These findings give AmeriHealth Caritas Pennsylvania the information necessary to develop targeted interventions to improve the satisfaction in areas with lower ratings.

Future Actions Planned:

Continue monthly workgroups to address member needs, articles to address access, member health, CLAS, services available, etc. in provider and member newsletters. Continue with health promotion and education to assist our members to get care, stay well and build health communities. The expected outcome is to increase awareness of the importance of the CAHPS survey for plan members and associates as well as to increase our member satisfaction rates. We will continue to monitor and evaluate our CAHPS survey annually.

- ACP continued outreach to members on the importance of responding to the CAHPS survey in 2018 and will again in 2019

**Reference Number: ACN 2017.13: Of the four Child CAHPS composite survey items reviewed, all four fell below the 2017 MMC weighted average. All four items decreased in 2017 (MY 2016).**

Follow Up Actions Taken Through 06/30/18:

AmeriHealth Caritas Pennsylvania systematically monitors its member satisfaction on an annual basis to acquire a complete understanding of the drivers behind member dissatisfaction thereby enabling the Plan to identify opportunities for improvement as well as barriers. Furthermore, this analysis enables the Plan to develop and implement interventions to increase member's satisfaction and evaluate the effectiveness of those interventions.

A CAHPS Committee meets regularly to determine key drivers behind poor performance, based on vendor survey findings and suggestions. To address access issues, several letters of agreements are in place with providers to allow for better access for our members. In addition, if members have difficulty finding a participating provider, referrals are made to the Special Needs Unit for assistance. This committee is digging into disparities analysis, trending of outcomes and developing recommendations for future actions. The Committee looks at all aspect such as Access to Care, Provider Communication, and Rating of the Health Plan to determine action plans. The Customer Service Area continually monitors and updates the "on-line" help center for the customer service reps to better handle member issues. Also, monthly audits of dissatisfactions are reviewed to determine if there is a common issue.

Member Communication and Outreach

- Multiple Member newsletter articles
- Soundbite Campaign to Members – reminder to fill out survey
- Reviewed complaints and dissatisfaction results and reports – no trends were identified.
- Spanish CAHPS survey sent
- Call Center Script to respond to members' CAHPS questions
- CAHPS presentation given at "all Associate Staff meetings"
- Member educational material for mailing and distribution at community events
- Member newsletter article: "What to do When You are Sick."
- Distribution of Ask Me 3 brochure to members – "Prepare for Your Doctor Visit."
- Review disparity analysis, plan interventions based on findings

Provider Communication and Outreach

- Culturally Linguistic Appropriate Services (CLAS) presentation at Provider Symposiums
- Multiple provider newsletter articles
- On-line Provider Directory Initiatives
- - improved explanations on terms
- - looking to combine specialties for ease in searching
- - adding transportation
- - adding urgent care centers
- On line Health literacy CMEs
- Provider newsletter articles: "Speaking Their Language" and "Get Interpreter Services for Your Practices at Discounted Prices."
- Distribution of Ask Me 3 poster to providers

Analysis has allowed for the identification of specific areas of opportunities, such as Rating of Health Care, where member satisfaction was not as strong as the other measures. These findings give AmeriHealth Caritas Pennsylvania the information necessary to develop targeted interventions to improve the satisfaction in areas with lower ratings.

**Future Actions Planned:**

Continue monthly workgroups to address member needs, articles to address access, member health, CLAS, services available, etc. in provider and member newsletters. Continue with health promotion and education to assist our members to get care, stay well and build health communities. The expected outcome is to increase awareness of the importance of the CAHPS survey for plan members and associates as well as to increase our member satisfaction rates. We will continue to monitor and evaluate our CAHPS survey annually.

- ACP continued outreach to members on the importance of responding to the CAHPS survey in 2018 and will again in 2019

## **Root Cause Analysis and Action Plan**

The 2018 EQR is the ninth year MCOs were required to prepare a Root Cause Analysis and Action Plan for measures on the HEDIS 2017 P4P Measure Matrix receiving either “D” or “F” ratings. Each P4P measure in categories “D” and “F” required that the MCO submit:

- A goal statement;
- Root cause analysis and analysis findings;
- Action plan to address findings;
- Implementation dates; and
- A monitoring plan to assure action is effective and to address what will be measured and how often that measurement will occur.

For the 2018 EQR, ACN was not required to prepare a Root Cause Analysis and Action Plan for any performance measures.

## V: 2018 Strengths and Opportunities for Improvement

The review of MCO's 2018 performance against structure and operations standards, performance improvement projects and performance measures identified strengths and opportunities for improvement in the quality outcomes, timeliness of, and access to services for Medicaid members served by this MCO.

### Strengths

- ACN was found to be fully compliant on Subparts C and F of the structure and operations standards.
- The MCO's performance was statistically significantly above/better than the MMC weighted average in 2018 (MY 2017) for the following measures:
  - Adults' Access to Preventive/Ambulatory Health Services (Age 20-44 years)
  - Well-Child Visits in the First 15 Months of Life ( $\geq 6$  Visits)
  - Counseling for Nutrition (Age 12-17 years)
  - Counseling for Nutrition (Total)
  - Annual Dental Visits for Members with Developmental Disabilities (Age 2-20years)
  - Contraceptive Care for All Women: Provision of most or moderately effective contraception (Ages 15 to 20)
  - Contraceptive Care for All Women: Provision of most or moderately effective contraception (Ages 21 to 44)
  - Contraceptive Care for Postpartum Women: Most or moderately effective contraception - 60 days (Ages 15 to 20)
  - Contraceptive Care for Postpartum Women: Most or moderately effective contraception - 60 days (Ages 21 to 44)
  - Pharmacotherapy Management of COPD Exacerbation: Systemic Corticosteroid
  - Medication Management for People with Asthma - 75% Compliance (Age 5-11 years)
  - Medication Management for People with Asthma - 75% Compliance (Age 12-18 years)
  - Medication Management for People with Asthma - 75% Compliance (Age 19-50 years)
  - Medication Management for People with Asthma - 75% Compliance (Age 51-64 years)
  - Medication Management for People with Asthma - 75% Compliance (Total - Age 5-64 years)
  - Chronic Obstructive Pulmonary Disease or Asthma in Older Adults Admission Rate (Age 40 to 64 years) per 100,000 member months
  - Chronic Obstructive Pulmonary Disease or Asthma in Older Adults Admission Rate (Total Age 40+) per 100,000 member months
  - Blood Pressure Controlled  $<140/90$  mm Hg
  - Statin Therapy for Patients With Diabetes: Statin Adherence 80%
  - Heart Failure Admission Rate (Age 18-64 years) per 100,000 member months
  - Heart Failure Admission Rate (Total Age 18+ years) per 100,000 member months
  - Reducing Potentially Preventable Readmissions
  - Adherence to Antipsychotic Medications for Individuals with Schizophrenia
  - Adherence to Antipsychotic Medications for Individuals with Schizophrenia (BH Enhanced)
  - Metabolic Monitoring for Children and Adolescents on Antipsychotics: Ages 6 - 11 years
  - Metabolic Monitoring for Children and Adolescents on Antipsychotics: Total Rate
  - Use of Opioids at High Dosage
- The following strengths were noted in 2018 (MY 2017) for the Adult and Child CAHPS survey items:
  - Of the four Adult CAHPS composite survey items reviewed, all items were above the 2018 MMC Weighted average. All items increased in 2018 (MY 2017) as compared to 2017 (MY 2016).
  - Of the four Child CAHPS composite survey items reviewed, all items were above the 2018 MMC Weighted average. All items increased in 2018 (MY 2017) as compared to 2017 (MY 2016).

## Opportunities for Improvement

- For approximately 20 percent of reported measures the MCO's performance was statistically significantly below/worse than the MMC weighted average in 2018 (MY 2017) for the following measures:
  - Childhood Immunizations Status (Combination 2)
  - Childhood Immunizations Status (Combination 3)
  - Body Mass Index: Percentile (Age 3 - 11 years)
  - Body Mass Index: Percentile (Total)
  - Follow-up Care for Children Prescribed ADHD Medication - Initiation Phase
  - Follow-up Care for Children Prescribed ADHD Medication - Continuation Phase
  - Follow-up Care for Children Prescribed ADHD Medication (BH Enhanced) - Initiation Phase
  - Follow-Up After Emergency Department Visit for Mental Illness or Alcohol and Other Drug Abuse or Dependence (Ages: 18 to 64 - ED visits for AOD abuse or dependence, follow-up within 7 days)
  - Follow-Up After Emergency Department Visit for Mental Illness or Alcohol and Other Drug Abuse or Dependence (Ages: 18 to 64 - ED visits for AOD abuse or dependence, follow-up within 30 days)
  - Chlamydia Screening in Women (Total)
  - Chlamydia Screening in Women (Age 16-20 years)
  - Chlamydia Screening in Women (Age 21-24 years)
  - Contraceptive Care for Postpartum Women: LARC - 60 days (Ages 15 to 20)
  - Contraceptive Care for Postpartum Women: LARC - 60 days (Ages 21 to 44)
  - Prenatal Screening for Smoking
  - Prenatal Screening for Smoking during one of the first two visits (CHIPRA indicator)
  - Prenatal Screening for Environmental Tobacco Smoke Exposure
  - Postpartum Screening for Depression
  - Prenatal Screening for Alcohol use
  - Prenatal Screening for Illicit drug use
  - Prenatal Screening for Prescribed or over-the-counter drug use
  - Prenatal Screening for Intimate partner violence
  - Elective Delivery
  - Appropriate Testing for Children with Pharyngitis
  - Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis
  - Statin Therapy for Patients With Diabetes: Received Statin Therapy
  - Statin Therapy for Patients With Cardiovascular Disease: Received Statin Therapy 21-75 years (Male)
  - Statin Therapy for Patients With Cardiovascular Disease: Received Statin Therapy 40-75 years (Female)
  - Statin Therapy for Patients With Cardiovascular Disease: Received Statin Therapy Total Rate
  - Use of Opioids from Multiple Providers (4 or more prescribers)
  - Use of Opioids From Multiple Providers (4 or more pharmacies)
  - Use of Opioids From Multiple Providers (4 or more prescribers & pharmacies)
- No opportunities for improvement were noted in 2018 (MY 2017) for Adult and Child CAHPS survey items.

Additional targeted opportunities for improvement are found in the MCO-specific HEDIS 2018 P4P Measure Matrix that follows.



## P4P Measure Matrix Report Card 2018


The Pay-for-Performance (P4P) Matrix Report Card provides a comparative look at all measures in the Quality Performance Measures component of the “HealthChoices MCO Pay for Performance Program.” Nine measures are Healthcare Effectiveness Data Information Set (HEDIS®) measures, and the remaining two are PA specific measures. The matrix:


1. Compares the Managed Care Organization’s (MCO’s) own P4P measure performance over the two most recent reporting years (2018 and 2017); and
2. Compares the MCO’s 2018 P4P measure rates to the 2018 Medicaid Managed Care (MMC) Weighted Average.


The table is a three by three matrix. The horizontal comparison represents the MCO’s current performance as compared to the most recent MMC weighted average. When comparing a MCO’s rate to the MMC weighted average for each respective measure, the MCO rate can be either above average, average or below average. Whether or not a MCO performed above or below average is determined by whether or not that MCO’s 95% confidence interval for the rate included the MMC Weighted Average for the specific indicator. When noted, the MCO comparative differences represent statistically significant differences from the MMC weighted average.


The vertical comparison represents the MCO’s performance for each measure in relation to its prior year’s rates for the same measure. The MCO’s rate can trend up (↑), have no change, or trend down (↓). For these year-to-year comparisons, the significance of the difference between two independent proportions was determined by calculating the z-ratio. A z-ratio is a statistical measure that quantifies the difference between two percentages when they come from two separate study populations.


The matrix is color-coded to indicate when a MCO’s performance rates for these P4P measures are notable or whether there is cause for action:

 The green box (A) indicates that performance is notable. The MCO’s 2018 rate is statistically significantly above/better than the 2018 MMC weighted average and above/better than the MCO’s 2017 rate.

 The light green boxes (B) indicate either that the MCO’s 2018 rate does not differ from the 2018 MMC weighted average and is above/better than 2017 or that the MCO’s 2018 rate is statistically significantly above/better than the 2018 MMC weighted average but there is no change from the MCO’s 2017 rate.

 The yellow boxes (C) indicate that the MCO’s 2018 rate is statistically significantly below/worse than the 2018 MMC weighted average and is above/better than the 2017 rate, or the MCO’s 2018 rate does not differ from the 2018 MMC weighted average and there is no change from 2017, or the MCO’s 2018 rate is statistically significantly above/better than the 2018 MMC weighted average but is lower/worse than the MCO’s 2017 rate. No action is required although MCOs should identify continued opportunities for improvement.

 The orange boxes (D) indicate either that the MCO’s 2018 rate is statistically significantly lower/worse than the 2018 MMC weighted average and there is no change from 2017, or that the MCO’s 2018 rate is not different than the 2018 MMC weighted average and is lower/worse than the MCO’s 2017 rate. **A root cause analysis and plan of action is therefore required.**

 The red box (F) indicates that the MCO’s 2018 rate is statistically significantly below/worse than the 2018 MMC weighted average and is below/worse than the MCO’s 2017 rate. **A root cause analysis and plan of action is therefore required.**





## ACN Key Points

### ■ A Performance is notable. No action required. MCOs may have internal goals to improve

Measures that in 2018 are statistically significantly above/better than 2017, and are statistically significantly above/better than the 2018 MMC weighted average are:

- Annual Dental Visit (Ages 2 – 20 years)
- Reducing Potentially Preventable Readmissions<sup>4</sup>

### ■ B - No action required. MCOs may identify continued opportunities for improvement

Measures that in 2018 did not statistically significantly change from 2017, but are statistically significantly above/better than the 2018 MMC weighted average are:

- Well-Child Visits in the First 15 Months of Life, 6 or more
- Medication Management for People With Asthma: 75% Total

### ■ C - No action required although MCOs should identify continued opportunities for improvement

Measures that in 2018 did not statistically significantly change from 2017, and are not statistically significantly different from the 2018 MMC weighted average are:

- Adolescent Well-Care Visits
- Comprehensive Diabetes Care: HbA1c Poor Control<sup>5</sup>
- Controlling High Blood Pressure
- Prenatal Care in the First Trimester
- Postpartum Care
- Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life

### ■ D - Root cause analysis and plan of action required

Measures that in 2018 are statistically significantly lower/worse than 2017, but are not statistically significantly different from the 2018 MMC weighted average are:

- Frequency of Ongoing Prenatal Care:  $\geq$  81% of Expected Prenatal Care Visits

### ■ F Root cause analysis and plan of action required

- No P4P measures fell into this comparison category.

<sup>4</sup> Lower rates for Reducing Potentially Preventable Readmissions indicate better performance

<sup>5</sup> Lower rates for Comprehensive Diabetes Care: HbA1c Poor Control indicate better performance

Figure 5.1: P4P Measure Matrix

		Medicaid Managed Care Weighted Average Statistical Significance Comparison		
Trend		Below/Worse than Average	Average	Above/Better than Average
Year to Year Statistical Significance Comparison	↑	<b>C</b>	<b>B</b>	<b>A</b> Annual Dental Visit (Ages 2 – 20 years)  Reducing Potentially Preventable Readmissions <sup>6</sup>
	No Change	<b>D</b>	<b>C</b> Adolescent Well-Care Visits  Comprehensive Diabetes Care: HbA1c Poor Control <sup>7</sup>  Controlling High Blood Pressure  Prenatal Care in the First Trimester  Postpartum Care  Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life	<b>B</b> Well-Child Visits in the First 15 Months of Life, 6 or more  Medication Management for People With Asthma: 75% Total
	↓	<b>F</b>	<b>D</b> Frequency of Ongoing Prenatal Care: ≥ 81% of Expected Prenatal Care Visits	<b>C</b>

<sup>6</sup> Lower rates for Reducing Potentially Preventable Readmissions indicate better performance

<sup>7</sup> Lower rates for Comprehensive Diabetes Care: HbA1c Poor Control indicate better performance

P4P performance measure rates for, 2015, 2016, 2017 and 2018 as applicable are displayed in Figure 5.2. Whether or not a statistically significant difference was indicated between reporting years is shown using the following symbols:

- ▲ Statistically significantly higher than the prior year,
- ▼ Statistically significantly lower than the prior year or
- = No change from the prior year.

Table 5.1: P4P Measure Rates

Quality Performance Measure HEDIS®	HEDIS® 2015 Rate	HEDIS® 2016 Rate	HEDIS® 2017 Rate	HEDIS® 2018 Rate	HEDIS® 2018 MMC WA
Adolescent Well Care Visits (Age 12-21 Years)	59.0% NA	54.5% =	61.8% ▲	65.2% =	62.0%
Comprehensive Diabetes Care - HbA1c Poor Control <sup>8</sup>	40.3% NA	41.3% =	37.0% =	36.0% =	34.7%
Controlling High Blood Pressure	71.0% NA	67.3% =	64.8% =	68.1% =	64.3%
Prenatal Care in the First Trimester	83.8% NA	91.5% ▲	89.3% =	85.4% =	86.6%
Postpartum Care		62.9% =	67.3% =	65.9% =	67.7%
Annual Dental Visits (Ages 2-20 years) <sup>9</sup>	51.0% NA	58.4% ▲	62.5% ▲	64.3% ▲	63.0%
Well Child Visits in the First 15 Months of Life, 6 or more		70.6% ▲	70.8% =	75.4% =	69.9%
Well Child Visits in the Third, Fourth, Fifth and Sixth Years of Life		74.6% NA	76.2% =	74.7% =	77.6%
Medication Management for People with Asthma: 75% Total		51.3% NA	53.9% =	56.3% =	44.5%
Quality Performance Measure PA	2015 Rate	2016 Rate	2017 Rate	2018 Rate	2018 MMC WA
Frequency of Ongoing Prenatal Care: ≥ 81% of Expected Prenatal Care Visits Received <sup>10</sup>	71.5% NA	77.3% =	78.8% =	71.5% ▼	70.6%
Reducing Potentially Preventable Readmissions <sup>11</sup>	9.3% NA	7.3% ▼	10.7% ▲	6.5% ▼	10.3%

<sup>8</sup> Lower rates for Comprehensive Diabetes Care: HbA1c Poor Control indicate better performance

<sup>9</sup> In 2015, the Annual Dental Visit age range was 2-21 years

<sup>10</sup> Frequency of Ongoing Prenatal Care was collected as a first-year PA PM for 2018. Prior to 2018, this measure was collected and validated via HEDIS®.

<sup>11</sup> Lower rates for Reducing Potentially Preventable Readmissions indicate better performance

## **VI: Summary of Activities**

### **Structure and Operations Standards**

- ACN was found to be fully compliant on subparts C and F. In subpart D, ACN was compliant on 9 categories and partially compliant on 2 categories. Compliance review findings for ACN from RY 2017, RY 2016 and RY 2015 were used to make the determinations.

### **Performance Improvement Projects**

- As previously noted, ACN's Dental and Readmission PIP proposal submissions were validated. The MCO received feedback and subsequent information related to these activities from IPRO.

### **Performance Measures**

- ACN reported all HEDIS, PA-Specific and CAHPS Survey performance measures in 2018 for which the MCO had a sufficient denominator.

### **2017 Opportunities for Improvement MCO Response**

- ACN provided a response to the opportunities for improvement issued in the 2017 annual technical report and a root cause analysis and action plan for those measures on the HEDIS 2017 P4P Measure Matrix receiving either "D" or "F" ratings

### **2018 Strengths and Opportunities for Improvement**

- Both strengths and opportunities for improvement have been noted for ACN in 2018. A response will be required by the MCO for the noted opportunities for improvement in 2019.